

Hasil Uji Validitas dan Reliabilitas

Correlations

	x1.1.1	x1.1.2	x1.1.3	x1.1.4	x1.2.1	x1.2.2	x1.2.3	x1.3.1	x1.3.2	x1.3.3	x1.4.1	x1.4.2	x1.4.3	total.x1
x1.1.1 Pearson Correlation	1	.772**	.482**	.282**	.519**	.718**	.578**	.200	.439**	.404**	.628**	.508**	.668**	.826**
Sig. (2-tailed)		.000	.000	.007	.000	.000	.000	.060	.000	.000	.000	.000	.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.1.2 Pearson Correlation	.772**	1	.708**	.445**	.564**	.651**	.646**	.356**	.265*	.376**	.366**	.471**	.550**	.814**
Sig. (2-tailed)	.000		.000	.000	.000	.000	.000	.001	.012	.000	.000	.000	.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.1.3 Pearson Correlation	.482**	.708**	1	.701**	.389**	.411**	.458**	.281**	.151	.339**	.338**	.456**	.359**	.678**
Sig. (2-tailed)	.000	.000		.000	.000	.000	.000	.008	.159	.001	.001	.000	.001	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.1.4 Pearson Correlation	.282**	.445**	.701**	1	.383**	.410**	.265*	.244*	.187	.377**	.252*	.533**	.175	.573**
Sig. (2-tailed)	.007	.000	.000		.000	.000	.012	.021	.079	.000	.017	.000	.101	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.2.1 Pearson Correlation	.519**	.564**	.389**	.383**	1	.510**	.534**	.308**	.532**	.575**	.244*	.322**	.608**	.734**
Sig. (2-tailed)	.000	.000	.000	.000		.000	.000	.003	.000	.000	.021	.002	.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.2.2 Pearson Correlation	.718**	.651**	.411**	.410**	.510**	1	.637**	.433**	.481**	.430**	.683**	.566**	.624**	.841**
Sig. (2-tailed)	.000	.000	.000	.000	.000		.000	.000	.000	.000	.000	.000	.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.2.3 Pearson Correlation	.578**	.646**	.458**	.265*	.534**	.637**	1	.665**	.297**	.347**	.462**	.465**	.629**	.772**
Sig. (2-tailed)	.000	.000	.000	.012	.000	.000		.000	.005	.001	.000	.000	.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.3.1 Pearson Correlation	.200	.356**	.281**	.244*	.308**	.433**	.665**	1	.307**	.078	.388**	.271*	.257*	.498**
Sig. (2-tailed)	.060	.001	.008	.021	.003	.000	.000		.003	.465	.000	.010	.015	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.3.2 Pearson Correlation	.439**	.265*	.151	.187	.532**	.481**	.297**	.307**	1	.337**	.487**	.129	.428**	.555**
Sig. (2-tailed)	.000	.012	.159	.079	.000	.000	.005	.003		.001	.000	.227	.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.3.3 Pearson Correlation	.404**	.376**	.339**	.377**	.575**	.430**	.347**	.078	.337**	1	.110	.197	.345**	.559**
Sig. (2-tailed)	.000	.000	.001	.000	.000	.000	.001	.465	.001		.305	.064	.001	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.4.1 Pearson Correlation	.628**	.366**	.338**	.252*	.244*	.683**	.462**	.388**	.487**	.110	1	.517**	.573**	.667**
Sig. (2-tailed)	.000	.000	.001	.017	.021	.000	.000	.000	.000	.305		.000	.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.4.2 Pearson Correlation	.508**	.471**	.456**	.533**	.322**	.566**	.465**	.271*	.129	.197	.517**	1	.477**	.655**
Sig. (2-tailed)	.000	.000	.000	.000	.002	.000	.000	.010	.227	.064	.000		.000	.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
x1.4.3 Pearson Correlation	.668**	.550**	.359**	.175	.608**	.624**	.629**	.257*	.428**	.345**	.573**	.477**	1	.763**
Sig. (2-tailed)	.000	.000	.001	.101	.000	.000	.000	.015	.000	.001	.000	.000		.000
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89
total.x1 Pearson Correlation	.826**	.814**	.678**	.573**	.734**	.841**	.772**	.498**	.555**	.559**	.667**	.655**	.763**	1
Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
N	89	89	89	89	89	89	89	89	89	89	89	89	89	89

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Reliability

Scale: x1

Case Processing Summary

		N	%
Cases	Valid	89	100.0
	Excluded ^a	0	.0
	Total	89	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.909	13



Correlations

Correlations

	x2.1.1	x2.1.2	x2.1.3	x2.1.4	x2.2.1	x2.2.2	x2.2.3	x2.3.1	x2.3.2	total.x2
x2.1.1 Pearson Correlation	1	.213*	.326**	.496**	.628**	.664**	.695**	.421**	.291**	.776**
Sig. (2-tailed)		.045	.002	.000	.000	.000	.000	.000	.006	.000
N	89	89	89	89	89	89	89	89	89	89
x2.1.2 Pearson Correlation	.213*	1	.279**	.303**	.039	.289**	.178	.243*	.410**	.403**
Sig. (2-tailed)	.045		.008	.004	.716	.006	.095	.022	.000	.000
N	89	89	89	89	89	89	89	89	89	89
x2.1.3 Pearson Correlation	.326**	.279**	1	.632**	.433**	.493**	.373**	.347**	.684**	.681**
Sig. (2-tailed)	.002	.008		.000	.000	.000	.000	.001	.000	.000
N	89	89	89	89	89	89	89	89	89	89
x2.1.4 Pearson Correlation	.496**	.303**	.632**	1	.825**	.570**	.500**	.625**	.459**	.850**
Sig. (2-tailed)	.000	.004	.000		.000	.000	.000	.000	.000	.000
N	89	89	89	89	89	89	89	89	89	89
x2.2.1 Pearson Correlation	.628**	.039	.433**	.825**	1	.614**	.634**	.547**	.307**	.823**
Sig. (2-tailed)	.000	.716	.000	.000		.000	.000	.000	.003	.000
N	89	89	89	89	89	89	89	89	89	89
x2.2.2 Pearson Correlation	.664**	.289**	.493**	.570**	.614**	1	.697**	.172	.189	.748**
Sig. (2-tailed)	.000	.006	.000	.000	.000		.000	.107	.076	.000
N	89	89	89	89	89	89	89	89	89	89
x2.2.3 Pearson Correlation	.695**	.178	.373**	.500**	.634**	.697**	1	.292**	.250*	.753**
Sig. (2-tailed)	.000	.095	.000	.000	.000	.000		.005	.018	.000
N	89	89	89	89	89	89	89	89	89	89
x2.3.1 Pearson Correlation	.421**	.243*	.347**	.625**	.547**	.172	.292**	1	.654**	.681**
Sig. (2-tailed)	.000	.022	.001	.000	.000	.107	.005		.000	.000
N	89	89	89	89	89	89	89	89	89	89
x2.3.2 Pearson Correlation	.291**	.410**	.684**	.459**	.307**	.189	.250*	.654**	1	.625**
Sig. (2-tailed)	.006	.000	.000	.000	.003	.076	.018	.000		.000
N	89	89	89	89	89	89	89	89	89	89
total.x2 Pearson Correlation	.776**	.403**	.681**	.850**	.823**	.748**	.753**	.681**	.625**	1
Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.000	
N	89	89	89	89	89	89	89	89	89	89

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

Reliability

Scale: x2

Case Processing Summary

		N	%
Cases	Valid	89	100.0
	Excluded ^a	0	.0
	Total	89	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.877	9



Correlations

Correlations

	y.1.1	y.1.2	y.2.1	y.2.2	y.3.1	y.3.2	total.y
y.1.1 Pearson Correlation	1	.639**	.503**	.480**	.697**	.428**	.838**
Sig. (2-tailed)		.000	.000	.000	.000	.000	.000
N	89	89	89	89	89	89	89
y.1.2 Pearson Correlation	.639**	1	.552**	.466**	.339**	.375**	.734**
Sig. (2-tailed)	.000		.000	.000	.001	.000	.000
N	89	89	89	89	89	89	89
y.2.1 Pearson Correlation	.503**	.552**	1	.558**	.208	.565**	.741**
Sig. (2-tailed)	.000	.000		.000	.051	.000	.000
N	89	89	89	89	89	89	89
y.2.2 Pearson Correlation	.480**	.466**	.558**	1	.278**	.630**	.758**
Sig. (2-tailed)	.000	.000	.000		.008	.000	.000
N	89	89	89	89	89	89	89
y.3.1 Pearson Correlation	.697**	.339**	.208	.278**	1	.376**	.661**
Sig. (2-tailed)	.000	.001	.051	.008		.000	.000
N	89	89	89	89	89	89	89
y.3.2 Pearson Correlation	.428**	.375**	.565**	.630**	.376**	1	.758**
Sig. (2-tailed)	.000	.000	.000	.000	.000		.000
N	89	89	89	89	89	89	89
total.y Pearson Correlation	.838**	.734**	.741**	.758**	.661**	.758**	1
Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	
N	89	89	89	89	89	89	89

** . Correlation is significant at the 0.01 level (2-tailed).



Reliability

Scale: y

Case Processing Summary

		N	%
Cases	Valid	89	100.0
	Excluded ^a	0	.0
	Total	89	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.842	6



Dekskripsi Variabel

x1.1.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	4	4.5	4.5	4.5
2	8	9.0	9.0	13.5
3	12	13.5	13.5	27.0
4	22	24.7	24.7	51.7
5	43	48.3	48.3	100.0
Total	89	100.0	100.0	

x1.1.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	2	2.2	2.2	2.2
2	7	7.9	7.9	10.1
3	11	12.4	12.4	22.5
4	32	36.0	36.0	58.4
5	37	41.6	41.6	100.0
Total	89	100.0	100.0	

x1.1.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	10	11.2	11.2	11.2
3	6	6.7	6.7	18.0
4	45	50.6	50.6	68.5
5	28	31.5	31.5	100.0
Total	89	100.0	100.0	

x1.1.4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	2	2.2	2.2	2.2
3	14	15.7	15.7	18.0
4	27	30.3	30.3	48.3
5	46	51.7	51.7	100.0
Total	89	100.0	100.0	

x1.2.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	2	2.2	2.2	2.2
2	8	9.0	9.0	11.2
3	12	13.5	13.5	24.7
4	37	41.6	41.6	66.3
5	30	33.7	33.7	100.0
Total	89	100.0	100.0	

x1.2.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	2	2.2	2.2	2.2
3	15	16.9	16.9	19.1
4	37	41.6	41.6	60.7
5	35	39.3	39.3	100.0
Total	89	100.0	100.0	

x1.2.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	7	7.9	7.9	7.9
3	8	9.0	9.0	16.9
4	44	49.4	49.4	66.3
5	30	33.7	33.7	100.0
Total	89	100.0	100.0	

x1.3.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	11	12.4	12.4	12.4
4	49	55.1	55.1	67.4
5	29	32.6	32.6	100.0
Total	89	100.0	100.0	

x1.3.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	6	6.7	6.7	6.7
3	6	6.7	6.7	13.5
4	49	55.1	55.1	68.5
5	28	31.5	31.5	100.0
Total	89	100.0	100.0	

x1.3.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	7	7.9	7.9	7.9
3	12	13.5	13.5	21.3
4	30	33.7	33.7	55.1
5	40	44.9	44.9	100.0
Total	89	100.0	100.0	

x1.4.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	2.2	2.2	2.2
	2	3	3.4	3.4	5.6
	3	4	4.5	4.5	10.1
	4	44	49.4	49.4	59.6
	5	36	40.4	40.4	100.0
	Total	89	100.0	100.0	

x1.4.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	4.5	4.5	4.5
	3	13	14.6	14.6	19.1
	4	32	36.0	36.0	55.1
	5	40	44.9	44.9	100.0
	Total	89	100.0	100.0	

x1.4.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	10	11.2	11.2	11.2
	3	12	13.5	13.5	24.7
	4	17	19.1	19.1	43.8
	5	50	56.2	56.2	100.0
	Total	89	100.0	100.0	

x2.1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	11	12.4	12.4	12.4
	3	18	20.2	20.2	32.6
	4	30	33.7	33.7	66.3
	5	30	33.7	33.7	100.0
	Total	89	100.0	100.0	

x2.1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	3.4	3.4	3.4
	3	3	3.4	3.4	6.7
	4	52	58.4	58.4	65.2
	5	31	34.8	34.8	100.0
	Total	89	100.0	100.0	

x2.1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	2.2	2.2	2.2
	3	14	15.7	15.7	18.0
	4	44	49.4	49.4	67.4
	5	29	32.6	32.6	100.0
	Total	89	100.0	100.0	

x2.1.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	2.2	2.2	2.2
	2	13	14.6	14.6	16.9
	3	8	9.0	9.0	25.8
	4	40	44.9	44.9	70.8
	5	26	29.2	29.2	100.0
	Total	89	100.0	100.0	

x2.2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	4.5	4.5	4.5
	2	10	11.2	11.2	15.7
	3	14	15.7	15.7	31.5
	4	30	33.7	33.7	65.2
	5	31	34.8	34.8	100.0
	Total	89	100.0	100.0	

x2.2.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	5	5.6	5.6	5.6
2	7	7.9	7.9	13.5
3	13	14.6	14.6	28.1
4	36	40.4	40.4	68.5
5	28	31.5	31.5	100.0
Total	89	100.0	100.0	

x2.2.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	10	11.2	11.2	11.2
3	17	19.1	19.1	30.3
4	38	42.7	42.7	73.0
5	24	27.0	27.0	100.0
Total	89	100.0	100.0	

x2.3.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	9	10.1	10.1	10.1
2	3	3.4	3.4	13.5
3	11	12.4	12.4	25.8
4	34	38.2	38.2	64.0
5	32	36.0	36.0	100.0
Total	89	100.0	100.0	

x2.3.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	2	2.2	2.2	2.2
3	22	24.7	24.7	27.0
4	22	24.7	24.7	51.7
5	43	48.3	48.3	100.0
Total	89	100.0	100.0	

y.1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	4.5	4.5	4.5
	2	3	3.4	3.4	7.9
	3	9	10.1	10.1	18.0
	4	38	42.7	42.7	60.7
	5	35	39.3	39.3	100.0
	Total	89	100.0	100.0	

y.1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	4.5	4.5	4.5
	3	14	15.7	15.7	20.2
	4	35	39.3	39.3	59.6
	5	36	40.4	40.4	100.0
	Total	89	100.0	100.0	

y.2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	11	12.4	12.4	12.4
	3	7	7.9	7.9	20.2
	4	52	58.4	58.4	78.7
	5	19	21.3	21.3	100.0
	Total	89	100.0	100.0	

y.2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	4.5	4.5	4.5
	2	2	2.2	2.2	6.7
	3	12	13.5	13.5	20.2
	4	46	51.7	51.7	71.9
	5	25	28.1	28.1	100.0
	Total	89	100.0	100.0	

y.3.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	4.5	4.5	4.5
	2	8	9.0	9.0	13.5
	4	54	60.7	60.7	74.2
	5	23	25.8	25.8	100.0
	Total	89	100.0	100.0	

y.3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	4.5	4.5	4.5
	2	5	5.6	5.6	10.1
	3	11	12.4	12.4	22.5
	4	42	47.2	47.2	69.7
	5	27	30.3	30.3	100.0
	Total	89	100.0	100.0	



Deskripsi Statistik

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
x1.1.1	89	1	5	4.03	1.182
x1.1.2	89	1	5	4.07	1.031
x1.1.3	89	2	5	4.02	.917
x1.1.4	89	2	5	4.31	.820
x1.2.1	89	1	5	3.96	1.021
x1.2.2	89	1	5	4.16	.865
x1.2.3	89	2	5	4.09	.861
x1.3.1	89	3	5	4.20	.643
x1.3.2	89	2	5	4.11	.804
x1.3.3	89	2	5	4.16	.940
x1.4.1	89	1	5	4.22	.863
x1.4.2	89	2	5	4.21	.859
x1.4.3	89	2	5	4.20	1.057
x2.1.1	89	1	5	3.76	1.270
x2.1.2	89	2	5	4.25	.679
x2.1.3	89	1	5	4.10	.826
x2.1.4	89	1	5	3.84	1.076
x2.2.1	89	1	5	3.83	1.160
x2.2.2	89	1	5	3.84	1.127
x2.2.3	89	1	5	3.74	1.192
x2.3.1	89	1	5	3.87	1.236
x2.3.2	89	2	5	4.19	.890
y.1.1	89	1	5	4.09	1.018
y.1.2	89	2	5	4.16	.851
y.2.1	89	2	5	3.89	.885
y.2.2	89	1	5	3.97	.959
y.3.1	89	1	5	3.94	1.015
y.3.2	89	1	5	3.93	1.031
Valid N (listwise)	89				

Hasil Analisis Regresi Berganda

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.758 ^a	.575	.565	2.845

a. Predictors: (Constant), total.x2, total.x1

b. Dependent Variable: total.y

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	941.660	2	470.830	58.153	.000 ^a
	Residual	696.295	86	8.096		
	Total	1637.955	88			

a. Predictors: (Constant), total.x2, total.x1

b. Dependent Variable: total.y


Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	2.980	2.017		1.477	.143		
	total.x1	.231	.050	.443	4.635	.000	.541	1.848
	total.x2	.243	.060	.385	4.024	.000	.541	1.848

a. Dependent Variable: total.y

Charts

Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: total.y

