

Lampiran 1

DAFTAR BERAT BADAN DAN KADAR LDL TIKUS

BERAT BADAN TIKUS (gram)							KADAR LDL (mg/dl)
26-12-12	03-01-13	10-01-13	17-01-13	24-01-13	26-01-13	02-02-12	
152	167	181	195	208	205		14,8
165	183	190	201	219	221		20,4
151	171	188	299	214	215		38,3
156	168	184	196	216	218		18,1
153	166	170	179	193	193		22,5
154	173	187	207	222	226		5,2
156					221,6		16,2
200	222	230	234	252	244		12,4
170	188	187	201	214	210		8,3
166	180	194	203	222	245		11,6
215	219	218	222	228	203		21,9
210	154	159	170	185	174		27,6
182	174	232	240	157	253		12,0
210	220	159	167	221	158		6,7
194,6					222		10,2
168	158	170	178	190	184		32,3
183	171	172	176	197	182		25,9
171	170	154	156	161	150		38,3
166	182	180	200	217	204		10,6
161	178	191	207	231	222		9,9
169,8					188,4		23,4
215	207	199	189	199		188	18,9
192	189	190	202	217		220	14,8
167	139	123	231	243		243	15,2
174	184	195	149	143		143	8,3
179	179	187	210	215		215	15,6
179	189	204	239	252		253	11,4
168	130	135	136	146		144	10,8
181,6						199,6	12,26
175	169	167	175	185		190	16,2
169	154	154	159	162		162	12,1
176	189	177	178	191		181	11,6
169	179	197	214	230		229	9,1
185	188	203	226	222		226	9,0
180	194	205	220	237		243	12,3
173,8						201	12,26

Lampiran 2

Hasil Analisa Statistik Berat Badan Awal Tikus

Descriptives

Berat Badan Awal Tikus

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
P0 (Tikus Normal)	5	1.5600E2	5.24404	2.34521	149.4887	162.5113	152.00	165.00
P1 (Tikus DM)	5	1.9460E2	20.36664	9.10824	169.3115	219.8885	166.00	215.00
P2 (Tikus DM + Dosis 1)	5	1.6980E2	8.22800	3.67967	159.5836	180.0164	161.00	183.00
P3 (Tikus DM + Dosis 2)	5	1.8160E2	19.53970	8.73842	157.3383	205.8617	167.00	215.00
P4 (Tikus DM + Dosis 3)	5	1.7380E2	4.76445	2.13073	167.8842	179.7158	169.00	180.00
Total	25	1.7516E2	17.96218	3.59244	167.7456	182.5744	152.00	215.00

Tests of Normality

Perlakuan	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Berat Badan Awal Tikus P0 (Tikus Normal)	.300	5	.161	.797	5	.077
P1 (Tikus DM)	.205	5	.200 [*]	.932	5	.611
P2 (Tikus DM + Dosis 1)	.242	5	.200 [*]	.925	5	.564
P3 (Tikus DM + Dosis 2)	.353	5	.041	.782	5	.057
P4 (Tikus DM + Dosis 3)	.243	5	.200 [*]	.892	5	.368

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Test of Homogeneity of Variances

Berat Badan Awal Tikus

Levene Statistic	df1	df2	Sig.
2.432	4	20	.081

ANOVA

Berat Badan Awal Tikus

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	.000	4	.000	6.435	.002
Within Groups	.000	20	.000		
Total	.000	24			

Post Hoc

Multiple Comparisons

Berat_Badan_Awal_Tikus
Tukey HSD

(i) Perlakuan	(j) Perlakuan	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
P0 (Tikus Normal)	P1 (Tikus DM)	.00816 [*]	.00168	.001	.0031	.0132
	P2 (Tikus DM + Dosis 1)	.00330	.00168	.318	-.0017	.0083
	P3 (Tikus DM + Dosis 2)	.00565 [*]	.00168	.023	.0006	.0107
	P4 (Tikus DM + Dosis 3)	.00422	.00168	.127	-.0008	.0092
P1 (Tikus DM)	P0 (Tikus Normal)	-.00816 [*]	.00168	.001	-.0132	-.0031
	P2 (Tikus DM + Dosis 1)	-.00486	.00168	.060	-.0099	.0002
	P3 (Tikus DM + Dosis 2)	-.00251	.00168	.575	-.0075	.0025
	P4 (Tikus DM + Dosis 3)	-.00394	.00168	.171	-.0090	.0011
P2 (Tikus DM + Dosis 1)	P0 (Tikus Normal)	-.00330	.00168	.318	-.0083	.0017
	P1 (Tikus DM)	.00486	.00168	.060	-.0002	.0099
	P3 (Tikus DM + Dosis 2)	.00235	.00168	.634	-.0027	.0074
	P4 (Tikus DM + Dosis 3)	.00092	.00168	.981	-.0041	.0059
P3 (Tikus DM + Dosis 2)	P0 (Tikus Normal)	-.00565 [*]	.00168	.023	-.0107	-.0006
	P1 (Tikus DM)	.00251	.00168	.575	-.0025	.0075
	P2 (Tikus DM + Dosis 1)	-.00235	.00168	.634	-.0074	.0027
	P4 (Tikus DM + Dosis 3)	-.00143	.00168	.911	-.0064	.0036
P4 (Tikus DM + Dosis 3)	P0 (Tikus Normal)	-.00422	.00168	.127	-.0092	.0008
	P1 (Tikus DM)	.00394	.00168	.171	-.0011	.0090
	P2 (Tikus DM + Dosis 1)	-.00092	.00168	.981	-.0059	.0041
	P3 (Tikus DM + Dosis 2)	.00143	.00168	.911	-.0036	.0064

*. The mean difference is significant at the 0.05 level.



Lampiran 3

Hasil Analisa Statistik Berat Badan Akhir Tikus

Descriptives

Berat Badan Akhir Tikus

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
P0 (Tikus Normal)	5	2.1260E2	13.42758	6.00500	195.9275	229.2725	193.00	226.00
P1 (Tikus DM)	5	2.2380E2	33.99559	15.20329	181.5889	266.0111	174.00	253.00
P2 (Tikus DM + Dosis 1)	5	1.8840E2	26.95923	12.05653	154.9257	221.8743	150.00	222.00
P3 (Tikus DM + Dosis 2)	5	2.0860E2	44.13955	19.73981	153.7935	263.4065	144.00	253.00
P4 (Tikus DM + Dosis 3)	5	2.0100E2	33.87477	15.14926	158.9389	243.0611	162.00	243.00
Total	25	2.0688E2	31.70478	6.34096	193.7929	219.9671	144.00	253.00

Tests of Normality

Perlakuan		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Berat Badan Akhir Tikus	P0 (Tikus Normal)	.256	5	.200 [*]	.923	5	.547
	P1 (Tikus DM)	.324	5	.094	.849	5	.191
	P2 (Tikus DM + Dosis 1)	.206	5	.200 [*]	.972	5	.889
	P3 (Tikus DM + Dosis 2)	.182	5	.200 [*]	.943	5	.686
	P4 (Tikus DM + Dosis 3)	.227	5	.200 [*]	.932	5	.613

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Test of Homogeneity of Variances

Berat Badan Akhir Tikus

Levene Statistic	df1	df2	Sig.
1.857	4	20	.158

ANOVA

Berat Badan Akhir Tikus

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	3490.240	4	872.560	.846	.513
Within Groups	20634.400	20	1031.720		
Total	24124.640	24			

Lampiran 4

Hasil Analisa Statistik Kadar LDL Tikus

Descriptives

Kadar LDL

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
P0 (Tikus Normal)	5	16.2000	6.78049	3.03233	7.7809	24.6191	5.20	22.50
P1 (Tikus DM)	5	17.1000	7.27393	3.25300	8.0682	26.1318	11.60	27.60
P2 (Tikus DM + Dosis 1)	5	23.4000	12.78241	5.71647	7.5285	39.2715	9.90	38.30
P3 (Tikus DM + Dosis 2)	5	14.3800	3.32746	1.48809	10.2484	18.5116	10.80	18.90
P4 (Tikus DM + Dosis 3)	5	12.2600	2.54814	1.13956	9.0961	15.4239	9.10	16.20
Total	25	16.6680	7.82974	1.56595	13.4360	19.9000	5.20	38.30

Tests of Normality

Perlakuan		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Kadar LDL	P0 (Tikus Normal)	.218	5	.200 [*]	.898	5	.398
	P1 (Tikus DM)	.341	5	.058	.801	5	.083
	P2 (Tikus DM + Dosis 1)	.242	5	.200 [*]	.890	5	.355
	P3 (Tikus DM + Dosis 2)	.215	5	.200 [*]	.924	5	.557
	P4 (Tikus DM + Dosis 3)	.294	5	.183	.920	5	.529

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

Test of Homogeneity of Variances

Kadar LDL

Levene Statistic	df1	df2	Sig.
2.596	4	20	.067

ANOVA

Kadar LDL

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	.009	4	.002	.626	.649
Within Groups	.075	20	.004		
Total	.084	24			

Lampiran 5

