

**Lampiran 1 : Hasil Uji Crosstab Tingkat Kepatuhan Cuci Tangan**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Phase * Compliance	3312	100.0%	0	0.0%	3312	100.0%

**Phase \* Compliance Crosstabulation**

			Compliance		Total
			No	Yes	
Phase	Pre Intervention	Count	1167	240	1407
		% within Phase	82.9%	17.1%	100.0%
Phase	Post Intervention	Count	681	1224	1905
		% within Phase	35.7%	64.3%	100.0%
Total		Count	1848	1464	3312
		% within Phase	55.8%	44.2%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	730.832 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	728.919	1	.000		
Likelihood Ratio	777.408	1	.000		
Fisher's Exact Test				.000	.000
N of Valid Cases	3312				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 621.93.

b. Computed only for a 2x2 table



**Lampiran 2 : Hasil Uji Crosstab Tingkat Kepatuhan Cuci Tangan Berdasarkan Lima Momen Cuci Tangan**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Momen * Kepatuhan * Fase	2794	100.0%	0	0.0%	2794	100.0%

**Momen \* Kepatuhan \* Fase Crosstabulation**

Fase			Kepatuhan		Total	
			Tidak	Ya		
Pre Intervensi	Momen	Sebelum menyentuh pasien	Count	209	10	219
		% within Momen	95.4%	4.6%	100.0%	
	Momen	Sesudah menyentuh pasien	Count	146	60	206
		% within Momen	70.9%	29.1%	100.0%	
	Momen	Sebelum melakukan tindakan aseptik	Count	139	6	145
		% within Momen	95.9%	4.1%	100.0%	
	Momen	Setelah terpapar cairan tubuh pasien	Count	13	7	20
		% within Momen	65.0%	35.0%	100.0%	
	Momen	Setelah menyentuh lingkungan sekitar pasien	Count	222	77	299
		% within Momen	74.2%	25.8%	100.0%	
	Total		Count	729	160	889

		% within Momen	82.0%	18.0%	100.0%
		Count	48	207	255
	Sebelum menyentuh pasien	% within Momen	18.8%	81.2%	100.0%
		Count	172	321	493
	Sesudah menyentuh pasien	% within Momen	34.9%	65.1%	100.0%
		Count	86	61	147
	Momen Sebelum melakukan tindakan aseptik	% within Momen	58.5%	41.5%	100.0%
Post Intervensi		Count	23	56	79
	Setelah terpapar cairan tubuh pasien	% within Momen	29.1%	70.9%	100.0%
		Count	352	579	931
	Setelah menyentuh lingkungan sekitar pasien	% within Momen	37.8%	62.2%	100.0%
		Count	681	1224	1905
	Total	% within Momen	35.7%	64.3%	100.0%
		Count	257	217	474
	Sebelum menyentuh pasien	% within Momen	54.2%	45.8%	100.0%
		Count	318	381	699
	Sesudah menyentuh pasien	% within Momen	45.5%	54.5%	100.0%
		Count	225	67	292
	Momen Sebelum melakukan tindakan aseptik	% within Momen	77.1%	22.9%	100.0%
Total		Count	36	63	99
	Setelah terpapar cairan tubuh pasien	% within Momen	36.4%	63.6%	100.0%
		Count	574	656	1230
	Setelah menyentuh lingkungan sekitar pasien	% within Momen	46.7%	53.3%	100.0%
		Count	1410	1384	2794
	Total				

% within Momen	50.5%	49.5%	100.0%
----------------	-------	-------	--------

**Chi-Square Tests**

Fase		Value	df	Asymp. Sig. (2-sided)
Pre Intervensi	Pearson Chi-Square	79.030 <sup>b</sup>	4	.000
	Likelihood Ratio	91.264	4	.000
	N of Valid Cases	889		
Post Intervensi	Pearson Chi-Square	68.334 <sup>c</sup>	4	.000
	Likelihood Ratio	70.041	4	.000
	N of Valid Cases	1905		
Total	Pearson Chi-Square	107.144 <sup>a</sup>	4	.000
	Likelihood Ratio	112.000	4	.000
	N of Valid Cases	2794		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 49.04.

b. 1 cells (10.0%) have expected count less than 5. The minimum expected count is 3.60.

c. 0 cells (.0%) have expected count less than 5. The minimum expected count is 28.24.

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Fase * Kepatuhan * Momen	2794	100.0%	0	0.0%	2794	100.0%



Fase \* Kepatuhan \* Momen Crosstabulation

Momen			Kepatuhan		Total	
			Tidak	Ya		
Sebelum menyentuh pasien	Fase	Pre Intervensi	Count	209	10	219
		% within Fase		95.4%	4.6%	100.0%
	Fase	Post Intervensi	Count	48	207	255
		% within Fase		18.8%	81.2%	100.0%
	Total	Count		257	217	474
		% within Fase		54.2%	45.8%	100.0%
Sesudah menyentuh pasien	Fase	Pre Intervensi	Count	146	60	206
		% within Fase		70.9%	29.1%	100.0%
	Fase	Post Intervensi	Count	172	321	493
		% within Fase		34.9%	65.1%	100.0%
	Total	Count		318	381	699
		% within Fase		45.5%	54.5%	100.0%
Sebelum melakukan tindakan aseptik	Fase	Pre Intervensi	Count	139	6	145
		% within Fase		95.9%	4.1%	100.0%
	Fase	Post Intervensi	Count	86	61	147
		% within Fase		58.5%	41.5%	100.0%
	Total	Count		225	67	292
		% within Fase		77.1%	22.9%	100.0%
Setelah terpapar cairan tubuh pasien	Fase	Pre Intervensi	Count	13	7	20
	% within Fase		65.0%	35.0%	100.0%	





Setelah menyentuh lingkungan sekitar pasien	Post Intervensi	Count	23	56	79	
		% within Fase	29.1%	70.9%	100.0%	
	Total	Count	36	63	99	
		% within Fase	36.4%	63.6%	100.0%	
	Fase	Pre Intervensi	Count	222	77	299
		% within Fase	74.2%	25.8%	100.0%	
	Post Intervensi	Count	352	579	931	
		% within Fase	37.8%	62.2%	100.0%	
	Total	Count	574	656	1230	
		% within Fase	46.7%	53.3%	100.0%	
	Fase	Pre Intervensi	Count	729	160	889
		% within Fase	82.0%	18.0%	100.0%	
Total	Post Intervensi	Count	681	1224	1905	
	% within Fase	35.7%	64.3%	100.0%		
Total	Count	1410	1384	2794		
	% within Fase	50.5%	49.5%	100.0%		

Chi-Square Tests

Momen		Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Sebelum menyentuh pasien	Pearson Chi-Square	278.576 <sup>c</sup>	1	.000		
	Continuity Correction <sup>b</sup>	275.498	1	.000		
	Likelihood Ratio	325.794	1	.000		

	Fisher's Exact Test				.000	.000
	N of Valid Cases	474				
	Pearson Chi-Square	75.874 <sup>d</sup>	1	.000		
	Continuity Correction <sup>b</sup>	74.429	1	.000		
Sesudah menyentuh pasien	Likelihood Ratio	77.085	1	.000		
	Fisher's Exact Test				.000	.000
	N of Valid Cases	699				
	Pearson Chi-Square	57.623 <sup>e</sup>	1	.000		
	Continuity Correction <sup>b</sup>	55.529	1	.000		
Sebelum melakukan tindakan aseptik	Likelihood Ratio	65.069	1	.000		
	Fisher's Exact Test				.000	.000
	N of Valid Cases	292				
	Pearson Chi-Square	8.882 <sup>f</sup>	1	.003		
	Continuity Correction <sup>b</sup>	7.399	1	.007		
Setelah terpapar cairan tubuh pasien	Likelihood Ratio	8.587	1	.003		
	Fisher's Exact Test				.004	.004
	N of Valid Cases	99				
	Pearson Chi-Square	120.736 <sup>g</sup>	1	.000		
	Continuity Correction <sup>b</sup>	119.276	1	.000		
Setelah menyentuh lingkungan sekitar pasien	Likelihood Ratio	123.811	1	.000		
	Fisher's Exact Test				.000	.000
	N of Valid Cases	1230				
	Pearson Chi-Square	518.765 <sup>a</sup>	1	.000		
Total	Continuity Correction <sup>b</sup>	516.916	1	.000		

Likelihood Ratio	551.040	1	.000		
Fisher's Exact Test				.000	.000
N of Valid Cases	2794				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 440.36.

b. Computed only for a 2x2 table

c. 0 cells (.0%) have expected count less than 5. The minimum expected count is 100.26.

d. 0 cells (.0%) have expected count less than 5. The minimum expected count is 93.72.

e. 0 cells (.0%) have expected count less than 5. The minimum expected count is 33.27.

f. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.27.

g. 0 cells (.0%) have expected count less than 5. The minimum expected count is 139.53.





Lampiran 3: Hasil Uji Crosstab Data Skrining MRSA Penderita

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Phase * MRSA	1005	100.0%	0	0.0%	1005	100.0%

Phase \* MRSA Crosstabulation

		MRSA		Total	
		Tidak	Ya		
Phase	Pre Intervention	Count	488	63	551
		% within Phase	88.6%	11.4%	100.0%
Phase	Post Intervention	Count	438	16	454
		% within Phase	96.5%	3.5%	100.0%
Total		Count	926	79	1005
		% within Phase	92.1%	7.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	21.500 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	20.422	1	.000		
Likelihood Ratio	23.227	1	.000		
Fisher's Exact Test				.000	.000
N of Valid Cases	1005				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 35.69.

b. Computed only for a 2x2 table



**PERNYATAAN KEASLIAN TULISAN**

Saya yang bertanda tangan di bawah ini:

Nama : Iffa Aulia Hakim

NIM : 105070101111012

Program Studi : Program Studi Pendidikan Dokter

Fakultas Kedokteran Universitas Brawijaya

menyatakan dengan sebenarnya bahwa Tugas Akhir yang saya tulis ini benar-benar hasil karya saya sendiri, bukan merupakan pengambilalihan tulisan atau pikiran orang lain yang saya akui sebagai tulisan atau pikiran saya sendiri. Apabila di kemudian hari dapat dibuktikan bahwa Tugas Akhir ini adalah hasil jiplakan, maka saya bersedia menerima sanksi atas perbuatan tersebut.

Malang, 30 Desember 2013

Yang membuat pernyataan

Iffa Aulia Hakim

NIM. 105070101111012