

Lampiran 9

UJI RELIABILITAS

Case Processing Summary

		N	%
Cases	Valid	10	90.9
	Excluded ^a	1	9.1
	Total	11	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.756	13

ANALISA DATA

DISTRIBUSI DATA DEMOGRAFI

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KatUsia * JenisKelamin	60	100.0%	0	.0%	60	100.0%
KatPendidikan * JenisKelamin	60	100.0%	0	.0%	60	100.0%
StatusPernikahan * JenisKelamin	60	100.0%	0	.0%	60	100.0%

KatUsia

Crosstab

		JenisKelamin		Total
		laki-laki	perempuan	
KatUsia	1 Count	29	5	34
	% within JenisKelamin	59.2%	45.5%	56.7%
2	Count	20	6	26
	% within JenisKelamin	40.8%	54.5%	43.3%
Total	Count	49	11	60
	% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	Df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.690 ^a	1	.406	.507	.309
Continuity Correction ^b	.244	1	.621		
Likelihood Ratio	.684	1	.408		
Fisher's Exact Test					
Linear-by-Linear Association	.678	1	.410		
N of Valid Cases ^d	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.77.

b. Computed only for a 2x2 table

Statistics

Usia

N	Valid	60
	Missing	0
Mean		54.33
Median		52.00
Mode		45 ^a
Std. Deviation		11.852
Minimum		35
Maximum		95

Multiple modes exist. The smallest value is shown

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	35	1	1.7	1.7	1.7
	36	2	3.3	3.3	5.0
	37	2	3.3	3.3	8.3
	38	1	1.7	1.7	10.0
	41	1	1.7	1.7	11.7
	42	2	3.3	3.3	15.0
	43	2	3.3	3.3	18.3
	45	5	8.3	8.3	26.7
	48	3	5.0	5.0	31.7
	49	1	1.7	1.7	33.3
	50	5	8.3	8.3	41.7
	51	3	5.0	5.0	46.7
	52	3	5.0	5.0	51.7
	53	1	1.7	1.7	53.3
	54	2	3.3	3.3	56.7
	55	2	3.3	3.3	60.0
	56	1	1.7	1.7	61.7
	57	2	3.3	3.3	65.0
	59	2	3.3	3.3	68.3
	60	2	3.3	3.3	71.7
	62	1	1.7	1.7	73.3
	63	1	1.7	1.7	75.0
	64	4	6.7	6.7	81.7
	65	3	5.0	5.0	86.7
	67	1	1.7	1.7	88.3
	69	1	1.7	1.7	90.0
	70	2	3.3	3.3	93.3
	72	1	1.7	1.7	95.0
	74	1	1.7	1.7	96.7
	81	1	1.7	1.7	98.3
	95	1	1.7	1.7	100.0
Total		60	100.0	100.0	

Pendidikan

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Pendidikan	≤SMP	Count	34	10	44
		% within JenisKelamin	69.4%	90.9%	73.3%
	≥SMA	Count	15	1	16
		% within JenisKelamin	30.6%	9.1%	26.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.128 ^a	1	.145	.259	.138
Continuity Correction ^b	1.169	1	.280		
Likelihood Ratio	2.523	1	.112		
Fisher's Exact Test					
Linear-by-Linear Association	2.092	1	.148		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.93.

b. Computed only for a 2x2 table

Status Pernikahan

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Status Pernikahan	menikah	Count	47	9	56
		% within JenisKelamin	95.9%	81.8%	93.3%
	janda/duda	Count	2	2	4
		% within JenisKelamin	4.1%	18.2%	6.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.870 ^a	1	.090		
Continuity Correction ^b	1.052	1	.305		
Likelihood Ratio	2.249	1	.134		
Fisher's Exact Test				.150	.150
Linear-by-Linear Association	2.823	1	.093		
N of Valid Cases ^b	60				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .73.

b. Computed only for a 2x2 table

DISTRIBUSI GEJALA

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KatKeluhanUtama * JenisKelamin	60	100.0%	0	.0%	60	100.0%
KatKarakterNyeri * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Frekuensi * JenisKelamin	60	100.0%	0	.0%	60	100.0%
KatTingkatNyeri * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Penjalaran * JenisKelamin	60	100.0%	0	.0%	60	100.0%
DiagnosaMedis * JenisKelamin	60	100.0%	0	.0%	60	100.0%

Kat Keluhan Utama

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
KatKeluhan nyeri dada Utama	Count		44	9	53
		% within JenisKelamin	89.8%	81.8%	88.3%
	Count		5	2	7
		% within JenisKelamin	10.2%	18.2%	11.7%
Total	Count		49	11	60
	% within JenisKelamin		100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.555 ^a	1	.456		
Continuity Correction ^b	.051	1	.822		
Likelihood Ratio	.501	1	.479		
Fisher's Exact Test				.602	.379
Linear-by-Linear Association	.546	1	.460		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.28.

b. Computed only for a 2x2 table

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KeluhanUtama * JenisKelamin	60	100.0%	0	.0%	60	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Keluhan Utama	nyeri dada	Count	44	9	53
		% within JenisKelamin	89.8%	81.8%	88.3%
	Sesak	Count	2	2	4
		% within JenisKelamin	4.1%	18.2%	6.7%
	nyeri ulu hati	Count	2	0	2
		% within JenisKelamin	4.1%	.0%	3.3%
	nyeri pergelangan tangan	Count	1	0	1
		% within JenisKelamin	2.0%	.0%	1.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Keluhan Penyerta

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
NyeriDada * JenisKelamin	60	100.0%	0	.0%	60	100.0%
NyeriUluHati * JenisKelamin	60	100.0%	0	.0%	60	100.0%
sesak * JenisKelamin	60	100.0%	0	.0%	60	100.0%
MualMuntah * JenisKelamin	60	100.0%	0	.0%	60	100.0%
KeringatDingin * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Berdebar * JenisKelamin	60	100.0%	0	.0%	60	100.0%
kelemahan * JenisKelamin	60	100.0%	0	.0%	60	100.0%
pingsan * JenisKelamin	60	100.0%	0	.0%	60	100.0%
pusing * JenisKelamin	60	100.0%	0	.0%	60	100.0%
NyeriPerut * JenisKelamin	60	100.0%	0	.0%	60	100.0%
kejang * JenisKelamin	60	100.0%	0	.0%	60	100.0%
diare * JenisKelamin	60	100.0%	0	.0%	60	100.0%
batuk * JenisKelamin	60	100.0%	0	.0%	60	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Nyeri Dada	iya	Count	2	1	3
		% within JenisKelamin	4.1%	9.1%	5.0%
	tidak	Count	47	10	57
		% within JenisKelamin	95.9%	90.9%	95.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Nyeri UluHati	iya	Count	5	1	6
		% within JenisKelamin	10.2%	9.1%	10.0%
	tidak	Count	44	10	54
		% within JenisKelamin	89.8%	90.9%	90.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Nyeri Perut	iya	Count	2	0	2
		% within JenisKelamin	4.1%	.0%	3.3%
	tidak	Count	47	11	58
		% within JenisKelamin	95.9%	100.0%	96.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
sesak	Iya	Count	16	5	21
		% within JenisKelamin	32.7%	45.5%	35.0%
	tidak	Count	33	6	39
		% within JenisKelamin	67.3%	54.5%	65.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

		JenisKelamin		Total	
		laki-laki	perempuan		
Mual Muntah	iya	Count	19	5	24
		% within JenisKelamin	38.8%	45.5%	40.0%
	tidak	Count	30	6	36
		% within JenisKelamin	61.2%	54.5%	60.0%
Total	Count	49	11	60	
	% within JenisKelamin	100.0%	100.0%	100.0%	

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Keringat Dingin	iya	Count	40	9	49
		% within JenisKelamin	81.6%	81.8%	81.7%
	tidak	Count	9	2	11
		% within JenisKelamin	18.4%	18.2%	18.3%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Berdebar	iya	Count	3	3	6
		% within JenisKelamin	6.1%	27.3%	10.0%
	tidak	Count	46	8	54
		% within JenisKelamin	93.9%	72.7%	90.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
kelemahan	iya	Count	16	7	23
		% within JenisKelamin	32.7%	63.6%	38.3%
	tidak	Count	33	4	37
		% within JenisKelamin	67.3%	36.4%	61.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
pingsan	iya	Count	6	3	9
		% within JenisKelamin	12.2%	27.3%	15.0%
	tidak	Count	43	8	51
		% within JenisKelamin	87.8%	72.7%	85.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
pusing	Iya	Count	8	3	11
		% within JenisKelamin	16.3%	27.3%	18.3%
	Tidak	Count	41	8	49
		% within JenisKelamin	83.7%	72.7%	81.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
kejang	iya	Count	0	1	1
		% within JenisKelamin	.0%	9.1%	1.7%
	tidak	Count	49	10	59
		% within JenisKelamin	100.0%	90.9%	98.3%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
diare	iya	Count	2	0	2
		% within JenisKelamin	4.1%	.0%	3.3%
	tidak	Count	47	11	58
		% within JenisKelamin	95.9%	100.0%	96.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
batuk	iya	Count	1	1	2
		% within JenisKelamin	2.0%	9.1%	3.3%
	tidak	Count	48	10	58
		% within JenisKelamin	98.0%	90.9%	96.7%
Total	Count	49	11	60	
	% within JenisKelamin	100.0%	100.0%	100.0%	

Karakteristik Nyeri

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Karakterik Nyeri	ditekan/ ditindih	Count	20	4	24
		% within JenisKelamin	40.8%	36.4%	40.0%
	panas	Count	11	4	15
		% within JenisKelamin	22.4%	36.4%	25.0%
	ditusuk	Count	13	2	15
		% within JenisKelamin	26.5%	18.2%	25.0%
	Diceng keram	Count	4	1	5
		% within JenisKelamin	8.2%	9.1%	8.3%
	dipikul	Count	1	0	1
		% within JenisKelamin	2.0%	.0%	1.7%
Total	Count	49	11	60	
	% within JenisKelamin	100.0%	100.0%	100.0%	

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Karakter Nyeri	ditekan/ ditindih	Count	20	4	24
		% within JenisKelamin	40.8%	36.4%	40.0%
	lain-lain	Count	29	7	36
		% within JenisKelamin	59.2%	63.6%	60.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.074 ^a	1	.785	1.000	.533
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.075	1	.784		
Fisher's Exact Test					
Linear-by-Linear Association	.073	1	.787		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.40.

b. Computed only for a 2x2 table

Frekuensi Nyeri

Crosstab

		JenisKelamin		Total
		laki-laki	perempuan	
Frekuensi hilang timbul	Count	15	4	19
	% within JenisKelamin	30.6%	36.4%	31.7%
terus menerus	Count	34	7	41
	% within JenisKelamin	69.4%	63.6%	68.3%
Total	Count	49	11	60
	% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.137 ^a	1	.711	.730	.484
Continuity Correction ^b	.000	1	.990		
Likelihood Ratio	.135	1	.714		
Fisher's Exact Test					
Linear-by-Linear Association	.135	1	.713		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.48.

b. Computed only for a 2x2 table

Penjalaran

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Penjalaran	Menjalar	Count	37	6	43
		% within JenisKelamin	75.5%	54.5%	71.7%
	Tidak menjalar	Count	12	5	17
		% within JenisKelamin	24.5%	45.5%	28.3%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.944 ^a	1	.163	.265	.153
Continuity Correction ^b	1.049	1	.306		
Likelihood Ratio	1.818	1	.178		
Fisher's Exact Test					
Linear-by-Linear Association	1.912	1	.167		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.12.

b. Computed only for a 2x2 table

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Leher * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Lengan * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Punggung * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Rahang * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Bahu * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Perut * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Pinggang * JenisKelamin	60	100.0%	0	.0%	60	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Leher	ya	Count	7	1	8
		% within JenisKelamin	14.3%	9.1%	13.3%
	tidak	Count	42	10	52
		% within JenisKelamin	85.7%	90.9%	86.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Lengan	ya	Count	18	2	20
		% within JenisKelamin	36.7%	18.2%	33.3%
	tidak	Count	31	9	40
		% within JenisKelamin	63.3%	81.8%	66.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Punggung	ya	Count	29	5	34
		% within JenisKelamin	59.2%	45.5%	56.7%
	tidak	Count	20	6	26
		% within JenisKelamin	40.8%	54.5%	43.3%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Rahang	ya	Count	1	1	2
		% within JenisKelamin	2.0%	9.1%	3.3%
	tidak	Count	48	10	58
		% within JenisKelamin	98.0%	90.9%	96.7%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Bahu	Ya	Count	2	1	3
		% within JenisKelamin	4.1%	9.1%	5.0%
	tidak	Count	47	10	57
		% within JenisKelamin	95.9%	90.9%	95.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Perut	ya	Count	6	0	6
		% within JenisKelamin	12.2%	.0%	10.0%
	tidak	Count	43	11	54
		% within JenisKelamin	87.8%	100.0%	90.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Pinggang	ya	Count	1	0	1
		% within JenisKelamin	2.0%	.0%	1.7%
	tidak	Count	48	11	59
		% within JenisKelamin	98.0%	100.0%	98.3%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Tingkat Nyeri

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
TingkatNyeri	Ringan 1-3	Count	4	1	5
		% within JenisKelamin	8.2%	9.1%	8.3%
	Sedang 4-6	Count	7	0	7
		% within JenisKelamin	14.3%	.0%	11.7%
	Berat 7-10	Count	38	10	48
		% within JenisKelamin	77.6%	90.9%	80.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
KatTingkat Nyeri	Ringan-sedang 1-6	Count	11	1	12
		% within JenisKelamin	22.4%	9.1%	20.0%
	Berat 7-10	Count	38	10	48
		% within JenisKelamin	77.6%	90.9%	80.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.002 ^a	1	.317		
Continuity Correction ^b	.341	1	.559		
Likelihood Ratio	1.158	1	.282		
Fisher's Exact Test				.435	.295
Linear-by-Linear Association	.985	1	.321		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.20.

b. Computed only for a 2x2 table

Diagnosa Medis

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Diagnosa Medis	STEMI	Count	38	7	45
		% within JenisKelamin	77.6%	63.6%	75.0%
	NSTEMI	Count	11	4	15
		% within JenisKelamin	22.4%	36.4%	25.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.928 ^a	1	.335		
Continuity Correction ^b	.334	1	.563		
Likelihood Ratio	.871	1	.351		
Fisher's Exact Test				.442	.273
Linear-by-Linear Association	.912	1	.340		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.75.

b. Computed only for a 2x2 table

DISTRIBUSI PERSEPSI PASIEN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PersepsiPasien * JenisKelamin	60	100.0%	0	.0%	60	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Persepsi Pasien	jantung	Count	13	2	15
		% within JenisKelamin	26.5%	18.2%	25.0%
	bukan jantung	Count	36	9	45
		% within JenisKelamin	73.5%	81.8%	75.0%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.334 ^a	1	.563	.714	.441
Continuity Correction ^b	.037	1	.847		
Likelihood Ratio	.353	1	.553		
Fisher's Exact Test					
Linear-by-Linear Association	.328	1	.567		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.75.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Ket Persepsi	Maag	Count	1	1	2
		% within JenisKelamin	2.8%	11.1%	4.4%
	HT	Count	2	1	3
		% within JenisKelamin	5.6%	11.1%	6.7%
	DM	Count	1	0	1
		% within JenisKelamin	2.8%	.0%	2.2%
	Batu ginjal	Count	1	0	1
		% within JenisKelamin	2.8%	.0%	2.2%
	kecapekan	Count	2	1	3
		% within JenisKelamin	5.6%	11.1%	6.7%
	Sakit perut	Count	1	0	1
		% within JenisKelamin	2.8%	.0%	2.2%
	Sesak nafas	Count	2	1	3
		% within JenisKelamin	5.6%	11.1%	6.7%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
	Angin duduk	Count	3	0	3
		% within JenisKelamin	8.3%	.0%	6.7%
	Sakit paru-paru	Count	2	1	3
		% within JenisKelamin	5.6%	11.1%	6.7%
	Encok/sakit otot	Count	2	0	2
		% within JenisKelamin	5.6%	.0%	4.4%
	Masuk angin	Count	15	4	19
		% within JenisKelamin	41.7%	44.4%	42.2%
	Muntaber	Count	1	0	1
		% within JenisKelamin	2.8%	.0%	2.2%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Ket Persepsi	kesambet	Count	1	0	1
		% within JenisKelamin	2.8%	.0%	2.2%
	Tidak tahu	Count	2	0	2
		% within JenisKelamin	5.6%	.0%	4.4%
Total		Count	36	9	45
		% within JenisKelamin	100.0%	100.0%	100.0%

DISTRIBUSI RESPON

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
SelfTreatment * JenisKelamin	60	100.0%	0	.0%	60	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
KatSelfTreatment	iya	Count	35	5	40
		% within JenisKelamin	71.4%	45.5%	66.7%
	tidak	Count	14	6	20
		% within JenisKelamin	28.6%	54.5%	33.3%
Total		Count	49	11	60
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.727 ^a	1	.099		
Continuity Correction ^b	1.684	1	.194		
Likelihood Ratio	2.593	1	.107		
Fisher's Exact Test				.155	.099
Linear-by-Linear Association	2.682	1	.101		
N of Valid Cases ^b	60				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.67.

b. Computed only for a 2x2 table

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Farmakologi * JenisKelamin	60	100.0%	0	.0%	60	100.0%
Nonfarmakologi * JenisKelamin	60	100.0%	0	.0%	60	100.0%
FarmakologiDanNonfarmakologi * JenisKelamin	60	100.0%	0	.0%	60	100.0%

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Farmakologi	iya	Count	4	1	5
		% within JenisKelamin	11.4%	20.0%	12.5%
	tidak	Count	31	4	35
		% within JenisKelamin	88.6%	80.0%	87.5%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.294 ^a	1	.588	.507	.507
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.261	1	.610		
Fisher's Exact Test					
Linear-by-Linear Association	.287	1	.592		
N of Valid Cases ^b	40				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .63.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
ISDN	iya	Count	4	1	5
		% within JenisKelamin	11.4%	20.0%	12.5%
	tidak	Count	31	4	35
		% within JenisKelamin	88.6%	80.0%	87.5%
Total	Count	35	5	40	
	% within JenisKelamin	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.294 ^a	1	.588	.507	.507
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.261	1	.610		
Fisher's Exact Test					
Linear-by-Linear Association	.287	1	.592		
N of Valid Cases ^b	40				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .63.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Asmasoho	iya	Count	1	0	1
		% within JenisKelamin	2.9%	.0%	2.5%
	tidak	Count	34	5	39
		% within JenisKelamin	97.1%	100.0%	97.5%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.147 ^a	1	.702	1.000	.875
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.271	1	.603		
Fisher's Exact Test					
Linear-by-Linear Association	.143	1	.705		
N of Valid Cases ^b	40				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .13.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Antangin	iya	Count	1	0	1
		% within JenisKelamin	2.9%	.0%	2.5%
	tidak	Count	34	5	39
		% within JenisKelamin	97.1%	100.0%	97.5%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.147 ^a	1	.702		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.271	1	.603		
Fisher's Exact Test				1.000	.875
Linear-by-Linear Association	.143	1	.705		
N of Valid Cases ^b	40				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .13.

b. Computed only for a 2x2 table

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
AlasanFarmakologi * JenisKelamin	7	100.0%	0	.0%	7	100.0%

AlasanFarmakologi * JenisKelamin Crosstabulation

			JenisKelamin		Total
			laki-laki	perempuan	
Alasan Farmakologi i	karna pasien tahu kalau gejalanya sakit jantung	Count	1	0	1
		% within JenisKelamin	16.7%	.0%	14.3%
	obat jantung yang biasa diminum	Count	3	1	4
		% within JenisKelamin	50.0%	100.0%	57.1%
	dikira masuk angin	Count	1	0	1
		% within JenisKelamin	16.7%	.0%	14.3%
	dikira saki sesak	Count	1	0	1
		% within JenisKelamin	16.7%	.0%	14.3%
Total		Count	6	1	7
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.875 ^a	3	.831
Likelihood Ratio	1.243	3	.743
Linear-by-Linear Association	.105	1	.746
N of Valid Cases	7		

a. 8 cells (100.0%) have expected count less than 5. The minimum expected count is .14.

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
NonFarmakologi	Iya	Count	29	4	33
		% within JenisKelamin	82.9%	80.0%	82.5%
	tidak	Count	6	1	7
		% within JenisKelamin	17.1%	20.0%	17.5%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.025 ^a	1	.875		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.024	1	.877		
Fisher's Exact Test				1.000	.639
Linear-by-Linear Association	.024	1	.877		
N of Valid Cases ^b	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .88.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Kerokan	iya	Count	15	1	16
		% within JenisKelamin	42.9%	20.0%	40.0%
	tidak	Count	20	4	24
		% within JenisKelamin	57.1%	80.0%	60.0%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.952 ^a	1	.329		
Continuity Correction ^b	.238	1	.626		
Likelihood Ratio	1.033	1	.309		
Fisher's Exact Test				.631	.323
Linear-by-Linear Association	.929	1	.335		
N of Valid Cases ^b	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.00.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Kompres	iya	Count	7	1	8
		% within JenisKelamin	20.0%	20.0%	20.0%
	tidak	Count	28	4	32
		% within JenisKelamin	80.0%	80.0%	80.0%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.000 ^a	1	1.000	1.000	.694
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.000	1	1.000		
Fisher's Exact Test					
Linear-by-Linear Association	.000	1	1.000		
N of Valid Cases ^b	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.00.

b. Computed only for a 2x2 table

			JenisKelamin		Total
			laki-laki	perempuan	
Pijat	iya	Count	5	1	6
		% within JenisKelamin	14.3%	20.0%	15.0%
	tidak	Count	30	4	34
		% within JenisKelamin	85.7%	80.0%	85.0%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.112 ^a	1	.738	1.000	.577
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.105	1	.746		
Fisher's Exact Test					
Linear-by-Linear Association	.109	1	.741		
N of Valid Cases ^b	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .75.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
OlesMinyak	iya	Count	5	1	6
		% within JenisKelamin	14.3%	20.0%	15.0%
	tidak	Count	30	4	34
		% within JenisKelamin	85.7%	80.0%	85.0%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.112 ^a	1	.738	1.000	.577
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.105	1	.746		
Fisher's Exact Test					
Linear-by-Linear Association	.109	1	.741		
N of Valid Cases ^b	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .75.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
MinumAir	iya	Count	14	2	16
		% within JenisKelamin	40.0%	40.0%	40.0%
	tidak	Count	21	3	24
		% within JenisKelamin	60.0%	60.0%	60.0%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	Df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.000 ^a	1	1.000	1.000	.677
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.000	1	1.000		
Fisher's Exact Test					
Linear-by-Linear Association	.000	1	1.000		
N of Valid Cases ^b	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 2.00.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
MandiAirHangat	iya	Count	1	0	1
		% within JenisKelamin	2.9%	.0%	2.5%
	tidak	Count	34	5	39
		% within JenisKelamin	97.1%	100.0%	97.5%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	Df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.147 ^a	1	.702	1.000	.875
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.271	1	.603		
Fisher's Exact Test					
Linear-by-Linear Association	.143	1	.705		
N of Valid Cases ^b	40				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .13.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Sowok	iya	Count	1	0	1
		% within JenisKelamin	2.9%	.0%	2.5%
	tidak	Count	34	5	39
		% within JenisKelamin	97.1%	100.0%	97.5%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.147 ^a	1	.702	1.000	.875
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.271	1	.603		
Fisher's Exact Test					
Linear-by-Linear Association	.143	1	.705		
N of Valid Cases ^b	40				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .13.

b. Computed only for a 2x2 table

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
AlasanNonFarmakologi * JenisKelamin	35	100.0%	0	.0%	35	100.0%

AlasanNonFarmakologi * JenisKelamin Crosstabulation

			JenisKelamin		Total
			laki-laki	perempuan	
Alasan NonFarmakologi	dikira masuk angin,	Count	15	2	17
	biasanya kalau	% within JenisKelamin	48.4%	50.0%	48.6%
	masuk angin di kasih				
	itu				
	agar nyeri berkurang	Count	13	0	13
		% within JenisKelamin	41.9%	.0%	37.1%
	dikira sakit biasa	Count	3	2	5
		% within JenisKelamin	9.7%	50.0%	14.3%
Total		Count	31	4	35
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.712 ^a	2	.058
Likelihood Ratio	5.832	2	.054
Linear-by-Linear Association	1.009	1	.315
N of Valid Cases	35		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is .57.

Crosstab

			JenisKelamin		Total
			laki-laki	Perempuan	
Farmakologi Dan Nonfarmakologi	iya	Count	2	0	2
		% within JenisKelamin	5.7%	.0%	5.0%
	tidak	Count	33	5	38
		% within JenisKelamin	94.3%	100.0%	95.0%
Total		Count	35	5	40
		% within JenisKelamin	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.301 ^a	1	.583	1.000	.763
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.549	1	.459		
Fisher's Exact Test					
Linear-by-Linear Association	.293	1	.588		
N of Valid Cases ^b	40				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .25.

b. Computed only for a 2x2 table

Crosstab

			JenisKelamin		Total
			laki-laki	perempuan	
Jumlah <i>Selftreatment</i> yang dilakukan	1 jenis	Count	23	4	27
		% within JenisKelamin	65.7%	80.0%	67.5%
	≥2 jenis	Count	12	1	13
		% within JenisKelamin	34.3%	20.0%	32.5%
Total	Count		35	5	40
	% within JenisKelamin		100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.407 ^a	1	.523	1.000	.469
Continuity Correction ^b	.016	1	.898		
Likelihood Ratio	.439	1	.508		
Fisher's Exact Test					
Linear-by-Linear Association	.397	1	.529		
N of Valid Cases ^b	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.63.

b. Computed only for a 2x2 table

Lampiran 10

CURICULUM VITAE (CV)

Biodata

Nama : Likhna Pertiwi
 NIM : 105070200111011
 Jurusan / Angkatan : Ilmu Keperawatan / 2010
 Tempat / tanggal lahir : Malang, 10 Januari 1992
 Jenis Kelamin : Perempuan
 Alamat Asal : Desa Wadung RT/RW 11/03 No.7 Pakisaji - Malang
 Alamat di Malang : Desa Wadung RT/RW 11/03 No.7 Pakisaji - Malang
 Status : Mahasiswa
 Hobi : Travelling
 No. HP : 083848386586
 Email : Likhnepertiwi.lp@gmail.com



Riwayat Pendidikan

No.	Pendidikan	Tempat	Tahun
1	RA Nurul Hidayah	Malang	1995 - 1998
2	MI Nahdlatul Ulama	Malang	1998 - 2004
3	SMP Shalahuddin	Malang	2004 - 2007
4.	SMA Al-Rifa'ie	Malang	2007 - 2010
5.	PSIK - FKUB	Malang	2010 – sekarang

Motto hidup : hidup itu sederhana. dijalani, dinikmati dan disyukuri

^ ^
—