

DAFTAR PUSTAKA

- Ambarasari, L. (2011). Aktivitas Antibakteri Ekstrak Kasar Flavonoid Daun Gambir (*Uncaria gambir*). Unpublished Skripsi, Institut Pertanian Bogor, Bogor.
- Argamula, G. (2008). *Aktivitas Sediaan Salep Ekstrak Batang Pohon Pisang Ambon (Musa paradisica var sapientum) dalam Proses Persembuhan Luka pada Mencit (Mus musculus albinus)*. Unpublished Skripsi, Institut Pertanian Bogor, Bogor.
- Arissandi, D. N. S. (2009). *Pengaruh Basis Gel Poloxamer dan Karbopol terhadap Penyembuhan Luka Bakar Gel Ekstrak Etanol Umbi Wortel (Daucus carota L.) pada Kulit Punggung Kelinci*. Unpublished Skripsi, Universitas Muhammadiyah Surakarta, Surakarta.
- Ashkani-Esfahani, S., Imanieh, M.H., Khoshneviszadeh M., Meshksar, A., Noorafshan, A., Geramizadeh, B., Ebrahimi, S., Handjani, F., Tanideh, N. (2012) The Healing Effect of *Arnebia Euchroma* in Second Degree Burn Wounds in Rats as an Animal Model. *Iranian Red Crescent Medical Journal*; 14 (2): 70-74.
- Beane L and Freeman S. (2003) Formaldehyde - National Toxicology Program. *Journal of The Royal Society Interface*
- Betz, C. L., & Sowden, L. A. (2009). *Buku Saku Keperawatan Pediatri* (5 ed.). Jakarta: EGC.
- Bishop. (2008). Role of Oxygen in Wound Healing. *Journal of Wound Care*, 17, 399-402.
- BNPB. (2009). Analisis Data Bencana, Badan Nasional Penanggulangan Bencana, Jakarta, hal.77-80.
- Demling R. (2005). *the Rate of Restoration of Body Weight Afetr Burn Injury,Using the Anabolic Agent*. Harvard Edu.
- DeLaune and Ladner. *Fundamental of Nursing : Standars and Praktice* (2nd Ed.). English. Delmar pub
- Derakhshanfar, A., M. Oloumi dan M. Mirzaie. (2010). Study on The Effect of Peganum Harmala Extract on Experimental Skin Wound Healing in Rat: Pathological and Biomedical Findings. *Journal of Comparative Clinical Pathology*, 19 (24): 169-172.
- Diegelmann RF, and Evans MC. Wound Healing : An Overview of Acute, Fibrotic and delayed Healing. *Biosciences*, (2004) ; 9: 323-333

- DiPietro, S. G. A. L. A. (2010). Factors Affecting Wound Healing. *Critical Reviews in Oral Biology & Medicine*, 3, 219-229.
- Farmakope Indonesia*. (1979). Edisi Ketiga. Jakarta: Departemen Kesehatan Republik Indonesia.
- Grace, PA., Borley, NR. (2006). Surgery at a Glance. Vidhia Umami (penterjemah), 2007, At a Glance Ilmu Bedah, Penerbit Erlangga, hal. 87.
- Greundemann, B. J. (2005). *Buku Ajar Keperawatan Perioperatif* (Vol. 1). Jakarta: EGC.
- Harborne, J.B., (1987), *Metode Fitokimia*, Edisi ke dua, ITB, Bandung
- Hidayat AAA. (2009). Metode Penelitian Keperawatan dan Teknik Analisis Data. Salemba Medika, Jakarta, hal. 122-130.
- Houghton P., Raman A. *Laboratory Handbook for the Fractional of Natural Extracts*. (1998). Chapman and Hall in published
- Horne M.M., Swearingen P.L., (2000). *Pocket Guide to Fluid and Electrolyte*. Elsevier
- Joseph, L., George, M., Agrawal, S., & Kumar, V. (2011). Pharmacognostical and Phytochemical Studies on *Jasminum sambac* Leaves. *International Journal of Pharmaceutical Frontier Research*, 2, 80-92.
- K.Logeeswari, and Sripathi, S. K. (2012). Wound Healing Medicinal Plants: A Review. *International Journal of Chemical, Environmental and Pharmaceutical Research*, 3, 199-218.
- Karimi, M., Parsaei, P., Asadi, S. Y., Ezzati, S., Boroujeni, R. K., Zamiri, A., Kopaei, M. R. (2013). Effects of *Camellia sinensis* Ethanolic Extract on Histometric and Histopathological Healing Process of Burn Wound in Rat. Middle-East Journal of Scientific Research 13 (1): 14-19. ISSN: 1990-9233. DOI: 10.5829/idosi.mejsr.2013.12.1.66118.
- Khan, M. S. A., Jais A.M., Mohtarudin N., et al. Wound healing potential of Leathery Murdah,*Terminalia coriacea* (Roxb.) Wight & Arn. *Phytopharmacology*, (2012); 3(1) 158-168.
- Khorasani G, Jalal SH, Zamani P, Ghasemi M, Ahmadi A.The Effect of Saffron (*Crocus sativus*) Extract for Healing of Second-degree Burn Wounds in Rats. Keio J Med 2008; 57(4): 190-195.
- Kusumadewi, R. (2004). *Penapisan Awal Senyawa Bioaktif Antibakteri dari Melati Laut (Clerodendrum inerme)*. Unpublished Skripsi, Institut Pertanian Bogor, Bogor.

- Lee AR and Moon, (2003). Effect of Topically Applied Silver Sulfadiazine on Fibroblast Cell Proliferation and Biochemical Properties of The Wound. *Archives Pharmacal Res.*, 26: 855-860
- Lodish H, Berk A, Zipursky SL, et al. New York: W. H. Freeman; (2000).
- Maury, P. K., Jain, S. K., Lal, N., & Alok, S. (2012). A Riview on Antiulcer Activity. *International Journal of Pharmaceutical Sciences and Research*, 3(8), 2487-2493.
- Mayhall, C. G. (2003). *The Epidemiology of Burn Wound Infections: Then and Now*. Texas: Infectious Diseases Society of America.
- Mishra, S. B., Mukerjee, A., Vijayakumar, M. (2010). Wound Healing Activity of The Aqueous Alcoholic Extract of *Jasminum sambac* Linn Leaves. *Pharmacolgyonline*, 3, 35-40.
- Mitchell, R. N. (2008). *Buku Saku Dasar Patologis Penyakit Robbins & Cotran* (7 ed.). Jakarta: EGC.
- Mittal, A., Sardana, S., & Pandey, A. (2011). *Jasminum Auriculatum-An Overview*. *International Journal of Pharmaceutical Innovations*, 30-35.
- Moenadjat Y. (2009). Luka Bakar: Masalah dan Tatalaksana, Edisi 4. Jakarta: Balai penerbit FKUI.
- Mohajeri DM, Mehram DY, Nazery M. Comparison of Effect of Normal Saline and Silver Sulfadiazine on Healing of Skin Burn Wound in Rats : A Histopathological Study. *Midlle-East Journal of Scientific Research*, (2011); 10 (1): 08-14
- Morison, J.M. (2003). A Colour Guide the Nursing Management of Wounds, EGC: Jakarta.
- Nayak S., Poorna N., Sandiford S., el al. Evaluation of wound healing activity of *Allamanda cathartica*. L. And *Laurus nobilis*. L. extracts on rats. *BMC Complementary and Alternative Medicine*, (2006); 6(12).
- Novriansyah R. (2008). *Perbedaan Kepadatan Kolagen di sekitar Luka Insisi Tikus Wistar yang Dibalut Kasa Konvensional dan Penutup Oksklusif Hidrokolid selama 2 dan 14 Hari*. Tugas Akhir. Tidak diterbitkan, Fakultas Kedokteran Universitas Diponegoro, Semarang.
- Nursalam. (2008). Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan Pedoman Skripsi, Tesis, dan Instrumen Penelitian Keperawatan. Salemba Medika, Jakarta.



Peraturan Menteri Kesehatan Republik Indonesia Nomor HK.02.02/MENKES/148/I/2010. (2010). Tentang Izin dan Penyelenggaraan Praktik Perawat. Menteri Kesehatan Republik Indonesia.

Perdanakusuma, D.S., (2007), Anatomi Fisiologi Kulit dan Penyembuhan Luka, <http://www.fk.unair.ac.id/>, 18/10/2012.

Purnama, D., Masdar, H., Rahayu, W. (2013). Perbandingan Pemberian Krim Ekstrak Etanol Daun Senduduk (*Melastoma malabathricum L*), Moist Exposed Burn Ointment (Mebo) dan Moist Dressing Secara Topikal terhadap Penyembuhan Luka Bakar Derajat II pada Tikus Putih (*Rattus norvegicus*).

Potter PA dan Perry AG. (2006). Buku Ajar Fundamental Keperawatan Konsep, Proses dan Praktik. Edisi 4. EGC, Jakartac

Price S. A., Wilson L.A., (2006). buku : *Patofisiologi vol 1 dan 2 edisi 6*. Jakarta. EGC

Rangaraj A, Harding K, Leaper D. Role of collagen in wound management. wounds UK. (2011); 7 (2): 54-63

Reddy M., Baswanth Kumar, Gowda K.P.S., Arora, Ankit K. Study of Wound Healing Activity of Aqueous and Alcoholic Bark Extracts of *Acacia catechu* on Rats. *RJPS*, (2011); 1 (3): 220225.

Sabharwal, Aggarwal, Vats, Sardana. (2012). Preliminary Phytochemical Investigation and Wound Healing Activity of *Jasminum sambac* (linn) ait. (Oleaceac) Leaves. *International Journal of Pharmacognosy and Phytochemical Research*, 4(3), 146-150.

Sabiston, d. C. (1995). *Buku Ajar Bedah = (Sabiston's Essentials Surgery)*. Jakarta: EGC.

Saputra, T., & Suryani, L. (-). Aktivitas Antimikroba Infusa Buah Asam Jawa (*Tamarindus indica* Linn) terhadap Berbagai Mikroba Patogen.

Schwartz SI. (2000). Intisari Prinsip-Prinsip Ilmu Bedah Edisi 6. EGC, Jakarta

Singer, M. D., Dagum A.B., (2008). *Current Management of Acute Cutaneous Wounds*.NEJM

Sjamsuhidayat R., Jong W.D., (2005). *Buku ajar Ilmu Bedah (Edisi 3)*. Jakarta. EGC



- Simbolon, R. J. (2007). *Prospek Pengembangan Usahatani Bunga Melati Putih (Studi Kasus : Kota Medan Propinsi Sumatera Utara)*. Unpublished Skripsi, Universitas Sumatera Utara, Medan.
- SLI, D. D., Sanarto, & Taqiyah, B. Pengaruh Perawatan Luka Bakar Derajat II dengan Madu Nectar Flora terhadap Lama Penyembuhan Luka.
- Smeltzer, S. C., & Bare, B. G. (2001). *Buku Ajar Keperawatan Medical-Bedah Brunner & Suddarth* (A. Hartono, DAN, H. Y. Kuncara, E. S. L. Siahaan & A. Waluyo, Trans. 8 ed.). Jakarta: EGC.
- Sandeep and Paarakh (2009). Jasminum Glandiflorum Linn (Chameli) : Ethnonotany, Phytochemistry, 586.
- Taghizadeh-Jahed, M., S. H. Jarolmasjed, S. Mohamadnejad and A. Rezaii. (2008). The Effect of Echinaceapurpurea aerial organ dried extract vs. Zinc Oxide on Skin Wound Healing in Rat: Amorphometric and Histopathologic Study. J. Tehran University Medical, 66 (9): 625-632.
- Tandara, A. A., & Mustoe, T. A. (2004). Oxygen in Wound Healing-More than a Nutrient. *World Journal of Surgery*, 28, 294-300.
- Turk FM. (2006). Saponins versus Plant Fungal Phatogens. *Journal of Cell and Molecular Biology*. 2006. 5:13-17
- Widianto, M. H. (2012). *Nutrition Care Process (NCP) Post Combustio Grade II di Bangsal Firdaus Kamar 206 di Rumah Sakit PKU Muhammadiyah Yogyakarta Unit II*: Universitas Respati Yogyakartao. Document Number)
- Wientarsih, I & B. F. Prasetyo. (2006). Diktat Farmasi dan Ilmu Reseptir. Bagian Farmasi PPDH FKH IPB: Bogor
- Yenti, R., Afrianti, R., & Afriani, L. (2011). *Formulasi Krim Ekstrak Etanol Daun Kirinyuh (Eupatorium odoratum. L) untuk Penyembuhan Luka*. Majalah Kesehatan PharmaMedika 3, 227-230.
- Yuliaasn S., Sofyan R., (2003) *Kajian Aktivitas Ekstrak Etanol Rimpang Kunyit*. IPBI : Bogor
- Zbigniew R. (2003). *Effect of Collagen Matrices on Dermal Wound Healing*. DeepDive.
- Kantor deputi Menegristek Bidang Pendayagunaan dan Pemasyarakatan Ilmu Pengetahuan dan Teknologi. -. *Melati (Jasminum officinale)*. <http://www.warintek.ristek.go.id/pertanian/melati.pdf> diakses pada 29 April 2013