

DAFTAR PUSTAKA

- Alexander, R.W. Pathogenesis of Atherosclerosis: Redox As A Unifying Mechanism. The Association of the American Clinical and Climatological Association, 2003, 114: 273-304.
- Almeida, L.M.V de, CelintanoPiñeiro, C., ConcliLeite, M., GiovanaBrolese, Tramontina, F., Feoli, A.M., Gottfried, C., Gonçalves, C.A. Resveratrol Increases Glutamate Uptake, Glutathione Content, and S100B Secretion in Cortical Astrocyte Cultures. (Abstract). *Cellular and Molecular Neurobiology*, 2007, 27(5); 661-668.
- Alzheimer C. Molecular and Cellular Biology id Neuroprotection in the CNS. Plenum Publishers and Landes Bioscience. New York, NY. 2002
- American Stroke Association. 2012. *About Stroke*, American Heart Association, USA.
- Baehr, M. and Frotscher, M. 2010. *Diagnosis Topik Neurologi DUUS*, 4th Ed., Edited by Wita J. Suwono, EGC, Jakarta, p. 48-57; 314; 329-340; 373-387.
- Balai Penelitian Tanah. Iklim dan Tanah untuk Pengembangan Angur. *Warta Penelitian dan Pengembangan Pertanian*, 2008, 30 (6).
- Bardutzky, J. and Schwab, S. Antiedema Therapy in Ischemic Stroke. *American Heart Association*, 2007, 38:3084-3094.
- Barkho, B.Z., Song, H., Aimone, J.B., Smrt, R.D., Kuwabara, T., Nakashima, K., Gage, F.H., Zhao, X. Identification of astrocyte-expressed factors that modulate neural stem/progenitor cell differentiation. *Stem Cells Dev.* 2006;15:407-421.
- Bastianetto, S. and Quirion, R. Resveratrol and red wine constituents: evaluation of their neuroprotective properties. *Pharm. News*, 2001, 8: 33-38.
- Baur, J.A. and Sinclair, D.A. Therapeutic potential of resveratrol: the *in vivo* evidence. *Nature Reviews*, 2006; 5: 493-506.
- Beauchamp N and Bryan R. Acute cerebral ischemic infarction: a pathophysiologic review and radiologic perspective. *AJR*, 1998; 171: 73-84.
- Berrougui H, Grenier G, Loued S, Drouin G, Khalil A. 2009. A new insight into resveratrol as an atheroprotective compound: inhibition of lipid peroxidation and enhancement of cholesterol efflux. (Abstract). *Atherosclerosis*. 207(2):420-7



- Bloom and Fawcett. 2002. *Buku Ajar Histologi*, 12th Ed., Edited by Huriawati Hartanto, EGC, Jakarta, p. 278.
- Bradac, G. B. 2011. *Cerebral Angiography: Normal Anatomy and Vascular Pathology*, Springer, Berlin, p. 5-13; 57; 69-73.
- Breton, R.R. and Rodriguez, C.G. 2012. *Excitotoxicity and Oxidative Stress in Acute Ischemic Stroke*. Intech, Croatia, hal 29-58.
- Brint, S., Jacewicz, M., Kiessling, M., Tanabe, J., Pulsinelli W. Focal Brain Ischemia in the Rat: Methods for Reproducible Neocortical Infarction Using Tandem Occlusion of the Distal Middle Cerebral and Ipsilateral Common Carotid Arteries. *Journal of Cerebral Blood Flow and Metabolism*, 1988, 8:474-485.
- Brodal, P. 2010. *The Central Nervous System: Structure and Function*, 4th Ed., Oxford University Press, New York, p. 19.
- Broughton, B., Reutens, D., Sobey, C. Apoptotic Mechanism after Cerebral Ischemia. *Stroke*, 2009, 40:331-339
- Bunea, C.I., Nastasia, P.O.P. Babes, Hodor A.M.L, Ciobanu F, Bunea, A, et al., Qualitative and Quantitative Analysis off Phenolic Acids using High Performance Liquid Chromatography (HPLC) from Organic and Conventional Grapes, 2012, Bulletin UASVM Horticulture, 69(1).
- Caplan, A. 2007. *Adult mesenchymal stem cells for tissue engineering versus regenerative medicine*. *J cell physiol*. 213(2): 341-347.
- Carlson, B.M. 2007. Principle of Regenerative Biology. Elsevier, Massachusetts, p.4
- Caroni, P. Intrinsic neuronal determinants that promote axonal sprouting and elongation. *Bioessays*. 1997 Sep;19(9):767-75.
- Castillo, J. Davalos, A., Naveiro, J., Noya, M. Neuroexcitatory amino acids and their realtion to infarct size and neurological deficit in ischemic stroke. *Stroke*, 1996, 27: 1060-1065.
- Cavanaugh, J et al. 2008. Differential Regulation of Mitogen-Activated Protein Kinases ERK1/2 and ERK5 by Neurotrophins, Neuronal Activity, and cAMP in Neurons. *The Journal of Neuroscience*. Washington DC: Departments of 1Environmental Health and 2Pharmacology, University of Washington.
- Chamorro, A., Marshall, R.S., Sole, J.V., Tolosa, E., Mohr, J.P. Motor Behavior in Stroke Patients With Isolated Medial Frontal Ischemic Infarction, *American Heart Association*, 1997, 28: 1755-1760.
- Charmicael, S. T. Plasticity of Cortical Projections after Stroke. *Neuroscientist* February 2003 vol. 9no. 1 64-75.



- Chen, Y. And Swanson R.A. Astrocytes and Brain Injury. *Journal of Cerebral Blood Flow & Metabolism* (2003) 23, 137–149
- Cottart CH, et al. Resveratrol bioavailability and toxicity in humans. *Mol Nutr Food Res.* 2010.
- Cruz-Flores,S., et al. 2011. *Racial-ethnic disparities in stroke care : the American experience : a statement for healthcare professionals from the American Heart Association.* American Stroke Association. *Stroke.* 42(7) : 2091-116
- D'Archivio, M., Filesi, C., Benedetto, R.D., Gargiulo, R., Giovannini, C., Masella, R. Polyphenols, dietary sources and bioavailability. *Ann Ist Super Sanità,* 2007; 43(4): 348-361.
- Davallos, A., Castillo, J. Serena, J., Noya, M. Duration of Glutamate Release after Acute Ischemic Stroke. *Stroke,* 1997, 28: 708-710.
- Dongoran, R. A. 2007. *Jumlah Neutrofil Absolut sebagai Indikator Keluaran Stroke Iskemik.* Tesis. Tidak diterbitkan, Fakultas Kedokteran Universitas Diponegoro, Semarang.
- Elmore, S. Apoptosis: A Review of Programmed Cell Death. *Toxicol Pathol,* 2007; 35(4): 495–516.
- Eroschenko, V.P., 2008, Atlas *Histologi diFiore dengan Korelasi Fungsional*, Brahm U. Pendit (penerjemah), 2010, Penerbit Buku Kedokteran, Jakarta, Indonesia, hal. 150
- Feng, Z., Lu, Lu, Y. F., Wu, Q., Liu, J., Shi, J. S., Resveratrol promotes neurotrophic factor release from astroglia, *Exp Biol Med,* 2012, 237 (8): 943-948.
- Flaster, Murray. 2012. How to Minimize Damage from Stroke. <http://scienceparis.over-blog.com/article-how-to-minimize-damage-from-strokes-loyola-murray-flaster-ischaemic-orthopnea-statin-105224810.html>. Diakses pada tanggal 13 Oktober 2012.
- Ganguly, K., Rejmak, E., Mikosz, M., Nikolaev, E., Knapska, E., Kaczmarek, L. Matrix Metalloproteinase(MMP) 9 Transcription in Mouse Brain Induced by Fear Learning. *J Biol Chem.* 2013. 228(29):20978-20991.
- Garcia, J.H., Liu K.F., Ho, K.L. Neuronal Necrosis After Middle Cerebral Artery Occlusion in Wistar Rats Progresses at Different Time Intervals in the Caudoputamen and the Cortex. *American Heart Association,* 1995: 26:636-643.
- Geros, H., Chaves, M., Delrot, S. 2012. The Biochemistry of The Grape Berry, Bentham eBooks. United States of America, Hal. 180.

- Gheeyoung, C., Park, J.K., Jouben-Steele, L., Kremen, T.J., Liau, L.M., Vinters, H.V., Cloughesy, T.F., Mischel, P.S. Active Matrix metalloproteinase-9 Expression is Associated with Primary Glioblastoma Subtype. *Clin Cancer Res.* 2008; 8:2894.
- Ghimire, S. R. 2013. Cerebrum: Gross Features and Blood Supply. <http://teachinganatomy.blogspot.com/2013/01/cerebrum-grossfeatures-and-bloodsupply.html>
- Gofir, A., 2009, Manajemen Stroke, Pustaka Cendekia Press, Yogyakarta, Indonesia, hal.19-42.
- Goldman, L. dan Ausiello, D. 2008. *Cecil Medicine*, 23rd Ed., Saunders, p. 1658.
- Goldstein, L. B., Bushnell, C. D., Adams, R. J., Appel, L. J., Braun, L. T., Chaturvedi, S., et al. Guidelines for the Primary Prevention of Stroke A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke*, 2011; 42: 517-584.
- Gracia, J.H., Wagner, S., Liu, K.F., Hu, X.J. Neurological Deficit and Extent of Neuronal Necrosis Attributable to Middle Cerebral Artery Occlusion in Rats. *Stroke*, 1995; 26: 627-635
- Halliwell, B. 2001. Role of Free Radicals in the Neurodegenerative Diseases. (Abstract). *Drugs & Aging*, 18(9): 685-716.
- Hardemark, H.G., Persson, L., Bolander, H.G., Hillered, L., Olsson, Y., Pahlman, S. Neuron-Specific Enolase Is a Marker of Cerebral Ischemia and Infarct Size in Rat Cerebrospinal Fluid. *American Heart Association, Stroke*, 1988;19:1140-1144.
- Hayden MR and Tyagi SC, Intimal redox stress: Accelerated atherosclerosis in metabolic syndrome and type 2 diabetes mellitus. *Atherosclerosis, Cardio Vascular Diabetology*, 2002, 1(3).
- Hazell, A.S. Excitotoxic mechanisms in stroke: An update of concepts and treatment strategies. *Neurochemistry International*, 2007; 50(7-8): 941-953.
- Heinrich, C., Blum, R., Gasco' n, S., Masserdotti, G., Tripathi, P., Sa'ncchez, R., Tiedt, S., Schroeder, T., Go" tz, M., Berninger, B. Directing Astroglia from the Cerebral Cortex into Subtype Specific Functional Neurons. *PLoS Biol*, 2010; 8(5): e1000373.
- Hennekens, C.H. and Dyken, M. L.. Aspirin as a Therapeutic Agent in Cardiovascular Disease. *Circulation*. 1997, 96: 2751-2753
- Hoksbergen, A. W. J., Fulesdi, B., Legemate, D. A., Csiba, L. Collateral Configuration of the Circle of Willis Transcranial Color-Coded Duplex



- Ultrasonography and Comparison With Postmortem Anatomy. *Stroke*, 2000; 31: 1346-1351.
- Horner, P.J., Gage, F.H., Regenerating the Damaged Central Nervous System. *Nature*. 2000. 407:963-970.
- Hughes, D. 2012. Altered Pancreatic Innervation Linked to Changes in Pain-Related Behavior. <http://www.chemotherapyadvisor.com/altered-pancreatic-innervation-linked-to-changes-in-pain-related-behavior/article/246613/>. Diakses pada tanggal 13 Oktober 2012.
- IPTEK. 2005. *Teknologi Tepat Guna Budidaya Pertanian Anggur*. IPTEK: Jakarta.
- Ishikawa, M., Cooper, D., Russel, J., Salter, J.W., Zhang, J.H., Nanda, A., Granger, D.N. Molecular Determinants of the Prothrombogenic and Inflammatory Phenotype Assumed by the Postischemic Cerebral Microcirculation. *Stroke*. 2003. 34:1777-1782.
- ITIS. 2013. *Taxonomy and Nomenclature Vitis vinifera L*. ITIS: United State.
- Jalil, EC et al. 2007. Resveratrol potently reduces prostaglandin E₂ production and free radical formation in lipopolysaccharide-activated primary rat microglia. *Journal of Neuroinflammation*. 4:25 doi:10.1186/1742-2094-4-25.
- Jha, L.C.S., Cerebral Edema and Its Management. *MJAFI*, 2003, 59: 326-331.
- Johansson, B.B., 2007. Regeneration and plasticity in the brain and spinal cord. (Abstract). *Journal of Cerebral Blood Flow & Metabolism*, 27, 1417–1430
- Junqueira, L. C. and Carneiro, J. 2007. *Histologi Dasar: Teks & Atlas*, 10th Ed., EGC, Jakarta, p. 157; 161-163.
- Justicia, C., Panes, J., Sole, S., Cervera, A., Delofeu, R., Chamorro, A., Planas, A.M. Neurotrophil Infiltration Increase Matrix Metalloproteinase-9 in the Ischemic Brain After Occlusion/Reperfusion of the Middle Cerebral Artery in Rats. *J Cereb Blood Flow Metab*. 2003. 23(12):1430-1440.
- Kaal, E.C.A and Vecht, C.J. The Management of Brain Edema in Brain Tumors. *Curr Opin Oncol*, 2004, 16: 593-600.
- Khuruna, I. 2007. *Textbook of Human Physiology for Dental Student*, Elsevier, New Delhi, p. 602.
- King, R.E., Bomser, J.A., Min, D.B. Bioactivity of Resveratrol. *Comprehensive Reviews in Food Science and Food Safety*, 2006; 5 (3): 65-70.
- Kitagawa, K., Matsumoto, M., Yang, G., Mabuchi, T., Yagita, Y., Hori, M., Yanagihara,T. Cerebral Ischemia After Bilateral Carotid Artery Occlusion



- and Intraluminal Suture Occlusion in Mice: Evaluation of the Patency of the posterior Communicating Artery. *Journal of Cerebral Blood Flow and Metabolism*. 1998; 18:570-579.
- Krapivinsky, G., Krapivinsky, L., Manasian, Y., Ivanov, A., Tyzio, R., Pellegrino, C., Ben-Ari, Y., Clapham, D.E., Medina, I. The NMDA Receptor Is Coupled to the ERK Pathway by a Direct Interaction between NR2B and RasGRF1. *Neuron*, 2003; 40: 775-784.
- Kristian, T. And Siesjo, B. Calcium in Ischemic Cell Death. *Stroke*, 1998; 29: 705-718.
- Kuraoka, M., Furuta, T., Matsuwaki, T., Omatsu, T., Ishii, Y., Kyuwa, S., Yoshikawa, Y. Direct Experimental Occlusion of the Distal Middle Cerebral Artery Induces High Reproducibility of Brain Ischemia in Mice. *Exp. Anim.* 2009; 58(1):19-29.
- Kwoon, J.W., Park, C.K., Shin, H.Y., Paek, S.H., Wang, K.C., Kim, D.G. Time-dependent Changes of the Infarct Volume in a Rat Stroke Model: A Comparison of the Use of MRI and TTC-staining as Monitoring Tools. *Kor J Cerebrovascular Surgery*, 2008, 10 (3): 437-441.
- Lee, J. Grabb, M., Zipfel, G., Choi, D. Brain Tissue Responses to Ischemia. *The Journal of Clinical Investigation*, 2000, 106: 723-731.
- Lefkowitz, M.W., Reuhl, K., Perry, B., Chan, P.H., Inouye, M., Mirochnitchenko, O. Overexpression of Human Glutathione Peroxidase Protects Transgenic Mice Against Focal Cerebral Ischemia/Reperfusion Damage. *Elsevier Molecular Brain Research*, 1998, 53 (1-2): 333-338.
- Liang, D., Bhatta, S., Gerzanich, V., Simard, J.M. Cytotoxic edema: mechanism of pathological cell swelling. *Neurosurg Focus*, 2007; 22(5): E2.
- Lin, T.N., He, Y.Y., Wu, G., Khan, M., Hsu, C.Y. Effect of Brain Edema on Infarct Volume in a Focal Cerebral Ischemia Model in Rats. *American Heart Association*, 1993, 24(1): 117-121.
- Liu, C., Shi, Z., Fan, L., Zhang, C., Wang, K., Wang, B., 2011. Resveratrol improves neuron protection and functional recovery in rat model of spinal cord injury. (Abstract). *Brain Res.* 16;1374:100-9
- Lloyd-Jones, D., Adams, R. J., Brown, T. M., Carnethon, M., Dai, S., De Simone, G., et al. Heart Disease and Stroke Statistics—2010 Update: A Report from the American Heart Association. *Circulation*, 2010; 121:e46–e215.
- Lo, E., Dalkara, T. Moskowitz, M. Mechanism, Challenges and Opportunities in Stroke. *Nature Review*, 2003 4:399-415.



Lo, E., Moskowitz, M., Jacobs, T. Exciting, Radical, Suicidal: How Brain Cells Die After Stroke. *Stroke*, 2005, 36: 189-192.

Lochhead, J.L., McCaffrey, G., Quigley, C.E., Finch, J., DeMarco, K.M., Nametz N., et al. Oxidative stress increases blood-brain barrier permeability and induces alterations in occludin during hypoxia-reoxygenation. *J Cereb Blood Flow Metab*. 2010, 9: 1625–1636.

Lotocki, G. And Keane, R. Inhibitors of Apoptosis Proteins in Injury and Disease. *Life*, 2002, 54:231-240.

Lyden, P.D., Zweifler, R., Mahdavi, Z., Lonzo, L. A Rapid, Reliable, and Valid Method for Measuring Infarct and Brain Compartment Volumes From Computed Tomographic Scans. *American Heart Association*, 1994, 25(12): 2421-2428.

Lynch, D.R. and Guttmann, R.P. Excitotoxicity: Prospective Based on N-Methyl-D-Aspartate Receptor Subtype. *Journal of Pharmacology*, 2002, 300 (3): 717-723.

Manuel, S. 2011. Understanding the Brain. http://sousa.net23.net/pages/understanding_the_brain.html

Mayo Clinic. 2012. Stroke: Treatment and Drug. <http://mayoclinic.com/health/stroke/DS00150/DSECTION=treatments-and-drugs>. Diakses pada tanggal 13 Oktober 2012.

Mergenthaler, P., Dirnagl, U., & Meisel, A. Pathophysiology of Stroke: Lessons from Animal Models. *Metabolic Brain Disease*, 2004, 19 (3-4): 151-167.

Mohr, J. P., Albers, G. W., Amarenco, P., Babikian, V. L., Biller, J., Brey, R. L., et al. Etiology of Stroke. *Stroke*, 1997; 28: 1501-1506.

Mohr, J. Stroke: Pathophysiology, Diagnosis, and Management. *Elsevier Health Sciences Philadelphia, PA*. 2004.

Moldzio, R., Radad, K., Krewenka C., Kranner, B., Duvigneau, J. C., Rausch, W. D. Protective effects of resveratrol on glutamate-induced damages in murine brain cultures. *J Neural Transm*. 2013; 120(9): 1271-80

Moonish, M, and Fisher, M. Considering the Role of Heparin and Low-Molecular-Weight Heparins in Acute Ischemic Stroke. *Stroke*, 2002; 33(7): 1927-33

Mullins, M. G., Bouquet, A., Williams, L.E. "Biology of grapevine." *Cambridge University Press*, Cambridge. 1992.



Murwani, S., Mulyohadi, A., dan Ketut, M. Diet aterogenik pada tikus putih (*Rattus novergicus* strain Wistar) sebagai model hewan aterosklerosis. *Indonesia Scientific Journal Database*, 2006, 22(1): 6-9.

Nakka, V. P., Gusain, A., Mehta, S. H., Raghbir, R. Molecular mechanisms of apoptosis in cerebral ischemia: multiple neuroprotective opportunities. *Mol Neurobiol*. 2008; 37:7-38.

Netter, F. H. 2010. *Atlas of Human Anatomy*, 5th Ed., Elsevier, p. 137.

Ng, J.M.J., Chen, M.J., Leung, J.Y.K., Peng, Z.F., Manikan dan, J., Qi, R.Z., Chuah, M.I., West, A.K., Vickers, J.C., Lu, J., Cheung, N.M., Chung, R.S. Transcriptional Insights on the Regenerative Mechanics of Axotomized Neurons in Vitro. *Journal of Cellular and Molecular Medicine*. 2012. Vol.16: 789-811.

Nguyen T.L., et al. 2010. *Neuroprotection signaling pathway of nerve growth factor and brain-derived neurotrophic factor against staurosporine induced apoptosis in hippocampal H19-7/IGF-IR*. Korea: Department of Molecular Cell Biology, Samsung Biomedical Research Institute, Sungkyunkwan University School of Medicine.

Orallo, F. Comparative Studies of the Antioxidant Effects of *Cis*- and *Trans*-Resveratrol. *Current Medicinal Chemistry*, 2006; 13:87-98.

Pe'rez, A.I.R., Ravento's, R.M.L, Lacueva C.A., Boronat M. C. T., Method for the Quantitative Extraction of Resveratrol and Piceid Isomers in Grape Berry Skins. Effect of Powdery Mildew on the Stilbene Content, *J. Agric. Food Chem.* 2001, 49, 210-215

Qi, M., and Elion, E. A. 2005. MAP Kinase Pathway. <http://jcs.biologists.org/content/118/16/3569.short>. Diakses tanggal 13 Oktober 2012.

Quincozes-Santos, A. and Gottfried, C. Resveratrol modulates astroglial functions: neuroprotective hypothesis. *Annals of the New York Academy of Sciences*, 2011; 1215: 72-78.

Reynolds, M.A., Kirchick, H.J., Dahlen, J.R., Anderberg, J.M., Mcpherson, P.H., Nakamura, K.K., Laskowitz, D.T., Valkirs, G.E., Buechler, K.F. Early Biomarkers of Stroke. *Clinical Chemistry*. 2003. 49(10):1733-1739.

Riset Kesehatan Dasar. 2007. Jakarta: Badan penelitian dan Pengembangan Kesehatan, Departemen Kesehatan, Republik Indonesia.

Rist, PM et al "Effect of Low-Dose Aspirin on Functional Outcome from Cerebral Vascular Events in Women", *Stroke*, 2013; 44: 432-436



- Robbins and Cotran. 2006. *Atlas of Pathology*, International Edition, Saunders Elsevier, Philadelphia, p. 466.
- Roger, V.L., et al. 2012. *Heart disease and stroke statistics-2012 update : a report from the American Heart Association*. Circulation. 125(1):e2-220.
- Rogers, D.C., Campbell, C.A., Stretton, J.L., Mackay, K.B. Correlation Between Motor Impairment and Infarct Volume After Permanent and Transient Middle Cerebral Artery Occlusion in the Rat. *American Heart Association*, 1997, 28(10):2060-5.
- Rosenberg, G.A. 2012. Molecular Physiology and Metabolism of The Nervous System, Oxford University Press, New York, p. 158.
- Roupe, K.A., Remsberg, C.M., Yáñez, J.A., Davies, N.M. Pharmacometrics of Stilbenes: Seguing Towards the Clinic. *Current Clinical Pharmacology*, 2006; 1: 81-101.
- Rukmana, H.R. 1999. Anggur, Kanisius, Yogyakarta, hal.14-24.
- Schaar, K.L., Brenneman, M.M., Savitz, S.I. Functional Assessments in the Rodent Stroke Model. *Experimental & Transitional Stroke Medicine*. 2010. 2:13.
- Schaefer, A.W., Schoonderwoerd, V.T.G., Ji, L., Medertos, N., Danuser, G., Forscher, P. Cytoskeletal Dynamics Underlying Neurite Outgrowth. *National Institute of Health*. 2008. 15(1):146-162.
- Schiemanck, S.K., Kwakkel, G., Kappelle, L.J. Ischemic lesion volume correlates with long-term functional outcome and quality of life of middle cerebral artery stroke survivors. *Restorative Neurology and Neuroscience*, 2005;23(3-4):257-63.
- Seidman, R. J. 2011. Chapter 1: Normal gross brain and microscopy. <http://www.stonybrookmedicalcenter.org/pathology/neuropathology/chapter1>
- Simao, F. Matté A, Matté C, Soares FM, Wyse AT, Netto CA, Salbego CG., et al. 2011. Resveratrol prevents oxidative stress and inhibition of Na⁽⁺⁾K⁽⁺⁾-ATPase activity induced by transient global cerebral ischemia in rats. (Abstract). *J Nutr Biochem*. 22(10):921-8.
- Sinauer Associates. 2002. *Neuroanatomy through Clinical Cases*, Sunderland, Massachusetts, p. 375.
- Singleton, R. H., Hong, Q. Yan, and C. Edward Dixon. Resveratrol Attenuates Behavioral Impairments and Reduces Cortical and Hippocampal Loss in a Rat Controlled Cortical Impact Model of Traumatic Brain Injury. *Journal of Neurotrauma*, 2010, 27(6):1091-1099.



- Sjahrir, H. 2003. *Stroke Iskemik*, Yandira Agung, Medan, p. 1-3.
- Snell, R.S., 2010. *Clinical Neuroanatomy*, 7th Ed., Lippincott Williams & Wilkins, Philadelphia. P. 251-283.
- Soyer, F. 2005. Ischemic Stroke: Motor Impairment And Disability With Relation To Age And Lesion Location. *The Internet Journal of Neurology*. 3(2): DOI: 10.5580/9b4.
- Starr, J.M., Wardlaw, J., Ferguson, K., MacLullich, A., Deary, I.J., Marshall, I., Increased blood-brain barrier permeability in type II diabetes demonstrated by gadolinium magnetic resonance imaging, 2003, *J Neurol Neurosurg Psychiatry*, 74:70-76.
- Stojanović, S., Sprinz, H., Brede, O. 2001. Efficiency and Mechanism of the Antioxidant Action of *trans*-Resveratrol and Its Analogues in the Radical Liposome Oxidation. (Abstract). *Archives of Biochemistry and Biophysics*. 391(1): 79-89.
- Tsai, R.Y., 2012. Resveratrol regulates N-methyl-D-aspartate receptor expression and suppresses neuroinflammation in morphine-tolerant rats. (Abstract). *Anesth Analg*, 115(4):944-52.
- Udenigwe, C.C, Ramprasadath, V.R., Aluko, R.E., Jones, P. J.H. Potential of resveratrol in anticancer and anti-inflammatory therapy. *Nutrition Reviews*, 2008; 66(8): 445–454.
- Valderrama, X., Rapin, N., Verge, V. M. K., Misra, V., Zhangfei induces the expression of the nerve growth factor receptor, trkB, in medulloblastoma cells and causes their differentiation or apoptosis. *Journal of Neuro-Oncology*. 2009, 91(1): 7-17
- Wang YF, Tsirka SE, Strickland S, Stieg PE, Soriano SG, Lipton SA. Tissue plasminogen activator (tPA) increases neuronal damage after focal cerebral ischemia in wild-type and tPA-deficient mice. *Nat Med*, 1998, 4:228-231
- Wang, T., Cui, W., Xie, Y., Zhang, W., Ding, S. Controlling the Volume of the Focal Cerebral Ischemic Lesion through Phototrombosis. *American Journal of Biomedical Sciences*, 2010, 2(1): 33-42.
- Wang, X. and Michaelis, E.K. Selective neuronal vulnerability to oxidative stress in the brain. *Frontiers in Aging Neuroscience*, 2010; 2(12): 1-13.
- Wang, YJ, He, F, Li XL. The neuroprotection of resveratrol in the experimental cerebral ischemia. Department of Neurology, Tiantan Hospital, Capital University of Medical Sciences, Beijing. Europe. *PubMed Central*, 2003, 83(7):534-536]

- Wiryanta, B.T.W. 2004. Membuahkan Anggur di Dalam Pot dan Pekarangan, Agro Media Pustaka, Jakarta, hal. 20.
- World Health Organization. 2011. The International Agenda for Stroke Marc Fisher, MD, University of Massachussets. Stroke AHA/ ASA. Norrvng B. 1st Global Conferences on Healthy Lifestyles and Noncommunicable Diseases Control. Moscow
- Xiang Y, Zhang T, Zhang X, Ma L. [Quantitative analysis of resveratrol from grape seeds and grape skins by high performance liquid chromatography method]. *PubMed*, 2003 Sep;32(5):490-2.
- Xue, B., Jiao, J., Zhng, L., Li, K.R., Gong, Y.T., Xie, J.X., Wang, X.M., 2007, Triptolide Upregulates NGF Synthesis in Rat Astrocyte Cultures, 2007, Volume 32, Issue 7, pp 1113-1119.
- Yamamoto, T., Maruyama, W., Kato, Y. Selective nitration of mitochondrial complex I by peroxynitrite: involvement in mitochondria dysfunction and cell death of dopaminergic SH-SY5Y cells. *J Neural Transm.* 2002; 109:1-13.
- Yayan, J. Effects of Alteplase in the Treatment of Acute Ischemic Stroke. *International Journal of General Medicine*, 2012; 5: 743-751.
- Yayasan Stroke Indonesia. 2011. Jakarta, Republik Indonesia.
- Yenari, M. A. and Han, H. S. Neuroprotective Mechanism of Hypothermia in Brain Ischemia. *Nature Reviews Neuroscience*, 2012; 13: 267-278.
- Yousuf, S., Atif F, Ahmad M, Hoda N, Ishrat T, Khan B, et al., 2009, Resveratrol exerts its neuroprotective effect by modulating mitochondrial dysfunctions and associated cell death during cerebral ischemia. (Abstract). *Brain Res.* 1250:242-53.
- Yu, L.J., Wu, M.L., Liu, J. Inhibition of STAT3 Expression and Signaling in Resveratrol-Differentiated Medulloblastoma Cells. *Neoplasia*, 2008, 10(7): 736-744.
- Zhang F., et al. 2012. *Resveratrol promotes neurotrophic factor release from astroglia*. China :Department of Pharmacology and Key Lab of Basic Pharmacology of Guizhou, Zunyi Medical College, 563099.
- Zhang, F., Wang, Y., Liu, H., Lu, Y., 1 Wu, Q., Liu, J., Shi, JS. Resveratrol Produces Neurotrophic Effects on Cultured Dopaminergic Neurons through Prompting Astroglial BDNF and GDNF Release. *Evid Based Complement Alternat Med*, 2012: 937605.



Zhang, H., Zhang, J., Ungvari, Z., Zhang, C. Resveratrol Improves Endothelial Function: Role of TNF α and Vascular Oxidative Stress. *Arteriosclerosis, Thrombosis and Vascular Biology*. 2009. 29:1164-1171.

Zhang, R., Xue, Y.Y., Lu, S.D., Wang, Y., Zhang, L.M., Huang, Y.L., Signore, A.P., Chen, J., Sun, F.Y. Bcl-2 enhances neurogenesis and inhibits apoptosis of newborn neurons in adult rat brain following a transient middle cerebral artery occlusion. *Neurobiol Dis.* 2006, 24(2):345-56.

Zheng, Y., Liu Y, Ge J, Wang X, Liu L, Bu Z, , et al. Resveratrol protects human lens epithelial cells against H₂O₂-induced oxidative stress by increasing catalase, SOD-1, and HO-1 expression. (Abstract). 2010. *Mol Vis.* 16:1467-74.

Zieve, D. 2011. *Stroke*. Neurosurgery, Cedars-Sinai Medical Center. National Library of Medicine. Los Angeles.

Zille, M., Farr, T. D., Przesdzing, I., Muller, J., Sommer, C., Dirnagl, U., et al. Visualizing cell death in experimental focal cerebral ischemia: promises, problems, and perspectives. *Journal of Cerebral Blood Flow & Metabolism*, 2012; 32: 213 – 231.

Zito, K. and Scheuss, V. NMDA Receptor Function and Physiological Modulation. In: Encyclopedia of Neuroscience (Squire LR, ed), 2009, volume 6, pp. 1157-1164. Oxford: Academic Press.

Zulviqui, W. 2012. Uji One Way ANOVA. (Online), (<http://www.widityoza.blogspot.com>, diakses 2 November 2013).

