

DAFTAR PUSTAKA

- Ahlsio, B., Britton, M., Murray, V dan Theorell, T. (2008). Disablement and quality of life after stroke, <http://stroke.ahajournals.org>, diakses tanggal 10 Januari 2015
- Anderson C., et al. Validation of the Short Form 36 (SF-36) Health Survey Questionnaire Among Stroke Patients. *Circulation*.1998; 97: 2474-2478
doi: 0.1161/01.CIR.97.24.2474
- Badan Penelitian dan Pengembangan DEPKES Republik Indonesia. 2008. Laporan Riset Kesehatan Dasar 2007
- Bays, T. dan Cathy, L. (2001). *Quality of life of stroke survivors*,
<http://allbusiness.com> , diakses tanggal 08 Januari 2015
- Black, M.J & Hawks, H.J. (2005). *Medical-surgical nursing: clinical management for positive outcome*. (7 th ed). St.Louis: Elsevier Inc.
- Bowling A. (1995). *Measuring Disease: A Review of Disease-Specific Quality of Life Measurement Scales*, Buckingham: Open University Press, 1995.
- Brandstater M E. Stroke rehabilitation. In : *Rehabilitation medicine, principles and practice*, 3rd ed. Philadelphia : Lippincott-Raven Publishers, 1996:1165- 89.
- Burvill P V, Johnson G A, Jamrozik K D, Anderson C S, Stewart-Wyne E G, Chakera T M H. Anxiety disorders after stroke result from the Perth Community stroke study. *Br J Psychiatry* 1995 ; 166 : 328 - 32.

Carod-Artal J, Egido JA, Gonzalez JL, de Seijas V. Quality of life among stroke survivors evaluated 1 year after stroke. Experience of a stroke unit. *Stroke*. 2000;31:2995–3000.

CDC, 2011. HRQOL Concepts, (Online), (<http://www.cdc.gov/hrqol/concept.htm>, diakses 11 Januari 2015)

Chemerinski E, Robinson R G, Kosier J T. Improved recovery in activities of daily living associated with remission of post stroke depression. *Stroke* 2001 ; 32 : 113 - 17.

Chusid, JG. 1993. *Neuroanatomi Korelatif Dan Neurologi Fungsional*, cetakan keempat, Gajah Mada University Press, Yogyakarta.

Corring, D.J., dan Cook, J.V. (2007). Use of qualitative methods to explore the quality of life construct from a consumer perspective, <http://psychcervices.psychiatryonline.org>.

Denis M , O' Rouke S , Lewis S, Sharpe M, Warlow C. Emotional outcome after stroke : factors associated with poor outcome. *Journal Neurosurg Psychiatry* 2000 ; 68 : 47 - 42.

DeSalvo KB, Bloser N, Reynolds K, He J, Muntner P. J. Mortality prediction with a single general self-rated health question. A meta-analysis. *Gen Intern Med* 2006;21(3):267-75.

Dominick KL, Ahern FM, Gold CH, Heller DA. Relationship of health-related quality of life to health care utilization and mortality among older adults. *Aging Clin Exp Res* 2002;14(6):499–508.

Duncan P W. Measuring recovery of function after stroke. In : Goldstein L B, Restorative neurology, advances in pharmacotherapy for recovery after stroke. New York : Futura Publishing, 1998 : 225 - 40.

Feigin, V. 2006 ; *Stroke*, Bhuana Ilmu Populer Jakarta.

Fisher, M. & Bogousslavsky, J. (1999). *Current review of cerebrovascular disease*. edisi ketiga, Philadelphia : Current Medicine, Inc.

Goodwin R., Engstrom G. Personality and the perception of health in the general population. *Psychol Med*. 2002 Feb;32(2):325-32. PMID:11866326

Gurcay E, Bal A, Cakci A. (2009) Health-related quality of life in first-ever stroke patients. *Ann Saudi Med*. 2009 Jan-Feb; 29(1): 36–40.

Gusev E, Skvorsova VI. Brain Ischemia. New York : Kluwer Academic/Plenum Publisher, 2003 : 9-19

Gray LJ, Sprigg N, et al. (2007). Sex Differences in Quality of Life in Stroke Survivors : Data From the Tinzaparin in Acute Ischaemic Stroke Trial (TAIST). *Stroke*. 2007;38:2960-2964

Hackett, M.L., Duncan, J.R., et al. Health-Related Quality of Life Among Long-Term Survivors of Stroke. *Stroke* 2000; 31: 440-447

Hickey, V.J. (1997). The clinical practice of neurological and neurosurgical nursing. (4 th ed). Philadelphia: Lippincott william & Wilkins.

Higginson IJ, Carr AJ. Using quality of life measures in the clinical setting. *BMJ* 2001; 322: 1297–300.

Hopman WM, Verner J. Quality of life during and after inpatient stroke rehabilitation. *Stroke*. 2003;34:801– 805.

Islam MS, Maret 2004 : Pedoman Praktis Penatalaksanaan Stroke Iskemik Akut.

Pendidikan kedokteran berkelanjutan

Jauch, EC. Ischemic Stroke Clinical Presentation. 2013.

<http://emedicine.medscape.com/article/1916852-clinical>. Diakses 05

Januari 2014

Kaplan, Sadock. Sinopsis Psikiatri, Ilmu Pengetahuan Perilaku Psikiatri Klinis. Edisi

VII. Jakarta : Binarupa Aksara, 1997:777-834

Kapral MK, Fang J, Hill MD, et al (2005). Sex differences in stroke care and

outcomes: results from the Registry of the Canadian Stroke Network.

Stroke, 2005 Apr;36(4):809-14.

Kariasa, I Made. Persepsi Pasien Paska Serangan Stroke terhadap Kualitas

Hidupnya dalam Perspektif Asuhan Keperawatan. 2009, FIK Universitas

Indonesia.

Kelly-Hayes M., et al. The American Heart Association Stroke Outcome

Classification: Executive Summary. *Stroke*.1996; 27: 1812-1816doi:

10.1161/01.STR.27.10.1812

Knecht S., et al. Handedness and Hemispheric Language Dominance in Healthy

Human. *Brain* (2000) 123 (12): 2512-2518.doi: 10.1093/brain/123.12.2512

Kotilla M, Numminen H, Waltimo, Kaste M. Depression after stroke : result of the

Finnstroke study. *Stroke* 1998 ; 29 : 368 - 72.

Kübler-Ross, E. (2005) *On Grief and Grieving: Finding the Meaning of Grief Through*

the Five Stages of Loss, Simon & Schuster Ltd

Kwok T, Lo R, Woo J, et al. Quality of life and handicap of stroke survivors in Hong

Kong. *Hong Kong Med J* 2007;13(Suppl 2):S23-7

Lai S M, Duncan P W, Keighley J, Johnson D. Depressive symptoms and independence in BADL and IADL. *Journal of Rehabilitation Research and Development* 2002 ; 39 (5) : 589 - 96.

Lai S-M, Duncan PW, Dew P, Keighley J. Sex differences in stroke recovery. *Preventing Chronic Diseases*. 2005;2:1–11.

Lynch, E.B., Butt, Z., Nowinski, C.J., Heinemann, A. dan Victorson, D. (2008). Qualitative study of quality of life after stroke the importance of social relationships, <http://stroke.ahajournals.org>, diakses 15 Januari 2011.

Marcel, P., Port, I.V., Maas, C., Forstberg, G., Lindemen, E. (2008). Psychological symptoms and personality characteristics affect quality of life after stroke, <http://www.americanheart.org>, diakses tanggal 9 Januari 2015

Martini, Frederic H. *Fundamentals of Anatomy and Physiology : Ninth edition*. Pearson Education Inc: San Francisco, 2012.

Misbach & Kalim, (2006). *Stroke mengancam usia produktif*.

<http://www.medicastore.com>, diakses tanggal 2 Januari 2015

National Stroke Foundation (2012) "Thinking and Perception After Stroke" (http://strokefoundation.com.au/site/media/FS06_Thinking_web.pdf), Diakses 15 Januari 2015.

Nichols-Larsen DS, Clark PC, Zeringue A, Greenspan A, Blanton S. Factors influencing stroke survivors quality of life during subacute stroke recovery. *Stroke*. 2005;36:1480 –1484.

Niemi ML, Laaksonen R, Kotila M, Waltimo O. Quality of life 4 years after stroke. *Stroke*. 1988 Sep;19(9):1101-7.

Patel M.D., C. McKevitt, E. Lawrence, A. G. Rudd, C. D. A. Wolfe. Clinical Determinants of Long-term Quality of Life After Stroke. *Age and Ageing* 2007; 36: 316–322 doi:10.1093/ageing/afm014

Pickard AS, Johnson JA, Penn A et al. Replicability of SF-36 summary scores by the SF-12 in stroke patients. *Stroke* 1999; 30: 1213–17.

Reeves MJ, Bushnell CD, Howard G, et al. (2008). Sex differences in stroke: epidemiology, clinical presentation, medical care, and outcomes. *The Lancet Neurology*, Volume 7, Issue 10, October 2008, Page 859

Ryerson S D. Hemiplegi in neurological rehabilitation. 3rd ed. St. Louis : Mosby-Year Book Inc, 1995: 681 - 91.

Sacco RL, et al. (2013). *An Updated Definition of Stroke for the 21st Century: A Statement for Healthcare Professionals From the American Heart Association/American Stroke Association*. *Stroke*. 2013;44:2064-2089

Santrock, J.W. (2007). *A Topical Approach to Life-Span Development*. New York:McGraw-Hill.

Sturm JW, Donnan GA, Dewey HM, Macdonell RA, Gilligan AK, Srikanth V, Thrift AG. Quality of life after stroke: the North East Melbourne Stroke Incidence Study (NEMESIS). *Stroke*. 2004 Oct; 35(10):2340-5

Taylor, S.E. (2006). *Health psychology*. 6th edition. New York: McGraw-Hill Companies, Inc.

Truelsen T, et al. The Global Burden of Cerebrovascular Disease. http://www.who.int/healthinfo/statistics/bod_cerebrovascular diseases/stroke.pdf . Diakses 05 Januari 2014

WHO. MONICA Project Investigators. The World Health Organization MONICA Project (Monitoring trends and determinants in cardiovascular disease). J Clin Epidemiol 41, 105-114. 1988.

Ware JE Jr, et al. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. Med Care. 1992 Jun;30(6):473-83.

Welch K, Barkley G. Biochemistry and pharmacology of cerebral ischemia. In: Barnett H, Stein B, Mohe J, Yatsu F (eds). Stroke, Pathophysiology, Diagnosis and Management, America. Churchill Livingstone Inc. 1986; 75-90.

Yadav YR, Mukerji G, Shenoy R, Basoor A, Jain G, Nelson A (2007). "Endoscopic management of hypertensive intraventricular haemorrhage with obstructive hydrocephalus". BMC Neurol 7: 1. doi:10.1186/1471-2377-7-1. PMC 1780056. PMID 17204141.

Yulianti R. Pengaruh Depresi pada Awal Stroke (Minggu I) terhadap waktu perbaikan defisit neurologis penderita stroke non hemoragik. Semarang. Universitas Diponegoro; 2006

Zalhic A, Markotic V, Zalhic D, Mabic M (2010). Gender and Quality of Life After Cerebral Stroke. Bosnian Journal of Basic Medical Science; 10 (2): 98-99