

LAMPIRAN

Lampiran 1

Tests of Normality

Perlakuan	Shapiro-Wilk		
	Statistic	df	Sig.
Respon_CD4 Kontrol Positif	.936	4	.628
D1	.927	4	.577
D2	.953	4	.732
D3	.992	4	.968
Respon_CD8 Kontrol Positif	.894	4	.400
D1	.964	4	.804
D2	.938	4	.641
D3	.796	4	.095

Lampiran 2

Test of Homogeneity of Variances

Respon CD4

Levene Statistic	df1	df2	Sig.
2.087	3	12	.155

Test of Homogeneity of Variances

Respon CD8

Levene Statistic	df1	df2	Sig.
.663	3	12	.591

Lampiran 3

ANOVA

Respon CD4

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	675.025	3	225.008	200.980	.000
Within Groups	13.435	12	1.120		
Total	688.460	15			

ANOVA

Respon CD8

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	691.287	3	230.429	176.488	.000
Within Groups	15.668	12	1.306		
Total	706.955	15			

Lampiran 4

Perlakuan (Dosis)	Rata-rata Respon CD4	Notasi	Rata-rata Respon CD8	Notasi
Kontrol positif	20,7900	a	11,4450	A
125 mg/KgBB	24,8875	b	15,2600	B
250 mg/KgBB	31,0725	c	20,9150	C
500 mg/KgBB	37,9750	d	28,9075	D

Tabel 5.3 Hasil Uji HSD Tukey 5%

Multiple Comparisons

Dependent Variable: Respon_CD4

Tukey HSD

(I) Perlakuan	(J) Perlakuan	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Kontrol Positif	D1	-4.09750*	.74818	.001	-6.3188	-1.8762
	D2	-10.28250*	.74818	.000	-12.5038	-8.0612
	D3	-17.18500*	.74818	.000	-19.4063	-14.9637
D1	Kontrol Positif	4.09750*	.74818	.001	1.8762	6.3188
	D2	-6.18500*	.74818	.000	-8.4063	-3.9637
	D3	-13.08750*	.74818	.000	-15.3088	-10.8662
D2	Kontrol Positif	10.28250*	.74818	.000	8.0612	12.5038
	D1	6.18500*	.74818	.000	3.9637	8.4063
	D3	-6.90250*	.74818	.000	-9.1238	-4.6812
D3	Kontrol Positif	17.18500*	.74818	.000	14.9637	19.4063
	D1	13.08750*	.74818	.000	10.8662	15.3088
	D2	6.90250*	.74818	.000	4.6812	9.1238

*. The mean difference is significant at the .05 level.

Respon_CD4

Tukey HSD^a

Perlakuan	N	Subset for alpha = .05			
		1	2	3	4
Kontrol Positif	4	20.7900			
D1	4		24.8875		
D2	4			31.0725	
D3	4				37.9750
Sig.		1.000	1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 4.000.

Multiple Comparisons

Dependent Variable: Respon_CD8

Tukey HSD

(I) Perlakuan	(J) Perlakuan	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Kontrol Positif	D1	-3.81500*	.80797	.002	-6.2138	-1.4162
	D2	-9.47000*	.80797	.000	-11.8688	-7.0712
	D3	-17.46250*	.80797	.000	-19.8613	-15.0637
D1	Kontrol Positif	3.81500*	.80797	.002	1.4162	6.2138
	D2	-5.65500*	.80797	.000	-8.0538	-3.2562
	D3	-13.64750*	.80797	.000	-16.0463	-11.2487
D2	Kontrol Positif	9.47000*	.80797	.000	7.0712	11.8688
	D1	5.65500*	.80797	.000	3.2562	8.0538
	D3	-7.99250*	.80797	.000	-10.3913	-5.5937
D3	Kontrol Positif	17.46250*	.80797	.000	15.0637	19.8613
	D1	13.64750*	.80797	.000	11.2487	16.0463
	D2	7.99250*	.80797	.000	5.5937	10.3913

*. The mean difference is significant at the .05 level.

Respon_CD8

Tukey HSD^a

Perlakuan	N	Subset for alpha = .05			
		1	2	3	4
Kontrol Positif	4	11.4450			
D1	4		15.2600		
D2	4			20.9150	
D3	4				28.9075
Sig.		1.000	1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 4.000.

Lampiran 5

Correlations

		Perlakuan	Respon CD4	Respon CD8
Perlakuan	Pearson Correlation	1	.984**	.976**
	Sig. (2-tailed)		.000	.000
	N	16	16	16
Respon_CD4	Pearson Correlation	.984**	1	.979**
	Sig. (2-tailed)	.000		.000
	N	16	16	16
Respon_CD8	Pearson Correlation	.976**	.979**	1
	Sig. (2-tailed)	.000	.000	
	N	16	16	16

** . Correlation is significant at the 0.01 level (2-tailed).

