

PERNYATAAN KEASLIAN TULISAN

Saya yang bertanda tangan di bawah ini:

Nama : Ajeng Maulidyanti Susanto

NIM : 115070407111014

Program Studi : Program Studi Pendidikan DokterGigi

Fakultas Kedokteran Universitas Brawijaya

Menyatakan dengan sebenarnya bahwa Tugas Akhir yang saya tulis ini benar-benar hasil karya saya sendiri, bukan merupakan pengambilalihan tulisan atau pikiran orang lain yang saya akui sebagai tulisan atau pikiran saya sendiri. Apabila di kemudian hari dapat dibuktikan Tugas Akhir ini hasil jiplakan, maka saya bersedia menerima sanksi atas perbuatan tersebut.

Malang, 26 Februari 2015

Yang membuat pernyataan,

Ajeng Maulidyanti Susanto

NIM. 115070407111014

Lampiran 1. Hasil Uji Statistik

1. Uji Spearman Rho Gigi 17 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.331	.062	3.744	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.331	.059	3.749	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.518	.056	6.467	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.520	.059	6.504	.000 ^c
	N of Valid Cases		116			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

2. Uji Chi Square Gigi 17 Berdasarkan Jenis Kelamin

Chi-Square Tests						
SD		Value	df	Asy mp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pagentan	Pearson Chi-Square	.448 ^b	1	.503		
	Continuity Correction ^a	.102	1	.749		
	Likelihood Ratio	.458	1	.498		
	Fisher's Exact Test				.729	.380
	Linear-by-Linear Association	.444	1	.505		
N of Valid Cases		116				
Bunulrejo IV	Pearson Chi-Square	1.097 ^c	2	.578		
	Likelihood Ratio	1.482	2	.477		
	Linear-by-Linear Association	.015	1	.901		
	N of Valid Cases		116			

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.96.

c. 2 cells (33.3%) have expected count less than 5. The minimum expected count is .48.

3. Uji Spearman Rho Gigi 17 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.071	.063	-.761	.448 ^c
	Ordinal by Ordinal	Spearman Correlation	-.069	.081	-.742	.460 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.084	.075	.900	.370 ^c
	Ordinal by Ordinal	Spearman Correlation	.102	.089	1.096	.275 ^c
	N of Valid Cases		116			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

4. Uji Spearman Rho Gigi 16 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.673	.067	9.722	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.679	.065	9.881	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.530	.072	6.665	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.510	.075	6.323	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

5. Uji Chi Square Gigi 16 Berdasarkan Jenis Kelamin

Chi-Square Tests					
SD		Value	df	Asy mp. Sig. (2-sided)	
Pagentan	Pearson Chi-Square	1.447 ^a	3	.695	
	Likelihood Ratio	1.522	3	.677	
	Linear-by-Linear Association	.289	1	.591	
	N of Valid Cases		116		
	Bunulrejo IV	Pearson Chi-Square	.499 ^b	3	.919
Likelihood Ratio		.499	3	.919	
Linear-by-Linear Association		.008	1	.927	
N of Valid Cases		116			

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 1.32.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.90.

6. Uji Spearman Rho Gigi 16 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.128	.101	-1.382	.170 ^c
	Ordinal by Ordinal	Spearman Correlation	-.097	.098	-1.038	.302 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.351	.095	4.007	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.313	.094	3.514	.001 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



7. Uji Spearman Rho Gigi 15 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. τ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.602	.050	8.051	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.631	.050	8.686	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.655	.043	9.249	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.670	.048	9.625	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

8. Uji Chi Square Gigi 15 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	2.119 ^a	3	.548
	Likelihood Ratio	2.506	3	.474
	Linear-by-Linear Association	.039	1	.843
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	3.877 ^b	3	.275
	Likelihood Ratio	4.016	3	.260
	Linear-by-Linear Association	.251	1	.617
	N of Valid Cases		116	

- a. 3 cells (37.5%) have expected count less than 5. The minimum expected count is .44.
 b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.90.

9. Uji Spearman Rho Gigi 15 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. τ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.015	.077	-.165	.870 ^c
	Ordinal by Ordinal	Spearman Correlation	-.036	.079	-.385	.701 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.117	.077	1.258	.211 ^c
	Ordinal by Ordinal	Spearman Correlation	.151	.092	1.636	.105 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

10. Uji *Spearman Rho* Gigi 14 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. τ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.713	.039	10.868	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.761	.033	12.532	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.759	.033	12.466	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.774	.032	13.055	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

11. Uji *Chi Square* Gigi 14 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.244 ^a	3	.970
	Likelihood Ratio	.246	3	.970
	Linear-by-Linear Association	.079	1	.779
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	1.549 ^b	3	.671
	Likelihood Ratio	1.562	3	.668
	Linear-by-Linear Association	.728	1	.393
	N of Valid Cases		116	

- a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is .88.
 b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.90.

12. Uji *Spearman Rho* Gigi 14 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. τ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.012	.080	-.132	.895 ^c
	Ordinal by Ordinal	Spearman Correlation	-.007	.087	-.071	.943 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.136	.078	1.469	.145 ^c
	Ordinal by Ordinal	Spearman Correlation	.185	.088	2.013	.046 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

13. Uji Spearman Rho Gigi 13 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.628	.055	8.622	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.653	.051	9.200	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.642	.050	8.950	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.649	.051	9.120	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

14. Uji Chi Square Gigi 13 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	4.618 ^a	2	.099
	Likelihood Ratio	4.762	2	.092
	Linear-by-Linear Association	2.560	1	.110
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	.863 ^b	3	.834
	Likelihood Ratio	.873	3	.832
	Linear-by-Linear Association	.352	1	.553
	N of Valid Cases		116	

- a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 4.40.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.90.

15. Uji Spearman Rho Gigi 13 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.088	.090	-.945	.347 ^c
	Ordinal by Ordinal	Spearman Correlation	-.118	.088	-1.271	.206 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.062	.077	.668	.506 ^c
	Ordinal by Ordinal	Spearman Correlation	.093	.089	.997	.321 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



16. Uji Spearman Rho Gigi 12 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.816	.027	15.057	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.823	.026	15.493	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.708	.053	10.691	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.709	.054	10.743	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

17. Uji Chi Square Gigi 12 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.039 ^a	3	.998
	Likelihood Ratio	.039	3	.998
	Linear-by-Linear Association	.011	1	.915
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	5.075 ^b	3	.166
	Likelihood Ratio	5.220	3	.156
	Linear-by-Linear Association	.262	1	.609
	N of Valid Cases		116	

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.91.
 b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.79.

18. Uji Spearman Rho Gigi 12 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.124	.095	-1.334	.185 ^c
	Ordinal by Ordinal	Spearman Correlation	-.160	.091	-1.732	.086 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.207	.091	2.258	.026 ^c
	Ordinal by Ordinal	Spearman Correlation	.215	.091	2.351	.020 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

19. Uji Spearman Rho Gigi 11 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.753	.038	12.204	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.757	.039	12.357	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.599	.051	7.996	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.602	.056	8.047	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

20. Uji Chi Square Gigi 11 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.631 ^a	3	.889
	Likelihood Ratio	.627	3	.890
	Linear-by-Linear Association	.333	1	.564
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	2.152 ^b	3	.541
	Likelihood Ratio	2.196	3	.533
	Linear-by-Linear Association	.668	1	.414
	N of Valid Cases		116	

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.59.
- b. 1 cells (12.5%) have expected count less than 5. The minimum expected count is 4.83.

21. Uji Spearman Rho Gigi 11 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.067	.108	-.720	.473 ^c
	Ordinal by Ordinal	Spearman Correlation	-.098	.097	-1.056	.293 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.234	.082	2.573	.011 ^c
	Ordinal by Ordinal	Spearman Correlation	.213	.085	2.329	.022 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



22. Uji Spearman Rho Gigi 21 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.761	.036	12.536	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.767	.036	12.778	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.617	.049	8.376	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.620	.054	8.428	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

23. Uji Chi Square Gigi 21 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.788 ^a	3	.852
	Likelihood Ratio	.784	3	.853
	Linear-by-Linear Association	.149	1	.699
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	7.220 ^b	3	.065
	Likelihood Ratio	7.660	3	.054
	Linear-by-Linear Association	.840	1	.359
	N of Valid Cases		116	

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.03.
 b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.31.

24. Uji Spearman Rho Gigi 21 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.055	.107	-.589	.557 ^c
	Ordinal by Ordinal	Spearman Correlation	-.084	.096	-.898	.371 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.244	.080	2.681	.008 ^c
	Ordinal by Ordinal	Spearman Correlation	.226	.084	2.480	.015 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

25. Uji Spearman Rho Gigi 22 Berdasarkan Usia

Symmetric Measures				Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
SD Pagentan	Interval by Interval	Pearson's R		.841	.020	16.603	.000 ^c
	Ordinal by Ordinal	Spearman Correlation		.851	.018	17.334	.000 ^c
	N of Valid Cases			116			
SD Bunulrejo IV	Interval by Interval	Pearson's R		.686	.060	10.074	.000 ^c
	Ordinal by Ordinal	Spearman Correlation		.692	.060	10.234	.000 ^c
	N of Valid Cases			116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

26. Uji Chi Square Gigi 22 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.386 ^a	3	.943
	Likelihood Ratio	.387	3	.943
	Linear-by-Linear Association	.050	1	.822
	N of Valid Cases		116	
SD Bunulrejo IV	Pearson Chi-Square	4.664 ^b	3	.198
	Likelihood Ratio	4.869	3	.182
	Linear-by-Linear Association	.720	1	.396
	N of Valid Cases		116	

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.47.
- b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.28.

27. Uji Spearman Rho Gigi 22 Berdasarkan Kategori Gizi

Symmetric Measures				Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
SD Pagentan	Interval by Interval	Pearson's R		-.119	.093	-1.278	.204 ^c
	Ordinal by Ordinal	Spearman Correlation		-.143	.089	-1.540	.126 ^c
	N of Valid Cases			116			
SD Bunulrejo IV	Interval by Interval	Pearson's R		.217	.092	2.369	.020 ^c
	Ordinal by Ordinal	Spearman Correlation		.222	.092	2.430	.017 ^c
	N of Valid Cases			116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



28. Uji Spearman Rho Gigi 23 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.667	.048	9.568	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.689	.049	10.147	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.646	.048	9.047	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.666	.049	9.537	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

29. Uji Chi Square Gigi 23 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	6.824 ^a	3	.078
	Likelihood Ratio	7.421	3	.060
	Linear-by-Linear Association	1.408	1	.235
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	2.861 ^b	3	.413
	Likelihood Ratio	2.927	3	.403
	Linear-by-Linear Association	.078	1	.780
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .44.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.90.

30. Uji Spearman Rho Gigi 23 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.031	.083	-.327	.744 ^c
	Ordinal by Ordinal	Spearman Correlation	-.051	.085	-.542	.589 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.086	.084	.926	.357 ^c
	Ordinal by Ordinal	Spearman Correlation	.104	.090	1.116	.267 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



31. Uji Spearman Rho Gigi 24 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. [†] b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.716	.035	10.938	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.757	.032	12.366	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.769	.032	12.842	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.781	.033	13.356	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

32. Uji Chi Square Gigi 24 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.414 ^a	3	.937
	Likelihood Ratio	.418	3	.936
	Linear-by-Linear Association	.358	1	.550
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	2.510 ^b	3	.474
	Likelihood Ratio	2.528	3	.470
	Linear-by-Linear Association	.239	1	.625
	N of Valid Cases		116	

- a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 1.32.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.90.

33. Uji Spearman Rho Gigi 24 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. [†] b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.071	.088	-.761	.448 ^c
	Ordinal by Ordinal	Spearman Correlation	-.102	.092	-1.098	.274 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.153	.082	1.655	.101 ^c
	Ordinal by Ordinal	Spearman Correlation	.186	.089	2.016	.046 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



34. Uji Spearman Rho Gigi 25 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.581	.052	7.612	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.601	.056	8.018	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.668	.043	9.586	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.674	.048	9.750	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

35. Uji Chi Square Gigi 25 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	1.037 ^a	3	.792
	Likelihood Ratio	1.057	3	.787
	Linear-by-Linear Association	.168	1	.682
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	4.998 ^b	3	.172
	Likelihood Ratio	5.210	3	.157
	Linear-by-Linear Association	.010	1	.921
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 1.32.
- b. 3 cells (37.5%) have expected count less than 5. The minimum expected count is 2.41.

36. Uji Spearman Rho Gigi 25 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.036	.072	-.388	.699 ^c
	Ordinal by Ordinal	Spearman Correlation	-.072	.075	-.771	.442 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.102	.077	1.095	.276 ^c
	Ordinal by Ordinal	Spearman Correlation	.135	.092	1.458	.148 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



37. Uji Spearman Rho Gigi 26 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.702	.059	10.527	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.710	.057	10.780	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.519	.075	6.478	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.515	.074	6.419	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

38. Uji Chi Square Gigi 26 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	3.520 ^a	3	.318
	Likelihood Ratio	3.903	3	.272
	Linear-by-Linear Association	.530	1	.467
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	.503 ^b	3	.918
	Likelihood Ratio	.504	3	.918
	Linear-by-Linear Association	.199	1	.656
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 1.76.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.41.

39. Uji Spearman Rho Gigi 26 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.083	.092	-.888	.376 ^c
	Ordinal by Ordinal	Spearman Correlation	-.056	.095	-.602	.548 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.385	.090	4.449	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.366	.087	4.197	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



40. Uji Spearman Rho Gigi 27 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.396	.060	4.601	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.401	.059	4.669	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.463	.057	5.580	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.469	.060	5.674	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

41. Uji Chi Square Gigi 27 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.885 ^a	2	.643
	Likelihood Ratio	.915	2	.633
	Linear-by-Linear Association	.329	1	.566
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	1.904 ^b	2	.386
	Likelihood Ratio	2.674	2	.263
	Linear-by-Linear Association	.663	1	.415
	N of Valid Cases		116	

- a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is .88.
- b. 2 cells (33.3%) have expected count less than 5. The minimum expected count is .97.

42. Uji Spearman Rho Gigi 27 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.079	.048	-.846	.400 ^c
	Ordinal by Ordinal	Spearman Correlation	-.082	.071	-.879	.381 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.124	.082	1.339	.183 ^c
	Ordinal by Ordinal	Spearman Correlation	.162	.093	1.749	.083 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



43. Uji Spearman Rho Gigi 31 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	.724	.037	11.193	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.738	.040	11.687	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.418	.076	4.912	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.388	.081	4.489	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

44. Uji Chi Square Gigi 31 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	1.251 ^a	3	.741
	Likelihood Ratio	1.286	3	.732
	Linear-by-Linear Association	.031	1	.861
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	1.021 ^b	3	.796
	Likelihood Ratio	1.029	3	.794
	Linear-by-Linear Association	.540	1	.463
	N of Valid Cases		116	

- a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 1.76.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 1.45.

45. Uji Spearman Rho Gigi 31 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	.073	.108	.784	.435 ^c
	Ordinal by Ordinal	Spearman Correlation	.002	.096	.025	.980 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.256	.091	2.827	.006 ^c
	Ordinal by Ordinal	Spearman Correlation	.207	.086	2.259	.026 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



46. Uji Spearman Rho Gigi 32 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. τ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.794	.031	13.956	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.803	.030	14.401	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.733	.039	11.517	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.734	.041	11.556	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

47. Uji Chi Square Gigi 32 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	1.252 ^a	3	.741
	Likelihood Ratio	1.250	3	.741
	Linear-by-Linear Association	.915	1	.339
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	2.734 ^b	3	.434
	Likelihood Ratio	2.783	3	.426
	Linear-by-Linear Association	.388	1	.534
	N of Valid Cases		116	

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.11.
- b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.17.

48. Uji Spearman Rho Gigi 32 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. τ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.071	.098	-.763	.447 ^c
	Ordinal by Ordinal	Spearman Correlation	-.098	.093	-1.053	.294 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.180	.089	1.953	.053 ^c
	Ordinal by Ordinal	Spearman Correlation	.197	.088	2.140	.034 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



49. Uji Spearman Rho Gigi 33 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.683	.047	9.990	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.714	.047	10.890	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.695	.044	10.316	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.714	.043	10.886	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

50. Uji Chi Square Gigi 33 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	2.433 ^a	3	.487
	Likelihood Ratio	2.475	3	.480
	Linear-by-Linear Association	.055	1	.814
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	4.584 ^b	3	.205
	Likelihood Ratio	4.691	3	.196
	Linear-by-Linear Association	.075	1	.784
	N of Valid Cases		116	

- a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 3.08.
- b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.31.

51. Uji Spearman Rho Gigi 33 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.038	.076	-.403	.687 ^c
	Ordinal by Ordinal	Spearman Correlation	-.025	.088	-.263	.793 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.207	.087	2.258	.026 ^c
	Ordinal by Ordinal	Spearman Correlation	.223	.092	2.445	.016 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



52. Uji Spearman Rho Gigi 34 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.713	.040	10.846	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.743	.042	11.867	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.735	.041	11.576	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.755	.041	12.278	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

53. Uji Chi Square Gigi 34 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.510 ^a	3	.917
	Likelihood Ratio	.512	3	.916
	Linear-by-Linear Association	.038	1	.845
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	4.045 ^b	3	.257
	Likelihood Ratio	4.172	3	.243
	Linear-by-Linear Association	.132	1	.717
	N of Valid Cases		116	

- a. 3 cells (37.5%) have expected count less than 5. The minimum expected count is 1.76.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 3.86.

54. Uji Spearman Rho Gigi 34 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.060	.075	-.646	.520 ^c
	Ordinal by Ordinal	Spearman Correlation	-.089	.085	-.958	.340 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.190	.085	2.066	.041 ^c
	Ordinal by Ordinal	Spearman Correlation	.212	.091	2.320	.022 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



55. Uji Spearman Rho Gigi 35 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^{†b}	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	.622	.050	8.487	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.632	.060	8.701	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.646	.049	9.044	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.634	.061	8.743	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

56. Uji Chi Square Gigi 35 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	1.835 ^a	3	.607
	Likelihood Ratio	1.869	3	.600
	Linear-by-Linear Association	.068	1	.794
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	5.367 ^b	3	.147
	Likelihood Ratio	5.570	3	.134
	Linear-by-Linear Association	.178	1	.673
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 2.20.
 b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.41.

57. Uji Spearman Rho Gigi 35 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^{†b}	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	-.025	.071	-.267	.790 ^c
	Ordinal by Ordinal	Spearman Correlation	-.049	.083	-.522	.602 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.070	.078	.754	.452 ^c
	Ordinal by Ordinal	Spearman Correlation	.087	.092	.935	.352 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

58. Uji Spearman Rho Gigi 36 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.555	.072	7.115	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.553	.073	7.089	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.547	.075	6.979	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.543	.074	6.901	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

59. Uji Chi Square Gigi 36 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	2.366 ^a	3	.500
	Likelihood Ratio	2.586	3	.460
	Linear-by-Linear Association	.216	1	.642
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	2.270 ^b	3	.518
	Likelihood Ratio	3.040	3	.385
	Linear-by-Linear Association	.455	1	.500
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 2.64.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is .97.

60. Uji Spearman Rho Gigi 36 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.060	.078	-.645	.520 ^c
	Ordinal by Ordinal	Spearman Correlation	-.069	.084	-.741	.460 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.325	.097	3.666	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.325	.094	3.670	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



61. Uji Spearman Rho Gigi 37 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. [†] b	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	.513	.056	6.389	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.522	.061	6.535	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.570	.047	7.399	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.602	.052	8.042	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

62. Uji Chi Square Gigi 37 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	3.740 ^a	2	.154
	Likelihood Ratio	5.237	2	.073
	Linear-by-Linear Association	3.084	1	.079
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	1.393 ^b	3	.707
	Likelihood Ratio	1.781	3	.619
	Linear-by-Linear Association	.714	1	.398
	N of Valid Cases		116	

- a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 1.76.
- b. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .48.

63. Uji Spearman Rho Gigi 37 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. [†] b	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	-.081	.060	-.867	.388 ^c
	Ordinal by Ordinal	Spearman Correlation	-.104	.066	-1.119	.266 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.165	.072	1.785	.077 ^c
	Ordinal by Ordinal	Spearman Correlation	.182	.092	1.972	.051 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



64. Uji Spearman Rho Gigi 41 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. [†] b	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	.738	.035	11.630	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.750	.039	12.064	.000 ^c
	N of Valid Cases		115			
Bunulrejo IV	Interval by Interval	Pearson's R	.418	.076	4.912	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.388	.081	4.489	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

65. Uji Chi Square Gigi 41 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	.664 ^a	3	.882
	Likelihood Ratio	.665	3	.881
	Linear-by-Linear Association	.010	1	.919
	N of Valid Cases		115	
Bunulrejo IV	Pearson Chi-Square	1.021 ^b	3	.796
	Likelihood Ratio	1.029	3	.794
	Linear-by-Linear Association	.540	1	.463
	N of Valid Cases		116	

- a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.22.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 1.45.

66. Uji Spearman Rho Gigi 41 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. [†] b	Approx. Sig. _c
Pagentan	Interval by Interval	Pearson's R	.003	.117	.027	.978 ^c
	Ordinal by Ordinal	Spearman Correlation	-.030	.097	-.324	.747 ^c
	N of Valid Cases		115			
Bunulrejo IV	Interval by Interval	Pearson's R	.256	.091	2.827	.006 ^c
	Ordinal by Ordinal	Spearman Correlation	.207	.086	2.259	.026 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



67. Uji Spearman Rho Gigi 42 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.799	.031	14.198	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.806	.031	14.522	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.724	.044	11.198	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.731	.043	11.441	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

68. Uji Chi Square Gigi 42 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	1.523 ^a	3	.677
	Likelihood Ratio	1.518	3	.678
	Linear-by-Linear Association	.474	1	.491
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	.830 ^b	3	.842
	Likelihood Ratio	.832	3	.842
	Linear-by-Linear Association	.539	1	.463
	N of Valid Cases		116	

- a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.79.
- b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.59.

69. Uji Spearman Rho Gigi 42 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.057	.111	-.612	.542 ^c
	Ordinal by Ordinal	Spearman Correlation	-.083	.098	-.895	.373 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.134	.100	1.440	.153 ^c
	Ordinal by Ordinal	Spearman Correlation	.173	.096	1.874	.063 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



70. Uji Spearman Rho Gigi 43 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.641	.053	8.913	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.680	.053	9.913	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.720	.042	11.089	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.745	.040	11.931	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

71. Uji Chi Square Gigi 43 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	2.245 ^a	3	.523
	Likelihood Ratio	2.290	3	.515
	Linear-by-Linear Association	.231	1	.631
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	3.460 ^b	3	.326
	Likelihood Ratio	3.516	3	.319
	Linear-by-Linear Association	.134	1	.714
	N of Valid Cases		116	

- a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 2.20.
- b. 1 cells (12.5%) have expected count less than 5. The minimum expected count is 4.83.

72. Uji Spearman Rho Gigi 43 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.668	.042	9.595	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.704	.049	10.590	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.742	.039	11.823	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.759	.040	12.439	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



73. Uji Spearman Rho Gigi 44 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.668	.042	9.595	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.704	.049	10.590	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.742	.039	11.823	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.759	.040	12.439	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

74. Uji Chi Square Gigi 44 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	5.951 ^a	3	.114
	Likelihood Ratio	6.191	3	.103
	Linear-by-Linear Association	.079	1	.779
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	1.827 ^b	3	.609
	Likelihood Ratio	1.834	3	.608
	Linear-by-Linear Association	.868	1	.351
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 2.64.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 3.86.

75. Uji Spearman Rho Gigi 44 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.031	.073	-.332	.740 ^c
	Ordinal by Ordinal	Spearman Correlation	-.047	.086	-.508	.613 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.216	.082	2.359	.020 ^c
	Ordinal by Ordinal	Spearman Correlation	.248	.090	2.738	.007 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



76. Uji Spearman Rho Gigi 45 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	.641	.047	8.907	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.654	.056	9.226	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.677	.045	9.833	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.684	.047	10.002	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

77. Uji Chi Square Gigi 45 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	2.817 ^a	3	.421
	Likelihood Ratio	2.905	3	.407
	Linear-by-Linear Association	.740	1	.390
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	3.414 ^b	3	.332
	Likelihood Ratio	3.508	3	.320
	Linear-by-Linear Association	.007	1	.935
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 1.76.
- b. 3 cells (37.5%) have expected count less than 5. The minimum expected count is 3.38.

78. Uji Spearman Rho Gigi 45 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig. ^c
Pagentan	Interval by Interval	Pearson's R	-.028	.073	-.304	.762 ^c
	Ordinal by Ordinal	Spearman Correlation	-.055	.083	-.591	.556 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.104	.077	1.117	.266 ^c
	Ordinal by Ordinal	Spearman Correlation	.150	.092	1.615	.109 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



79. Uji Spearman Rho Gigi 46 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.563	.076	7.271	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.556	.078	7.138	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.529	.075	6.654	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.525	.074	6.590	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

80. Uji Chi Square Gigi 46 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	4.510 ^a	3	.211
	Likelihood Ratio	6.385	3	.094
	Linear-by-Linear Association	.289	1	.591
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	4.966 ^b	3	.174
	Likelihood Ratio	5.770	3	.123
	Linear-by-Linear Association	.980	1	.322
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is 2.20.
- b. 2 cells (25.0%) have expected count less than 5. The minimum expected count is .97.

81. Uji Spearman Rho Gigi 46 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.017	.072	.182	.856 ^c
	Ordinal by Ordinal	Spearman Correlation	.015	.084	.163	.871 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.286	.097	3.186	.002 ^c
	Ordinal by Ordinal	Spearman Correlation	.278	.095	3.093	.002 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



82. Uji Spearman Rho Gigi 47 Berdasarkan Usia

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	.560	.049	7.208	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.579	.053	7.574	.000 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.579	.046	7.591	.000 ^c
	Ordinal by Ordinal	Spearman Correlation	.620	.050	8.442	.000 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

83. Uji Chi Square Gigi 47 Berdasarkan Jenis Kelamin

Chi-Square Tests				
SD		Value	df	Asy mp. Sig. (2-sided)
Pagentan	Pearson Chi-Square	5.910 ^a	3	.116
	Likelihood Ratio	7.807	3	.050
	Linear-by-Linear Association	1.737	1	.188
	N of Valid Cases		116	
Bunulrejo IV	Pearson Chi-Square	2.228 ^b	3	.526
	Likelihood Ratio	2.654	3	.448
	Linear-by-Linear Association	1.820	1	.177
	N of Valid Cases		116	

- a. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .44.
 b. 4 cells (50.0%) have expected count less than 5. The minimum expected count is .48.

84. Uji Spearman Rho Gigi 47 Berdasarkan Kategori Gizi

Symmetric Measures						
SD			Value	Asy mp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Pagentan	Interval by Interval	Pearson's R	-.083	.055	-.889	.376 ^c
	Ordinal by Ordinal	Spearman Correlation	-.108	.066	-1.157	.250 ^c
	N of Valid Cases		116			
Bunulrejo IV	Interval by Interval	Pearson's R	.160	.081	1.728	.087 ^c
	Ordinal by Ordinal	Spearman Correlation	.191	.091	2.080	.040 ^c
	N of Valid Cases		116			

- a. Not assuming the null hypothesis.
 b. Using the asymptotic standard error assuming the null hypothesis.
 c. Based on normal approximation.

Lampiran 2. Foto dan Kegiatan Penelitian

A



Alkohol 70% dan kapas

B



Alat diagnosis

C



Pengukuran tinggi badan dan berat

badan

D



Pengukuran tinggi badan dan berat

badan

E



Pemeriksaan erupsi gigi permanen

F



Pemeriksaan erupsi gigi permanen

G



Bingkisan untuk siswa

H



Bingkisan untuk siswa

I



Foto bersama dengan para guru

J



Foto bersama dengan para guru



K




Suasana kelas saat kegiatan penelitian

L



Foto bersama dengan para siswa



Lampiran 3. Lembar Informed Consent

Pernyataan Persetujuan untuk

Berpartisipasi dalam Penelitian

Saya yang bertandatangan dibawah ini meyakini bahwa :

1. Saya telah mengerti tentang apa yang tercantum dalam lembar persetujuan diatas dan telah dijelaskan oleh peneliti
2. Dengan ini saya menyatakan bahwa secara sukarela bersedia untuk ikut serta menjadi salah satu subyek penelitian yang berjudul *Pola Erupsi Gigi Permanen Berdasarkan Faktor Umum Pada Anak Usia 6 Sampai 12 Tahun Di SDN Bunulrejo IV Dan SDN Pagentan I.*

Malang,, 2014

Peneliti

Yang membuat pernyataan

(Ajeng Maulidyanti Susanto)

(.....)

NIM.115070407111014

Saksi I

Saksi II

(.....)

(.....)



Lampiran 4. Lembar hasil pemeriksaan

HASIL PEMERIKSAAN ERUPSI GIGI PERMANEN

Nama :
 Kelas :
 Umur :
 Jenis kelamin :
 Tinggi badan :
 Berat Badan :
 Erupsi gigi permanen

18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38

Ket :

- Skor 0 = untuk gigi yang belum erupsi
- Skor 1 = untuk gigi yang erupsi $\frac{1}{3}$ bagian – $\frac{1}{2}$ bagian
- Skor 2 = untuk gigi yang erupsi $\frac{1}{2}$ bagian – $\frac{2}{3}$ bagian
- Skor 3 = untuk gigi yang erupsi $\frac{2}{3}$ bagian – erupsi sempurna



Lampiran 5. Ethical Clearance



KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN
THE MINISTRY OF EDUCATION AND CULTURE
FAKULTAS KEDOKTERAN UNIVERSITAS BRAWIJAYA
FACULTY OF MEDICINE UNIVERSITY OF BRAWIJAYA
KOMISI ETIK PENELITIAN KESEHATAN
HEALTH RESEARCH ETHICS COMMITTEE
Jalan Veteran Malang – 65145
Telp./ Fax. (62) 341 - 553930

KETERANGAN KELAIKAN ETIK
("ETHICAL CLEARANCE")

No. 584 / EC / KEPK – S1 – PDG / 11 / 2014

KOMISI ETIK PENELITIAN KESEHATAN FAKULTAS KEDOKTERAN UNIVERSITAS BRAWIJAYA, SETELAH MEMPELAJARI DENGAN SEKSAMA RANCANGAN PENELITIAN YANG DIUSULKAN, DENGAN INI MENYATAKAN BAHWA PENELITIAN DENGAN

- JUDUL** : Pola Erupsi Gigi Permanen Berdasarkan Faktor Umum pada Anak Usia 6 sampai 12 Tahun di SDN Bunulrejo IV dan SDN Pagentan I
- PENELITI UTAMA** : Ajeng Maulidyanti Susanto
- UNIT / LEMBAGA** : S1 Pendidikan Dokter Gigi – Fakultas Kedokteran Universitas Brawijaya Malang
- TEMPAT PENELITIAN** : SDN Bunulrejo IV dan SDN Pagentan I

DINYATAKAN LAIK ETIK.



Malang, 06 NOV 2014

An. Ketua,
Koordinator Divisi I

Prof. Dr. dr. Teguh W. Sardjono, DTM&H, MSc, SpPark
NIP. 19520410 198002 1 001

Catatan :

Keterangan Laik Etik Ini Berlaku 1 (Satu) Tahun Sejak Tanggal Dikeluarkan Pada Akhir Penelitian, Laporan Pelaksanaan Penelitian Harus Diserahkan Kepada KEPK-FKUB Dalam Bentuk Soft Copy. Jika Ada Perubahan Protokol Dan / Atau Perpanjangan Penelitian, Harus Mengajukan Kembali Permohonan Kajian Etik Penelitian (Amandemen Protokol).



Lampiran 6. Surat Permohonan Ijin Penelitian SDN Bunulrejo IV



DINAS PENDIDIKAN

Jl. Veteran No. 19 Telp. (0341) 560946, Fax. (0341) 551333
 Website : <http://diknas.malangkota.go.id> | Email : disdik_mlg@yahoo.co.id
 Kode POS : Malang 65145

REKOMENDASI

Nomor : 074 / 1711 / 35.73.307 / 2014

Menunjuk surat dari Pembantu Dekan Bidang Akademik , Universitas Brawijaya Malang tanggal 29 September 2014 Nomor 10209/UN10.7/AK/2014 Perihal : Permohonan Ijin Permintaan Data, maka dengan ini kami berikan ijin untuk melaksanakan kegiatan dimaksud kepada :

1. Nama : Ajeng Maulidyanti Susanto
2. NIM : 115070407111014
3. Jenjang : SI
4. Prodi. / Jurusan : Pendidikan Dokter Gigi
5. Tempat Pelaksanaan : SDN Bunulrejo IV
6. Waktu Pelaksanaan : Oktober s.d November 2014
7. Judul : Pola Erupsi Gigi Permanen Berdasarkan Faktor Umum Pada Anak Usia 6 sampai 12 Tahun di SDN Bunulrejo IV


Dengan Ketentuan :

1. Dikoordinasikan sebaik – baiknya dengan Kepala SKPD / Sekolah ybs;
2. Tidak Mengganggu proses belajar – mengajar;
3. Berlaku selama tidak menyimpang dari peraturan;
4. Selesai melaksanakan penelitian / Observasi / KKL / KKN, wajib menyampaikan laporan kepada Kepala Dinas Pendidikan Kota Malang.

Demikian untuk dilaksanakan sebagaimana mestinya.

Malang, 1 Oktober 2014

A. KEPALA DINAS PENDIDIKAN,
 Sebagai Umum



DINAS PENDIDIKAN
 DIANA PRABANINGTYAS, S.Sos., MM

Penata

NIP. 19700512 199103 2 004

Tembusan :

1. Kepala SDN Bunulrejo IV
2. Pembantu Dekan Bidang Akademik , Universitas Brawijaya Malang
3. Yang bersangkutan



Lampiran 7. Surat Permohonan Ijin Penelitian SDN Pagentan I



PEMERINTAH KABUPATEN MALANG
DINAS PENDIDIKAN

Jalan Penarukan No. 1 Telpn (0341) 393935-37, Fax (0341) 393937
 Email: dispendik@malangkab.go.id – Website <http://www.malangkab.go.id>

KEPANJEN 65163

Kepanjen, 17 Maret 2014

Nomor : 420/ ⁶⁶⁶ /421.101/2014
 Sifat : Penting
 Lampiran : -
 Hal : Pemberian Ijin Pengambilan Data

Kepada
 Yth. Pembantu Dekan I
 Fakultas Kedokteran
 Universitas Brawijaya Malang
 di

MALANG


Menunjuk surat Pembantu Dekan I Fakultas Kedokteran Universitas Brawijaya Malang nomor : 2480/UN10.7/AK/2014 tanggal 27 Februari 2014 perihal permohonan Ijin Pengambilan Data atas nama :

N a m a : AJENG MAULIDYANTI SUSANTO
NIM : 115070407111014
Jurusan : Program Studi Pendidikan Dokter Gigi
Universitas : Fakultas Kedokteran Universitas Brawijaya
Tema : Pola Erupsi Gigi Permanen Berdasarkan Faktor Umum Pada Anak Usia 6-12 Tahun di SDN Dinoyo II dan SDN Pagentan I
Lokasi : SDN Pagentan 01 Kecamatan Singosari Kabupaten Malang
Waktu : Maret 2014

Dengan ini disampaikan bahwa pada prinsipnya kami tidak keberatan untuk memberikan ijin dimaksud di Kabupaten Malang dan diharapkan tidak mengganggu kegiatan belajar mengajar serta melapor kepada Pejabat yang berwenang secara berjenjang didaerah penelitian.

Demikian untuk menjadikan maklum .

KEPALA DINAS PENDIDIKAN
 KABUPATEN MALANG


[Signature]
IR. BUDI ISWOYO, MM
 Pembina Utama Muda
 NIP.196006221988111001

Tembusan disampaikan kepada Yth.

1. Sdr. Kepala UPTD TK/SD dan PLS Kec. Singosari Kab. Malang ;
2. Sdr. Kepala SDN Pagentan 01 Kec. Singosari Kabupaten Malang ;
3. Sdr. Mahasiswa yang bersangkutan.