

DAFTAR PUSTAKA

- Abdelmeguid NE, Fakhoury R, Kamal SM, Al Wafai RJ. Effects of *Nigella sativa* and thymoquinone on biochemical and subcellular changes in pancreatic β -cells of streptozotocin-induced diabetic rats. *Journal of Diabetes*, 2010; 2 (4): 256-266.
- Ahmad A, Husain A, Mujeeb M, Siddiqui NA, Damanhouri ZA, Bhandari A. Physicochemical and phytochemical standardization with HPTLC fingerprinting of *Nigella sativa* L. seeds. *Pakistan Journal of Pharmaceutical Sciences*, 2014; 27 (5):1175-1182.
- Akash MSH, Rehman K, Rasool F, Sethi A, Abrar MA, Irshad A, et al. Alternate therapy of Type 2 diabetes mellitus (T2DM) with *Nigella* (Ranunculaculae). *Journal of Medicinal Plants Research*, 2011; 5 (31): 6885-6889.
- Akbar DH, Hagras MM, Amin HA, Khorshid OA. Comparison between the effect of glibenclamide and captopril on experimentally induced diabetic nephropathy in rats. *Journal of the Renin-Angiotensin-Aldosterone System*, 2012; 14 (2): 103-115.
- Alimohammadi S, Hobbenaghi R, Javanbakht J, Kheradmand D, Mortezaee R, Tavakoli M, et al. Protective and antidiabetic effects of extracts from *Nigella sativa* on blood glucose concentrations against streptozotocin (STZ)-induced diabetic in rats: an experimental study with histopathological evaluation. *Diagnostic Pathology*, 2013; 8 (137): 1-7.
- American Diabetes Association (ADA). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 2013; 36 (1): 67-74.
- American Diabetes Association (ADA). Gestational Diabetes Mellitus. *Diabetes Care*, 2004; 27 (1): 88.
- American Diabetes Association (ADA). Standards of Medical Care in Diabetes—2010. *Diabetes Care*, 2010; 33 (1): 11-61.
- Andalousi AB, Martineau L, Vuong T, Meddah B, Madiraju P, Settaf A, et al. The In Vivo Antidiabetic Activity of *Nigella sativa* Is Mediated through Activation of the AMPK Pathway and Increased Muscle Glut4 Content. *Evidence Based Complementary and Alternative Medicine*, 2011; 1-9.
- Avdeef A, Kansy M, Bendels S, Tsinman K. Absorption-excipient-pH classification gradient maps: Sparingly soluble drugs and the pH partition hypothesis. *European Journal of Pharmaceutical Sciences*, 2008; 33 (1): 29-41.

- Babujanarthanam R, Kavitha P, Rao USM, Pandian MR. Quercitrin a bioflavonoid improves the antioxidant status in streptozotocin: induced diabetic rat tissues. *Molecular and Cellular Biochemistry*, 2011; 358: 121-129.
- Bakathir HA and Abbas NA. Detection of the antibacterial effect of *Nigella sativa* ground seeds with water. *African Journal of Traditional, Complementary and Alternative*, 2011; 8 (2): 159-164.
- Bashandy SAE, Jaleel GAA, Abdallah HMI, Harraz SES. Therapeutic Implications of Thymoquinone in the management of Diabetes mellitus and its Complications. *American Journal of Phytomedicine and Clinical Therapeutics*, 2015; 3 (3): 287-301.
- Bashir MU and Qureshi HJ. Analgesic Effect of *Nigella sativa* Seeds Extract on Experimentally Induced Pain in Albino Mice. *Journal of the College Physicians and Surgeons Pakistan*, 2010; 20 (7): 464-467.
- Bhadoriya SS, Mangal A, Madoriya N, Dixit P. Bioavailability and bioactivity enhancement of herbal drugs by "Nanotechnology": a review. *Journal of Current Pharmaceutical Research*, 2011; 8 (1): 1-7.
- Bita A, Rosu AF, Calina D, Rosu L, Zlatian O, Dindere C, et al. An alternative treatment for Candida infections with *Nigella sativa* extracts. *European Journal of Hospital Pharmacy*, 2012; 19: 162.
- Bos AVD. 2004. *Nigella sativa*, (Online), (Aycronto.com, diakses 12 Desember 2014).
- Bourgou S, Pichette A, Marzouk B, Legault J. Antioxidant, antiinflammatory, anticancer and antibacterial activities of extracts from *Nigella Sativa* (Black Cumin) plant parts. *Journal of Food Biochemistry*, 2012; 36 (5): 539-546.
- Brereton MF, Iberl M, Shimomura K, Zhang Q, Adriaenssens AE, Proks P, et al. Reversible changes in pancreatic islet structure and function produced by elevated blood glucose. *Nature Communications*, 2014; 5 (4639): 1-21.
- Brownlee M. The Pathobiology of Diabetic Complications: A Unifying Mechanism. *Diabetes*, 2005; 54: 1615-1625.
- Budhian A, Siegel SJ, Winey KI. Haloperidol-loaded PLGA nanoparticles: Systematic study of particle size and drug content. *International Journal of Pharmaceutics*, 2007; 336: 367-375.
- Cabrera O, Berman DM, Kenyon NS, Ricordi C, Berggren PO, Caicedo A. The unique cytoarchitecture of human pancreatic islets has implications for islet cell function. *Proceeding of the National Academy of Sciences USA*, 2006; 103: 2334–2339.
- Can A, Akev N, Ozsoy N, Bolkent S, Arda BP, Yanardag R, et al. Effect of *Aloe vera* Leaf Gel and Pulp Extracts on the Liver in Type-II Diabetic Rat Models. *Biological and Pharmaceutical Bulletin*, 2004; 27 (5): 694-698.



- Chawla R, Thakur P, Chowdhry A, Jaiswal S, Sharma A, Goel R, et al. Evidence based herbal drug standardization approach in coping with challenges of holistic management of diabetes: a dreadful lifestyle disorder of 21st century. *Journal of Diabetes & Metabolic Disorders*, 2013; 12:35.
- Chehl N, Chipitsyna G, Gong Q, Yeo CJ, Arafat HA. Antiinflammatory effects of the *Nigella sativa* seed extract, thymoquinone, in pancreatic cancer cells. *HPB (Oxford)*, 2009; 11 (5): 373-381.
- Collison KS, Saleh SM, Bakheet RH, Al-Rabiah RK, Inglis AL, Makhoul NJ, et al. Diabetes of the Liver: The Link Between Nonalcoholic Fatty Liver Disease and HFCS-55. *Obesity*, 2009; 17: 2003-2013.
- Cooper DL and Hairforoosh S. Design and Optimization of PLGA-Based Diclofenac Loaded Nanoparticles. *PLOS ONE*, 2014; 9 (1): 1-11.
- Departemen Kesehatan Republik Indonesia. 1979a. *Materia Medika Indonesia Jilid III*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan Republik Indonesia. 1979b. *Vademekum Bahan Obat Alam*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan Republik Indonesia. 1989. *Materia Medika Indonesia Jilid V*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Dewi TW. 2010. *Hubungan Pemberian Ekstrak Ethanol Patikan Kebo (Euphorbia hirta L.) dengan Kadar Kolesterol Serum pada Tikus Putih yang Diinduksi Streptozotocin*. Skripsi. Tidak diterbitkan, Fakultas Kedokteran Universitas Sebelas Maret, Surakarta.
- Du XL, Edelstein D, Rossetti L, Fantus IG, Goldberg H, Ziyadeh F, et al. Hyperglycemia-induced mitochondrial superoxide overproduction activates the hexosamine pathway and induces plasminogen activator inhibitor-1 expression by increasing Sp1 glycosylation. *Proceeding of the National Academy of Sciences USA*, 2000; 97: 12222-12226.
- El-Mahmoudy A, Shimizu Y, Shiina T, Matsuyama H, El-sayed M, Takewaki T. Succesful abrogation by thymoquinone against induction of diabetes mellitus with streptozotocin via nitric oxide inhibitory mechanism. *International Immunopharmacology*, 2005; 5: 195-207.
- El-Tahir KEH. The Black Seed *Nigella sativa* Linnaeus - A Mine for Multi Cures: A Plea for Urgent Clinical Evaluation of its Volatile Oil. *Journal of Taibah University Medical Sciences*, 2006; 1 (1): 1-19.
- Erejuwa OO, Sulaiman SA, Wahab MSA, Sirajudeen KNS, Salleh MSM, Gurtu S. Antioxidant Protective Effect of Glibenclamide and Metformin in Combination with Honey in Pancreas of Streptozotocin-Induced Diabetic Rats. *International Journal of Molecular Sciences*, 2010; 11: 2056-2066.
- Evans JL, Goldfine ID, Maddux BA, Grodsky GM. Oxidative Stress and Stress-Activated Signaling Pathways: A Unifying Hypothesis of Type 2 Diabetes. *Endocrine Reviews*, 2002; 23 (5): 599-622.

- Federer WT. 1991. *Statistics and Society: data collection and Interpretation*, 2nd ed. New York: Marcel dekker.
- Forbes JM, Coughlan MT, Cooper ME. Oxidative Stress as a Major Culprit in Kidney Disease in Diabetes. *Diabetes*, 2008; 57: 1446-1454.
- Ghonime M, Eldomany R, Abdelaziz A, Soliman H. Evaluation of immunomodulatory effect of three herbal plants growing in Egypt. *Immunopharmacology Immunotoxicology*, 2011; 33 (1): 141-145.
- Gokce A, Oktar S, Koc A, Yonden Z. Protective effects of thymoquinone against methotrexate-induced testicular injury. *Human and Experimental Toxicology*, 2011; 30 (8): 897-903.
- Grankvist K, Marklund SL, Taljedal IB. CuZn-superoxide dismutase, Mn-superoxide dismutase, catalase and glutathione peroxidase in pancreatic islets and other tissues in the mouse. *Biochemical Journal*, 1981; 199: 393–398.
- Gupta P and Bhatia V. Corticosteroid Physiology and Principles of Therapy. *Indian Journal of Pediatrics*, 2008; 75: 1039-1044.
- Gupta R, Sharma AK, Dobhal MP, Sharma MC, Gupta RS. Antidiabetic and antioxidant potential of β -sitosterol in streptozotocin-induced experimental hyperglycemia. *Journal of Diabetes*, 2011; 3: 29-37.
- Hotta M, Yamato E, Miyazaki JI. Oxidative stress and pancreatic β -cell destruction in insulin-dependent diabetes mellitus. In: Packer L, Rosen P, Tritschler H, King GL, Azzi A, eds. *Antioxidants and diabetes management*, 2000; 265-274.
- International Diabetes Federation (IDF). 2013. *IDF Diabetes Atlas* 6th edition, (Online), (www.idf.org/diabetesatlas, diakses 23 Oktober 2014).
- Inzucchi SE, Bergenstal RM, Buse JB, Diamant M, Ferrannini E, Nauck M, et al. Management of Hyperglycemia in Type 2 Diabetes: A Patient Centered Approach. *Diabetes Care*, 2012; 35: 1364-1379.
- Ji S. 2013. Nigella sativa, (Online), (<http://www.thesleuthjournal.com/>, diakses 28 November 2014).
- Johansen JS, Harris AK, Rychly J, Ergul A. Oxidative stress and the use of antioxidants in diabetes: linking basic science to clinical practice. *Cardiovascular Diabetol*, 2005; 4 (1): 5.
- Jung JY, Lim Y, Moon MS, Kim JY, Kwon O. Onion peel extracts ameliorate hyperglycemia and insulin resistance in high fat diet/ streptozotocin-induced diabetic rats. *Nutrition & Metabolism*, 2011; 18: 1-8.
- Kanter M, Caskun O, Korkmaz A, Oter S. Effects of Nigella sativa on Oxidative Stress and β -Cell Damaged in Streptozotocin-Induced Diabetic Rats. *The Anatomical Record Part A*, 2004; 279: 685-691.



- Kanter M. Effects of *Nigella sativa* seed extract on ameliorating lung tissue damage in rats after experimental pulmonary aspirations. *Acta Histochemica*, 2009; 111 (5): 393-403.
- Kennedy L and Baynes JW. Non-enzymatic glycosylation and the chronic complications of diabetes: an overview. *Diabetologia*, 1984; 26: 93-98.
- Kesarwani K and Gupta R. Bioavailability enhancer of herbal origin: an overview. *Asian Pacific Journal of Tropical Biomedicine*, 2013; 3 (4): 253-266.
- Khare CP. 2004. *Encyclopedia of Indian medicinal plants*. New York: Springer-Verlag Berlin Heidelberg.
- King AJF. The use of animal models in diabetes research. *British Journal of Pharmacology*, 2012; 166: 877-894.
- Kohner Em, Patel V, Rassam SMB. Role of Blood Flow and Impaired Autoregulation in the Pathogenesis of Diabetic Retinopathy. *Diabetes*, 1995; 44: 603-607.
- Kroon LA, Assemi M, Carlisle BA. 2009. "Diabetes Mellitus". In Koda-Kimble MA, Young LY, Alldredge, BK, Corelli RL, Guglielmo BJ, Kradjan WA, Williams BR. 2009. *Applied Therapeutics: The Clinical Use of Drugs* 9th ed. Lippincott Williams & Wilkis.
- Kulkarni RN. The islet beta-cell. *The International Journal of Biochemistry and Cell Biology*, 2004; 36 (3): 365-371.
- Lazo-de-la-Vega-Monroy M and Fernández-Mejía C. Oxidative Stress in Diabetes Mellitus and the Role Of Vitamins with Antioxidant Actions. *INTECH Open Science*, 2013; 209-232.
- Lenzen S, Drinkgern J, Tiedge M. Low antioxidant enzyme gene expression in pancreatic islets compared with various other mouse tissues. *Free Radical Biology and Medicine*, 1996; 20: 463–466.
- Likidilid A, Patchanans N, Peerapatdit T, Sriratanasathavorn C. Lipid peroxidation and antioxidant enzyme activities in erythrocytes of type 2 diabetic patients. *Journal of the Medical Association of Thailand*, 2010; 93 (6): 682-693.
- Maechler P, Jornot L, Wollheim CB. Hydrogen peroxide alters mitochondrial activation and insulin secretion in pancreatic β -cells. *The Journal of Biological Chemistry*, 1999; 274: 27905–27913.
- Maheshwari RA, Khatri S, Balaraman R, Seth AK. Antidiabetic Activity Of Dibolin (A Polyherbal Formulation) in Streptozotocin-Nicotinamide Induced Type 2 Diabetic Rats. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2014; 6 (2): 893-897.
- Mahmoud SS, Torchilin VP. Hormetic/cytotoxic effects of *Nigella sativa* seed alcoholic and aqueous extracts on MCF-7 breast cancer cells alone or in

- combination with doxorubicin. *Cell Biochemistry and Biophysics*, 2012; 25 (7): 1392-1398.
- Mainardes RM and Evangelista. PLGA nanoparticles containing praziquantel: effect of formulation variables on size distribution. *International Journal of Pharmaceutics*, 2005; 137-144.
- Marliana SD, Suryanti V, Suyono. Skrining Fitokimia dan Analisis Kromatografi Lapis Tipis Komponen Kimia Buah Labu Siam (*Sechium edule* Jacq. Swartz.) dalam Ekstrak Etanol. *Biofarmasi*, 2005; 3 (1): 26-31.
- Mohanraj VJ and Chen Y. Nanoparticels – A Review. *Tropical Journal of Pharmaceutical Research*, 2006; 5 (1): 561-573.
- Nakhaee A, Bokaeian M, Saravani M, Farhangi A, Akbarzadeh A. Attenuation of Oxidative Stress in Streptozotocin-induced Diabetic Rats by *Eucalyptus globulus*. *Indian Journal of Clinical Biochemistry*, 2009; 24 (4): 419-425.
- Natural Resources Conservation Service. *Nigella sativa* L. black cumin, (Online), (<http://plants.usda.gov/core/profile?symbol=NISA2>, diakses 17 November 2014).
- Nemmar A, Al-Salam S, Zia S, Marzouqi F, Al-Dhaheri A, Subramaniyan D, et al. Contrasting actions of diesel exhaust particles on the pulmonary and cardiovascular systems and the effects of thymoquinone. *British Journal of Pharmacol*, 2011; 164 (7): 1871-1882.
- Nolan CJ, Damm, P, Prentki M. Type 2 diabetes across generations: from pathophysiology to prevention and management. *Lancet*, 2011; 378: 169-181.
- Oguanobi NI, Chijioke CP, Ghali S. Anti-Diabetic Effect Of Crude Leaf Extracts Of *Ocimum Gratissimum* in Neonatal Streptozotocin-Induced Type-2 Model Diabetic Rats. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2012; 4 (5): 77-83.
- Paget G and Barnes J. Toxicity test. In: Laurence DR, Bacharach AL, editors. Evaluation of Drug Activities: Pharmacometrics. London, New York: Academic press; 1964, p. 161-2.
- Pari L and Sankaranarayanan C. Beneficial effects of thymoquinone on hepatic key enzymes in streptozotocin-nicotinamide induced diabetic rats. *Life Sciences*, 2009; 85: 830-834.
- Parvardeh S and Fatehi M. Effects of Thymoquinone, the Major Constituent of *Nigella sativa* Seeds, on the Contractile Responses of Rat vas Deferens. *Pharmaceutical Biology*, 2004; 41 (8): 616-621.
- Paul S, Bhattacharyya SS, Boujedaini N, Khuda-Bukhsh AR. Anticancer Potentials of Root Extract of *Polygala senega* and Its PLGA Nanoparticles-Encapsulated Form. *Evidence-Based Complementary and Alternative Medicine*, 2011; 13 pages.

- Peppa M and Vlassara H. Advanced glycation end products and diabetic complications: A general overview. *Hormones*, 2005; 4(1): 28-37.
- Perveen T, Haider S, Kanwal S, Haleem DJ. Repeated administration of Nigella sativa decreases 5-HTturnover and produces anxiolytic effects in rats. *Pakistan Journal of Pharmaceutical Sciences*, 2009; 22 (2): 139-144.
- Pranata FJ. 2010. *Pengaruh Pemberian Ekstrak Daun Pare Terhadap Kadar Insulin Pada Tikus Putih Strain Wistar Model Diabetes Mellitus Tipe 2 Dengan Hiperinsulinemia*. Tugas Akhir. Tidak Diterbitkan, Fakultas Kedokteran, Universitas Brawijaya, Malang.
- Qujeq D and Rezvani T. Catalase (antioxidant enzyme) activity in streptozotocin-induced diabetic rats. *International Journal of Diabetes and Metabolism*, 2007; 15: 22-24.
- Ramakrishna V and Jailkhani R. Oxidative stress in non-insulin-dependent diabetes mellitus (NIDDM) patients. *Acta Diabetologica*, 2008; 45: 41-46.
- Rashed M. TLC Assay of Thymoquinone in Black Seed Oil (*Nigella sativa* Linn) and Identification of Dithymoquinone and Thymol. *Journal of Liquid Chromatography & Related Technologies*, 1995; 18 (1): 105-115.
- Raza M, Alghasham AA, Alorainy MS, El-Hadiyah TM. Potentiation of valproate-induced anticonvulsant response by *Nigella sativa* seed constituents: the role of GABA receptors. *International Journal of Health Sciences*, 2008; 2 (1): 15-25.
- Reinauer H, Home PD, Kanagasabapathy AS, Heuck C. 2002. *Laboratory Diagnosis and Monitoring of Diabetes Mellitus*. World Health Organization.
- Robertson RP, Harmon J, Tran POT, Poitout V. β -Cell Glucose Toxicity, Lipotoxicity, and Chronic Oxidative Stress in Type 2 Diabetes. *Diabetes*, 2004; 53(1): 119-124.
- Sari WN, Triasturti E, Yurina V. 2014. *Efek Pemberian Ekstrak Biji Jintan Hitam (*Nigella sativa*) terhadap Kadar Malondialdehyde (MDA) Ginjal Tikus Putih (*Rattus norvegicus*) Strain Wistar Model Diabetes Mellitus Tipe 2*. Tugas Akhir. Tidak diterbitkan, Fakultas Kedokteran Universitas Brawijaya. Malang.
- Schettler V, Wieland E, Verwiebe R, Schuff-Werner P, Scheler F, Oellerich M. Plasma lipids are not oxidized during hemodialysis. *Nephron*, 1994; 67: 42-47.
- Schisler NJ. 1996. *The Antioxidant Enzymes (Superoxide dismutase, Catalase and Glutathione peroxidase): Their Molecular Evolution and Regulation in Mice*. Canada: National Library of Canada.
- Shimizu S. 2004. *The Laboratory Mouse*. Jepang: Elsevier.

- Sokolovska J, Isajevs S, Sugoka O, Sharipova J, Paramonova N, Isajeva D, et al. Comparison of the Effects of Glibenclamide on Metabolic Parameters, GLUT1 Expression, and Liver Injury in Rats With Severe and Mild Streptozotocin-Induced Diabetes Mellitus. *Medicina*, 2012; 48 (10): 532-543.
- Sousa DPD, Nobrega FFF, Santos CCMP, Benedito RB, Vieira YW, Uliana MP, et al. Antinociceptive Activity of Thymoquinone and its Structural Analogues: A Structure-Activity Relationship Study. *Tropical Journal of Pharmaceutical Research*, 2012; 11 (4): 605-610.
- Srinivasan B, Viswanad B, Asrat L, Kaul CL, Ramarao P. Combination of High-Fat Diet-Fed and Low-Dose Streptozotocin-Treated Rat: A Model for Type 2 Diabetes and Pharmacological Screening. *Pharmacological Research*, 2005; 52: 313-320.
- Srivastava AK, Bhatnagar P, Singh M, Mishra S, Kumar P, Shukla Y, et al. Synthesis of PLGA nanoparticles of tea polyphenols and their strong in vivo protective effect against chemically induced DNA damage. *International Journal of Nanomedicine*, 2013; 8: 1451-1462.
- Stahl E. 1985. *Analisis Obat Secara Kromatografi dan Mikroskopi*, diterjemahkan oleh Kosasih Patmawinata dan Sudiro S. Bandung: ITB.
- Standard Operating Procedure (SOP) Laboratory Animal Medicine. 2010. *Oral gavage – Mouse & Rat*. Korea Selatan: Universitas Delaware.
- Sultan MT, Butt MS, Anjum FM, Jamil A, Akhtar S, Nasir M. Nutritional Profile of Indigenous Cultivar of Black Cumin Seeds and Antioxidant Potential of Its Fixed and Essential Oil. *Pakistan Journal of Botany*, 2009; 41 (3): 1321-1330.
- Sultan MT, Butt MS, Karim R, Iqbal SZ, Ahmad S, Zia-Ul-Haq M, et al. Effect of *Nigella sativa* fixed and essential oils on antioxidant status, hepatic enzymes, and immunity in streptozotocin induced diabetes mellitus. *BMC Complementary and Alternative Medicine*, 2014; 14: 193.
- Szkudelski T. The Mechanism of Alloxan and Streptozotocin Action in B Cells of the Rat Pancreas. *Physiological research*, 2001; 50: 536-546.
- Tanaka S, Hayashi T, Toyoda T. High-fat diet impairs the effects of a single bout of endurance exercise on glucose transport and insulin sensitivity in rat skeletal muscle. *Metabolism*, 2007; 56 (12): 1719-1728.
- Tiedge M, Lortz S, Drinkgern J, Lenzen S. Relation Between Antioxidant Enzyme Gene Expression and Antioxidative Defense Status of Insulin-Producing Cells. *Diabetes*, 1997; 46: 1733-1742.
- Tiedge M, Lortz S, Munday R, Lenzen S. Complementary action of antioxidant enzymes in the protection of bioengineered insulin-producing RINm5F cells against the toxicity of reactive oxygen species. *Diabetes*, 1998; 47: 1578-1585.



- Triplitt CS, Reasner CA, Isley WL. 2008. "Diabetes Mellitus". In Dipiro JT, Talbert RL, Yee GC, Matzke GR, Wells BG, Posey LM. 2008. *Pharmacotherapy: A Pathophysiologic Approach* 7th ed. New York: McGraw-Hill Medical Publishing Division.
- Vinod AKM, Mishra S, Pahal V, Singh D. Comparison of Antimicrobial and Antioxidant Activities of Crude Plant Extracts with Theirs Synthesized Silver Nanoparticles. *Applied Research Journal*, 2015; 1 (3): 176-181.
- Wassmann S, Wassmann K, Nickenig G. Modulation of Oxidant and Antioxidant Enzyme Expression and Function in Vascular Cells. *Hypertension*, 2004; 44: 381-386.
- Westerberg D. Diabetic Ketoacidosis: Evaluation and Treatment. *American Family Physician*, 2013; 87 (5): 337-346.
- Weydert CJ and Cullen JJ. Measurement of superoxide dismutase, catalase and glutathione peroxidase in cultured cells and tissue. *Nature Protocols*, 2010; 5 (1): 51-66.
- Wilczewska AZ, Niemirowicz K, Markiewicz KH, Car H. Nanoparticles as drug delivery systems. *Pharmacological reports*, 2012; 64: 1020-1037.
- Winzell MS and Ahren B. The high-fat diet-fed mouse: a model for studying mechanisms and treatment of impaired glucose tolerance and type 2 diabetes. *Diabetes*, 2004; 53 (3): 215-219.
- Yildiz F, Coban S, Terzi A, Savas M, Bitiren M, Celik H, et al. Protective effects of *Nigella sativa* against ischemia-reperfusion injury of kidneys. *Renal Failure*, 2010; 32 (1): 126-131.
- Zafeer MF, Waseem M, Chaudhary S, Parvez S. Cadmium-induced hepatotoxicity and its abrogation by thymoquinone. *Journal of Biochemical and Molecular Toxicology*, 2012; 26 (5): 199-205.