

## DAFTAR PUSTAKA

- ADA. 2003. Peripheral Arterial Disease in People With Diabetes. *Diabetes Journals*; 2003; 26(12): 3333-3341.
- B Fletcher, M Gulanick ,C Lamendola . Risk factors for type 2 diabetes mellitus. *J Cardiovasc Nurs*; 2002; 16(2):17-23.
- Bartholomew JR and Olin JW. Pathophysiology of peripheral arterial disease and risk factors for its development. *Cleveland clinic J Med*; 2006; 73 (suppl 4) : 8-14.
- Benetos A, Zureik M, Morcet J, Thomas F, Bean K et al. A Decrease In Diastolic Blood Pressure Combined with An Increase In Systolic Blood Pressure Is Associated With A Higher Cardiovascular Mortality In Men. *Journal of the American College of Cardiology*; 2000; 35(3): 673–680.
- Cahyadi A. Terapi terbaru diabetes melitus tipe 2. *Medika Jurnal Kedokteran Indonesia*. 2010. Volume 36 (12). Available from : URL: <http://www.jurnalmedika.com/component/content/article/264-artikel-penyegar/470-terapi-terbaru-diabetes-melitus-tipe-2>
- Chaniago, LS. Penyakit arteri perifer pada sindroma metabolik [tesis]. Medan: Universitas Sumatra Utara; 2007.
- Corwin EJ. Buku Saku Patofisiologi. 3rd ed. Jakarta: EGC; 2009.
- Creager MA and Loscalzo J. Vascular Diseases of the Extremities. In : Harrison's Principles of Internal Medicine 18<sup>th</sup> ed. New York; McGraw-Hill. 2012
- Dae MC, 2014. Hubungan Nilai *Ankle Brachial Index* pada Penderita Diabetes Melitus Tipe 2 dengan Kejadian Penyakit Jantung Koroner di Poli Edukasi Diabetes Melitus RSUD Prof. Dr. W. Z. Johannes Tahun 2014. [Skripsi]. Kupang : Universitas Nusa Cendana : 2014.

Dahlan MS. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Jakarta: Salemba Medika; 2013.

Feringa HH, Karagiannis SE, Schouten O, Vidakovic R, Van Waning VH *et al.* Prognostic Significance of Declining Ankle-brachial Index Values in Patients with Suspected or Known Peripheral Arterial Disease. *European Journal of Vascular and Endovascular Surgery*; 2007: 34(2): 206-213.

Forbang NI, McDermott MM, Liao Y, Ix JH, Allison MA, Liu K *et al.* Associations Of Diabetes Mellitus And Other Cardiovascular Disease Risk Factors With Decline In The Ankle-Brachial Index. *Vasc Med*; 2014: 19(6): 465-472.

Gardner AW 2009 Hazzard's Geriatric Medicine and Gerontology 6<sup>th</sup> ed. New York; McGraw-Hill. 2009.

Gibney MJ, Margetts BM, Kearney JM, Arab L. Gizi Kesehatan Masyarakat. Jakarta: EGC; 2009.

Gokce N, Keaney JF, Hunter LM, Watkins MT, Nedeljkovic ZS *et al.* Predictive Value of Noninvasively Determined Endothelial Dysfunction for Long-Term Cardiovascular Events in Patients With Peripheral Vascular Disease. *Journal of the American College of Cardiology*; 2003: 41(10): 1769–1775.

Guyton AC and Hall JE. *Insulin, Glucagon, and Diabetes Mellitus*. In : TEXTBOOK OF MEDICAL PHYSIOLOGY 11<sup>th</sup> ed. Philadelphia; Elsevier. 2006.

Harris L and Dryjs M. Epidemiology, risk factors, and natural history of peripheral artery disease. UpToDate 2014 July 16. Available from: URL : <http://www.uptodate.com/contents/epidemiology-risk-factors-and-natural-history-of-peripheral-artery-disease>

Hirsch AT, Criqui MH, Jacobson D, Judith GR, Mark AG, Jeffrey WO, *et al.* Peripheral arterial disease detection, awareness and treatment in primary care. *JAMA*. 2001; 286:1317-1324.

I Vicente, C Lahoz, M Taboada, F Laguna, F García I *et al.* Ankle-brachial index in patients with diabetes mellitus: prevalence and risk factors. *Rev Clin Esp.*; 2006; 206(5): 225-9.

IDF Diabetes Atlas Update 2014. International Diabetes Federation. Available from: URL : <http://www.idf.org/diabetesatlas/update-2014>

Ix JH, Biggs ML, Kizer JR, Mukamal KJ, Djousse L, et al. (2011) Association of body mass index with peripheral arterial disease in older adults: the Cardiovascular Health Study. *Am J Epidemiol* 174: 1036-1043.

Kaku K, Pathophysiology of Type 2 Diabetes and Its Treatment Policy. *JMAJ.* 2010; 53(1): 41-46.

Kravos A and Sotošek K Bubnič. Ankle–Brachial Index Screening for Peripheral Artery Disease in Asymptomatic Patients Between 50 and 70 Years of Age. *Journal of International Medical Research*; 2009: 37(5): 1611-1619.

Lanywati E. Diabetes Mellitus, Penyakit Kencing Manis. Yogyakarta: Kanisius; 2001.

Leng GC, Fowkes FG. The Edinburgh Claudication Questionnaire: an improved version of the WHO/Rose Questionnaire for use in epidemiological surveys. *J Clin Epidemiol* 1992; 45(10):1101-1109.

Luo Y Y , Li J , Xin Y , Zheng L Q , Yu J M. Risk factors of peripheral arterial disease and relationship between low ankle brachial index and mortality from all-cause and cardiovascular disease in Chinese patients with hypertension. *Journal of Human Hypertension*; 2007; 21: 461–466.

Maksimovic M. Whether Obesity is Associated with Peripheral Arterial Disease : *Angiology* : 2013; Vol 2 (1).

Misnadiarly. Diabetes Mellitus : Gangren, Ulcer, Infeksi. 1<sup>st</sup> ed. Jakarta : Pustaka Populer Obor; 2006.



Monteiro R, Marto R, Neves MF. *Clinical Study: Risk Factors Related to Low Ankle-Brachial Index Measured by Traditional and Modified Definition in Hypertensive Elderly Patients. International Journal of Hypertension*; 2012 (2012): 7 pages.

Mukherjee D. Peripheral And Cerebrovascular Atherosclerotic Disease In Diabetes Mellitus. *Best Practice & Research Clinical Endocrinology & Metabolism* . 2009; 23(3): 335-45.

Notoadmodjo S. *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta; 2010.

Olin JW dan Sealove BA. The clinical presentation of peripheral arterial disease and guidance for early recognition. *Cleveland clinic J Med*; 2006; 73 (suppl 4): 15-21.

Ozougwu, Obimba, Belonwu, Unakalamba. The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. 2013;4(4): 46-57.

PB PERKENI. *Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia*. Jakarta; 2011.

PD PERSI. RI Ranking keempat jumlah penderita diabetes terbanyak dunia. 2011. Available from: URL: <http://www.pdpersi.co.id/content/news.php?catid=23&mid=5&nid=618>

Planas A , Clará A, Pou J-M, Vidal-Barraquer F , Gasol A *et al*. Relationship of obesity distribution and peripheral arterial occlusive disease in elderly men. *International Journal of Obesity*; 2001; 25(7): 1068-1070.

Powell TM, Glynn RJ, Buring JE, Creager MA, Ridker PM, Pradhan AD.. The relatively importance of systolic versus diastolic blood pressure control and incident symptomatic in peripheral arterial disease women. *Vasc Med*. 2011;16:239.

Powers AC. *Diabetes Mellitus, Endocrinology and Metabolism*. In: *Harrison's Principles of Internal Medicine* 18<sup>th</sup> ed. New York; McGraw-Hill. 2012

Pramono LA. Clopidogrel untuk Pencegahan Sekunder dan Tersier Infark Miokard dan Stroke Iskemik. Medika Jurnal Kedokteran Indonesia. 2010. Volume 36 (01). Available from : URL: <http://www.jurnalmedika.com/component/content/article/141-fokus/113-clopidogrel-untuk-pencegahan-sekunder-dan-tersier-infark-miokard-dan-stroke-iskemik>

Pusat Data dan Informasi Kemenkes RI. Gambaran Penyakit Tidak Menular di Rumah Sakit di Indonesia Tahun 2009 dan 2010. Buletin Jendela Data dan Informasi Kesehatan. 2012 Semester II.

Rabia K and Khoo E M. Prevalence of Peripheral Arterial Disease in Patients with Diabetes Mellitus in a Primary Care Setting. Med J Malaysia; 2007; 62(2): 130-133.

Rangkuti DM. Hubungan Kejadian Penyakit Arteri Perifer Dengan Lamanya Menjalani Hemodialisis November 2007- Januari 2008 [Tesis]. Medan: Universitas Sumatera Utara; 2008.

Rousin A, Screening and Diagnostic Technique for Peripheral Artery Disease, CSS 2005 peripheral arterial disease consensus document CC Final Pre CJC Pub, Canadian Cardiovascular Society Consensus Conference peripheral arterial disease, 7: 29-45.

Safar ME, Priollet P, Luizy F, Mourad JJ, Cacoub P, Levesque H, et al. Peripheral arterial disease and isolated systolic hypertension: the atttest study. J Hum Hypertens. 2009;23:182-7.

Sastroasmoro S. Dasar-Dasar Metodologi Penelitian Klinis. Jakarta: Binarupa Aksara; 1995.

Shammas NW. Epidemiology, classification, and modifiable risk factors of peripheral arterial disease. *Vasc Health Risk Manag*. 2007, 3(2): 229-234.

Sihombing B. Prevalensi penyakit arteri perifer pada populasi penyakit diabetes melitus di Puskesmas Kota Medan Januari-Juli 2008. [Tesis]. Medan: Universitas Sumatera Utara; 2008.

Simatupang M. Hubungan Antara Penyakit Arteri Perifer Dengan Faktor Risiko Kardiovaskular Pada Pasien Diabetes Melitus Tipe 2. *Jurnal e-Clinic*; 2013; 01 : 7-12.

Sinclair AJ and Meneilly GS. Type 2 Diabetes Mellitus in Senior Citizens. In : Principles and Practice of Geriatric Medicine 4<sup>th</sup> ed. New York;Wiley-Blackwell. 2006.

Standards of Medical Care in Diabetes-2014. American Diabetes Association. Diabetes Care Vol 37, Supple 1, Jan 2014.

SS Daskalopoulou, SK Kakkos, ME Daskalopoulos, P Holloway, DP Mikhailidis. Association between ankle-brachial index and risk factor profile in patients newly diagnosed with intermittent claudication. *Circ J*; 2008; 72(3):441-8.

Sumirat RN. Perbedaan Ankle Brachial Index (ABI) Pada Perokok dan Non-Perokok [Thesis]. Bandung: Universitas Kristen Maranatha; 2009.

SY Rhee, H Guan, ZM Liu, ZW Cheng, S Waspadji, P Palmes *et al.* Multi-Country Study On The Prevalence And Clinical Features Of Peripheral Arterial Disease In Asian Type 2 Diabetes Patients At High Risk Of Atherosclerosis. 2007, 76(1): 82-92.

Tapan E. Penyakit Degeneratif. Jakarta: Elex Media Komputindo; 2005.

Thendria T, Toruan IL, Natalia D. Hubungan Hipertensi dan Penyakit Arteri Perifer Berdasarkan Nilai Ankle-Brachial Index. 2014; Volume 2(1).

Wang JC and Martin B. Aging And Atherosclerosis: Mechanism, Functional Consequences And Potential Therapeutics For Cellular Senescence. *Circulation Research*. 2012;111:245-259.

White JC and Gray WA. Endovascular Therapies for Peripheral Arterial Disease An Evidence-Based Review. *Circulation*. 2007;116:2203-2215.

WHO. Obesity and overweight. Fact sheet Number 311. September 2006.