

BAB VII

KESIMPULAN DAN SARAN

7.1 Kesimpulan

Dari penelitian ini dapat disimpulkan hal-hal sebagai berikut:

1. Kadar natrium tidak berhubungan dengan derajat keparahan sepsis neonatorum
2. Kadar kalsium tidak berhubungan dengan derajat keparahan sepsis neonatorum
3. Kadar fosfat tidak berhubungan dengan derajat keparahan sepsis neonatorum
4. Kadar kalium tidak berhubungan dengan derajat keparahan sepsis neonatorum
5. Kadar klorida tidak berhubungan dengan derajat keparahan sepsis neonatorum
6. Kadar pH berhubungan dengan derajat keparahan pada sepsis neonatorum.

7.2 Saran

Saran untuk peneliti selanjutnya adalah sebagai berikut:

1. Penelitian lebih lanjut secara prospektif (kohort) pada hasil analisa gas darah sebagai prognosis sepsis neonatorum.

DAFTAR PUSTAKA

Bellig LL, Ohning BL. Neonatal Sepsis. Diunduh dari URL <http://www.emedicine.com/ped/topic2360.htm>. Diunduh pada tanggal 3 Desember 2015.

Brivet FG, Kleinknecht DJ, Loirat P, Landais PJ: Acute renal failure in intensive care units: Causes, outcome, and prognostic factors of hospital mortality; a prospective, multicenter study. French Study Group on Acute Renal Failure. *Crit Care Med*. 1996; 192 –198

Bucher M, Ittner KP, Hobbhahn J, Taeger K, Kurtz A: Downregulation of angiotensin II type 1 receptors during sepsis. *Hypertension* 38. 2001; 177 –182

Finberg L, Kravath RE, Fleischman AR. Water and electrolyte. Dalam: *Pediatric physiology*. Philadelphi: wb. Saundes, 1982:5-7.

Gerdes JS. Diagnosis and Management of Bacterial Infections in the Neonate. *Pediat Clin N Am* 2004; 51:939-59.

Greenbaum LA. Pathophysiology of Body Fluid and Fluid Therapy. Dalam: Behrman RE, Kliegman RM, Jensen HB, penyuntingg. *Nelson Textbook of Pediatrics*. Edisi ke 17. Philadelphia: WB Saunders Co; 2004: 191-221.

Gutteridge JM, Mitchell J. Redox imbalance in the critically ill. *Br Med Bull*. 2001;55(1): 49–75.

Haque KN. Definition of Blood Stream Infection in the Newborn. *Pediatr Crit Care Med* 2005; 6:S45-9.

Holmes JM, Zhang S, Leske DA, Lanier WL. Metabolic acidosis-induced retinopathy in the neonatal rat. *Invest Ophthalmol Vis Sci*. 1999 Mar;40(3):804-9.

Kumar Y, Qunbi M, Neal TJ, Yoxall CW. Time to Positivity of Neonatal Sepsis Self-Learning Packet 2002. Diunduh dari <http://www.orhs.org/classes/nursing/sepsis02pdf>.

Liu L, Johnson HL, Cousens S, Perin J, Scott S, Lawn JE, Rudan I, Campbell H, Cibulskis R, Li M, Mathers C, Black RE; Child Health Epidemiology Reference Group of WHO and UNICEF. Published: Lancet. 2012 Oct 13;380(9850):1308.

Lin PW, Simmons CF. Fluid and Electrolyte Management. Dalam: Cloherty JP, Eichenwald EC, Stark AR, penyunting. *Manual of Neonatal Care*. Edisi ke 5. Hiladelphia: Lippincot WW, 2004: 101-13

Mitchell HR, Kline W. Core curriculum in nephrology, Renal Function Testing. *Am J Kidney Dis*. 2006; 47: 174–183

Rangel-Frausto MS, Pittet D, Costigan M, Hwang T, Davis CS, Wenzel RP: The natural history of the systemic inflammatory response syndrome (SIRS). A prospective study. 1995; 117 –123.

S. Lekhwani, V. Shanker, G. Gathwala,¹ and N. D. Vaswani. Acid-base disorders in critically ill neonates. *Indian J Crit Care Med*. 2010 Apr-Jun; 14(2): 65–69

Seri, Ramanathan R, Evans JR. Acid-base, Fluid, and Electrolyte Management. Dalam: Ttaeusch H, Ballard RA, Gleason CA,

penyunting. Avery's Diseases of the Newborn. Edisi ke 8. Philadelphia: Elsevier Saunders Co, 2005: 372-9.

Tantalean JA, Leon RJ, Santos AA, Sanchez E. Multiple Organ Dysfunction Syndrome in Children. *Pediatr Crit Care Med* 2003; 4(2):38-44.

Trefz FM, Lorch A, Feist M, Sauter-Louis C, Lorenz I. Construction and validation of a decision tree for treating metabolic acidosis in calves with neonatal diarrhea. *BMC Vet Res.* 2012; 8: 238.

Twombly K, Gattineni J, Bobulescu IA, Dwarakanath V, Baum M. Effect of metabolic acidosis on neonatal proximal tubule acidification. *Am J Physiol Regul Integr Comp Physiol.* 2010 Nov; 299(5): R1360–R1368

Wagner TA, Gravett CA, Healy S, Some V, Patterson JC, Gravett MG, Rubens CE. Emerging biomarkers for the diagnosis of severe neonatal infections applicable to low resource settings. *J Glob Health.* 2011 Dec; 1(2): 210–223.

Weinstein MP, Town ML, Quartey SM. The Clinical Significance of Positive Blood Cultures in 1990s: a prospective comprehensive evaluation of the microbiology, epidemiology and outcome of bacteremia and fungemia in adults. *Clint Infect Dis* 1997; 24:586-622.