

DAFTAR PUSTAKA

- ADA (American Diabetes Association), 2010. Diagnosis and Classification of Diabetes Melitus. 33(1):562-569.
- AHA (American Heart Association), 2015. Diabetes. https://www.heart.org/HEARTORG/Conditions/Diabetes/UnderstandYourRiskforDiabetes/Understand-Your-Risk-for-Diabetes_UCM_002034_Article.jsp. [November 2015]
- Aiska, G.S. & Chandra, A., 2013. Online di: <http://ejournal-s1.undip.ac.id/index.php/jnc>. *Journal of Nutrition College*, 2, pp.134–144.
- Alda, L.M. et al., 2009. Lycopene content of tomatoes and tomato products. *Journal of Agroalimentary Process and Technologies*, 15(4), pp.540
- Alrawaiq, N.S. & Abdullah, A., 2014. A Review of Flavonoid Quercetin : Metabolism , Bioactivity and Antioxidant Properties. *International Journal of PharmTech Research*, 6(3), pp.933–941.
- Asian-Pacific Type 2 Diabetes Policy Group, 2005. Practical Targets and Treatments 2. Diabetes. Available at: http://www.idf.org/webdata/docs/T2D_practical_tt.pdf. [November 2015]
- Ayala, A., Muñoz, M.F. & Argüelles, S., 2014. Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative Medicine and Cellular Longevity*, 2014, pp.1–31.542.
- Aydın, A. et al., 2001. Oxidative stress and nitric oxide related parameters in type II diabetes mellitus: effects of glycemic control. *Clinical Biochemistry*, 34(1), pp.65–70.
- Badan Penelitian dan Pengembangan Dasar. 2013. Riset Kesehatan Dasar. http://www.litbang.depkes.go.id/sites/download/rkd2013/Laporan_Riskesda2013.PDF. [November 2015]
- Bhowmik, D. et al., 2012. Tomato-A Natural Medicine and Its Health Benefits. *Phytojournal*, 1(1), pp.33–43.
- Burton-Freeman, B. & Reimers, K., 2011. Tomato Consumption and Health: Emerging Benefits. *American Journal of Lifestyle Medicine*, 5(2), pp.182–191.
- Boots, A.W., Haenen, G.R.M.M. & Bast, A., 2008. Health effects of quercetin : From antioxidant to nutraceutical. *European Journal of Pharmacology*, 585, pp.325–337.
- Breinholt, V. et al., 2000. Dose-response effects of lycopene on selected drug-

metabolizing and antioxidant enzymes in the rat. , 154, pp.201–210.

Brownlee, M., 2005. The pathobiology of diabetic complications: A unifying mechanism. *Diabetes*, 54(6), pp.1615–1625.

Burrows, T.L. et al., 2015. Plasma carotenoid levels as biomarkers of dietary carotenoid consumption: A systematic review of the validation studies. *Journal of Nutrition & Intermediary Metabolism*, 2(1-2), pp.15–64.

Candra, S. et al., 2007. Kadar MDA dan Rasio GSH/GSSH pada Kehamilan normal, Preeklampsia Berat dan Eklampsia di Malang. *Kedokteran Brawijaya*, XXIII, pp.35-39

Charles N., I. et al., 2014. Effect of Thermal Processing on Lycopene, Beta-Carotene and Vitamin C Content of Tomato [Var.UC82B]. *Journal of Food and Nutrition Sciences*, 2(3), pp.87–92. 20.

Duman BS, Oeztuerk M, Yilmazer S, Hatemi H-Thiols. Malondialdehyde and Total antioxidant status in the Turkish Patients with Type 2 Diabetes Mellitus. *Tohoku J Exp Med*. 2003; 201(3);147-55.

Dumas, Y. et al., 2003. Effects of environmental factors and agricultural techniques on antioxidant content of tomatoes. *journal of science of Food and Agriculture*, 382(May 2002), pp.369–382.

Elbadrawy, E. & Sello, A., 2011. Evaluation of nutritional value and antioxidant activity of tomato peel extracts. *Arabian Journal of Chemistry*, pp.4-6.

Evans, J.L. et al., 2002. Oxidative Stress and Stress-Activated Signaling Pathways: A Unifying Hypothesis of Type 2 Diabetes. *Endocrine Reviews*, 23(5), pp.599–622.

Erwin, 2013. The Expression of Insulin on Pancreas of Repeat Streptozotocin Induced Mice. *Jurnal Kedokteran Hewan*, 7, pp.97–100.

Fazeli Farsani, S. et al., 2015. A Follow-up Study on BMI-SDS and Insulin Resistance in Overweight and Obese Children at Risk for Type 2 Diabetes Mellitus. *Global Pediatric Health*, 2(0), pp.0–5.

Fowler, M.J., 2008. Microvascular and Macrovascular Complications of Diabetes. , 26(2), pp.77–82.

Giera, M., Lingeman, H. & Niessen, W.M.A., 2012. Recent Advancements in the LC- and GC-Based Analysis of Malondialdehyde (MDA): A Brief Overview. , pp.433–440.

Guyton, A.C. & Hall, J.E. 2006. *Buku Ajar Fisiologi Kedokteran*. Terjemahan Irawat et al 2007. Jakarta :EGC Medical Publsiher, p.1023-1027

- Holick, C.N., 2002. Dietary Carotenoids, Serum beta-Carotene, and Retinol and Risk of Lung Cancer in the Alpha-Tocopherol, Beta-Carotene Cohort Study. *American Journal of Epidemiology*, 156(6), pp.536–547.
- Indra, rasyad. 1999. Penelitian eksprtmental dalam buku ajar metodologi seri 1. Fakultas kedokteran univ brow. Malang.
- International Diabetes Federation Guideline Development Group, 2014. Global Guideline for Type 2 Diabetes. *Diabetes Research and Clinical Practice*, 104(1), pp.1–52.
- Kalaivanam, K.N., Dharmalingam, M. & Marcus, S.R., 2006. Lipid peroxidation in type 2 diabetes mellitus. *Int J Dev Ctries*, 26(1), pp.30–32.
- Kaku, K., 2010. Pathophysiology of Type 2 Diabetes and. *JMAJ*, 138(1), pp.41–46.
- Kumar, Vinay., Cotran, Ramzi S., Robbins, Stanley L. 2007. Buku Ajar Patologi Robbins. Alih bahasa, Brahm U. Pendit; editor edisi Bahasa Indonesia, Huriawati Hartanto, Nurwany Darmaniah, Nanda Wulandari. Ed.7. Jakarta : EGC, p. 722-731.
- Lakhanpal, P. & Rai, D.K., 2007. Quercetin : A Versatile Flavonoid. *Internet Journal of Medical Update*, 2(2), pp.22–37.
- Lenzen, S., 2008. The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, pp.216–226.
- Mandal, B., Bandyopadhyay, R. & Chakrabarti, S., 2010. Assessment of Oxidative Stress in Patients of Diabetes Mellitus with and without Complications. *Journal, Indian Academy of Clinical Medicine*, 11(1), pp.20–25.
- Mohajeri, D. & Sefidan, A.M., 2013. Inhibitory Effects of Solanum lycopersicum L . on High Fat Diet-. , 4(December), pp.33–39.
- Murray, R. K., Granner, D. K., & Rodwell, V. W. Biokimia harper (27 ed.). Jakarta: Buku Kedokteran EGC; 2009, pp 135
- kay, R. K., Granner, D. K., & Rodwell, V. W. 2009. Biokimia harper (27 ed.).Jakarta: Buku Kedokteran EGC, p.135.
- Nakhjavani, M. et al., 2010. Type 2 diabetes mellitus duration: an independent predictor of serum malondialdehyde levels. *Singapore medical journal*, 51(7), pp.582–5.
- Nyamthabad, S. & Umesh, M., 2014. Evaluation of Antidiabetic Activity of Tomato (*Solanum Lycopersicum*) Seed. *Indo American Journal of Pharmaceutical Research*, 4(1), pp.811–814.
- Östh, M. et al., 2014. The concentration of β -carotene in human adipocytes, but not

the whole-body adipocyte stores, is reduced in obesity. *PLoS ONE*, 9(1), pp.1–5.

Pasaribu, F., Sitorus*, P. & Bahri, S., 2012. Uji Ekstrak Etanol Kulit Buah Manggis (*Garcinia mangostana* L.) Terhadap Penurunan Kadar Glukosa Darah. *Journal of Pharmaceutics and Pharmacology*, 1(1), pp.1–8.

Perkumpulan Endokrinologi Indonesia. 2011. Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia. Jakarta. p 3-12

Pusat Data dan Sistem Informasi Pertanian (Pusdatin). 2014. Outlook Komoditi Tomat. Pusdatin. pp 9-42

Rani, A.J. & Mythili, S. V, 2014. Study on Total Antioxidant Status in Relation to Oxidative Stress in Type 2 Diabetes Mellitus. *Journal of Clinical and Diagnostic Research*, 8(3), pp.108–110.

Rao, A.. & Rao, L., 2007. Carotenoids and human health. *Pharmacological Research*, 55(3), pp.207–216.

R.K. Toor and G.P Savage, 2004. ramandeep.pdf. *Food Research International*, pp.487–494.

Robertson, R.P. et al., 2004. Oxidative Stress in Type 2 Diabetes. *Diabetes*, 63(9), pp.119–123.

Sasidharan, S.R. et al., 2013. An experimental approach for selecting appropriate rodent diets for research studies on metabolic disorders. *Biomed Res Int*, 2013, p.752870.

Salvayre, N.A. et al., 2008. Advanced lipid peroxidation end products in oxidative damage to proteins. Potential role in diseases and therapeutic prospects for the inhibitors. *British journal of pharmacology*, 153(1), pp.6–20. 0.

Setiawan, B. & Suhartono, E., 2007. Peroksidasi Lipid dan Penyakit Terkait Stres Oksidatif pada Bayi Prematur. *Maj Kedokt Indon*, 57, pp.10–14.

Skovsø, S., 2014. Modeling type 2 diabetes in rats using high fat diet and streptozotocin. *Journal of Diabetes Investigation*, 5(4), pp.349–358.

Slatter, D. a., Bolton, C.H. & Bailey, a. J., 2000. The importance of lipid-derived malondialdehyde in diabetes mellitus. *Diabetologia*, 43(5), pp.550–557.

Srinivasan, K. et al., 2005. Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: A model for type 2 diabetes and pharmacological screening. *Pharmacological Research*, 52(4), pp.313–320.

Susan et al., 2015. *Metabolisme Zat Gizi: Fitokimia* (ed 2). Jakarta : EGC, p318-330.

Soegondo, S dan Purnamasari, 2009. *Buku Ajar Ilmu Penyakit Dalam Jilid II edisi V*.

Jakarta: Interna Publishing, pp.1898.

Swastika, A., Mufrod & Purwanto, 2013. Aktivitas Antioksidan Krim Ekstrak Sari Tomat (*Solanum Lycopersicum L.*). *Traditional Medicine Journal*, 18(September), pp.132–140.

Tiwari, A.K. & Rao, J.M., 2002. Diabetes mellitus and multiple therapeutic approaches of phytochemicals : Present status and future prospects. , 83(1).pp 30-36

Tiwari, B.K. et al., 2013. Markers of Oxidative Stress during Diabetes Mellitus. *Journal of biomarkers*, 2013, p.378790.

Toor, R.K., Savage, G.P. & Lister, C.E., 2006. Article in Press Seasonal variations in the antioxidant composition of greenhouse grown tomatoes. *Journal of Food Composition and Analysis*, 19, pp.1–10.

Tsalissavrina, I., Wahono, D.& Handayani,D. 2006. Pengaruh Pemberian Diet Tinggi Karbohidrat dibandingkan Diet Tinggi Lemak terhadap Kadar Trigliserida dan HDL Darah pada Rattus novergicus galur wistar.Jurnal Kedokteran.Vol. 22 (2): 80-89.

Vinha, A.F. et al., 2014. Effect of peel and seed removal on the nutritional value and antioxidant activity of tomato (*Lycopersicon esculentum L.*) fruits. *LWT - Food Science and Technology*, 55(1), pp.197–202.

Wang, Z., Yang, Y., Xiang, X., Zhu, Y., Men, J., He, M., 2010. Estimation of the normal range of blood glucose in rats. US National Library of Medicine, National Institutes of Health. 39(2):133-7, 142.

WHO. 2012. WHO South-East Asia Region Prevalence Data. http://www.searo.who.int/entity/noncommunicable_diseases/topics/SDE_Diabetes-FS.pdf?ua=1 . [November 2015].

Winarsi, 2007, Antioksidan Alami dan Radikal Bebas, Edisi Pertama, Percetakan Kanisius Yogyakarta, Yogyakarta, hal. 77-122.

Yen, G.C., Duh, P.D., Tsai, H.L., Huang, S.L., 2003. Pro-oxidative properties of flavonoids in human lymphocytes. *Biosci. Biotechnol. Biochem.* 67, 1215–1222.

Zatalia, S.R. & Sanusi, H., 2013. The Role of Antioxidants in the Pathophysiology , Complications , and Management of Diabetes Mellitus. *Acta Med Indones-Indones J Intern Med*, 45, pp.141–147.

Zhang, M. et al., 2008. The Characterization of High-Fat Diet and Multiple Low-Dose Streptozotocin Induced Type 2 Diabetes Rat Model. *Experimental Diabetes Research*, 2008, pp.1–9.