

DAFTAR PUSTAKA

- Alberti, K.G.M.M., Zimmet, P. and Shaw, J., 2006. Metabolic syndrome—a new world-wide definition. A consensus statement from the international diabetes federation. *Diabetic medicine*, 23(5), pp.469-480.
- Ankit P, Brunton NP, O'Donnell C, and Tiwari BK. 2009. Effect of Thermal Processing on Anthocyanin Stability in foods; Mechanisms and Kinetics of Degradation. *Trends in Food Science & Technology* 21 3e11.
- Basu, A., Rhone, M. and Lyons, T.J., 2010. Berries: emerging impact on cardiovascular health. *Nutrition reviews*, 68(3), pp.168-177.
- Bowen-Forbes, C.S., Zhang, Y. and Nair, M.G., 2010. Anthocyanin content, antioxidant, anti-inflammatory and anticancer properties of blackberry and raspberry fruits. *Journal of food composition and analysis*, 23(6), pp.554-560.
- Carter, K.M., Woodley, C.M. and Brown, R.S., 2011. A review of tricaine methanesulfonate for anesthesia of fish. *Reviews in Fish Biology and Fisheries*, 21(1), pp.51-59.
- Carvalho IS, Cavaco T, Carvalho LM, and Duque P. 2009. Effect of Photoperiod on Flavonoid Pathway Activity in Sweet Potato (*Ipomoea batatas* (L.) Lam.) Leaves. 2010. *Elsevier Food Chemistry* 118 p384–390.



Delaney, M., Follet, C., Ryan, N., Hanney, N., Lusk-Yablick, J. & Gerlach, G.

2002. Social interaction and distribution of female zebrafish (*Danio rerio*) in a large aquarium. *The Biological Bulletin* 203, p240-241.

de Vos, A.M., Prokop, M., Roos, C.J., Meijs, M.F., van der Schouw, Y.T., Rutten,

A., et al. 2007. Peri-coronary epicardial adipose tissue is related to cardiovascular risk factors and coronary artery calcification in post-menopausal women. *European heart journal*.

Fox, C.S., Massaro, J.M., Hoffmann, U., Pou, K.M., Maurovich-Horvat, P., Liu,

C.Y., et al. 2007. Abdominal visceral and subcutaneous adipose tissue compartments association with metabolic risk factors in the Framingham Heart Study. *Circulation*, 116(1), pp.39-48.

Gerhard, G.S., Kauffman, E.J., Wang, X., Stewart, R., Moore, J.L., Kasales, C.J.,

et al. 2002. Life spans and senescent phenotypes of zebrafish (*Danio rerio*) *Experimental Gerontology* 37, p1055-1068.

Gichuki ST, Berenyi M, Zhang D, Hermann M, Schmidt J, Glössl J, Burg K. 2003.

Genetic Diversity in Sweetpotato [*Ipomoea batatas* (L.) Lam.] in Relationship to Geographic Sources as Assessed with RAPD Markers. *Genetic Resources and Crop Evolution* 50: 492-437.

Graf, D., Seifert, S., Jaudszus, A., Bub, A. and Watzl, B., 2013. Anthocyanin-rich juice lowers serum cholesterol, leptin, and resistin and improves plasma fatty acid composition in fischer rats. *PloS one*, 8(6), p.e66690.

Guyton AC and Hall JE. Text Book of Medical Physiology. 11th rev. ed.

Philadelphia : Elsevier. 2006.p811-812.

Hasumura, T., Shimada, Y., Kuroyanagi, J., Nishimura, Y., Meguro, S., Takema, Y. and Tanaka, T., 2012. Green Tea Extract Suppresses Adiposity and Affects The Expression of Lipid Metabolism Genes in Diet-induced Obese Zebrafish. *Nutrition & metabolism*, 9(1), p.1.

Hölttä-Vuori, M., Salo, V.T., Nyberg, L., Brackmann, C., Enejder, A., Panula, P., et al. 2010. Zebrafish: gaining popularity in lipid research. *Biochemical Journal*, 429(2), pp.235-242.

International Diabetes Federation. 2006. The IDF Consensus Worldwide Definition of The Metabolic Syndrome. (Online). (https://www.idf.org/webdata/docs/IDF_Meta_def_final.pdf / diakses 12 November 2016)

Imrie, D. and Sadler, K.C., 2010. White adipose tissue development in zebrafish is regulated by both developmental time and fish size. *Developmental Dynamics*, 239(11), pp.3013-3023.

ITIS (Integrated Taxonomic Information System). 2015. Danio Rerio. (Online). (http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TS_N&search_value=163699/ diakses 20 November 2015).

Kaur C, and Kapoor HC. 2001. Antioxidants in fruits and vegetables – The millennium's health. *International Journal of Food Science and Technology*, 36, 703–725.

Lawrance C. 2007. The husbandry of zebrafish(Danio rerio) : A review. *Aquaculture* 269; 1-20.

Le Lay, S., Ferré, P. and Dugail, I., 2004. Adipocyte cholesterol balance in obesity. *Biochemical Society Transactions*, 32(1), pp.103-106.

Lee, B., Lee, M., Lefevre, M. and Kim, H.R., 2014. Anthocyanins inhibit lipogenesis during adipocyte differentiation of 3T3-L1 preadipocytes. *Plant foods for human nutrition*, 69(2), pp.137-141.

Março PH, Poppi RJ, Scarminio IS, and Tauler R. 2010. Investigation of the pH effect and UV radiation on kinetic degradation of anthocyanin mixtures extracted from Hibiscus acetosella. *Food Chemistry* 125(3) : 1020-1027.

Meguro S, HasumuraT, and Hase T. 2015. Body Fat Accumulation in Zebrafish Is Induced by a Diet Rich in Fat and Reduced bySupplementation with Green Tea Extract. *PLoS ONE* 10(3): e0120142.

Menke AL, Spitsbergen JM, Wolterbeek APM, and Woutersen RA. 2011. Normal Anatomy and Histology of the Adult Zebrafish. *Toxicologic Pathology*, 39: 759-775.

Moorman, S.J . 2001. Development of sensory systems in zebrafish (*Danio rerio*). *ILAR Journal* 42(4) p292-298.

National Cholesterol Education Program. 2002. Detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III). NIH Publication No. 02-5215 (p)3184.

National Heart, Lung and Blood Institute. 2005. High Blood Cholesterol : What You Need To Know (Online). NHLBI.



(<http://www.nhlbi.nih.gov/health/resources/heart/heart-cholesterol-hbc-what-html> , diakses pada 21 Desember 2015)

Ntambi JM and Kim YC. 2000. Adipocyte Differentiation and Gene Expression. *J. Nutr.* 130: 3122S-3126S.

Oka T, Nishimura Y, Zang L, Hirano M, Shimada Y, Wang Z, et al. 2010. Diet-induced obesity in zebrafish shares common pathophysiological pathways with mammalian obesity. *BMC Physiology* 10:21.

Pedroso, G.L., Hammes, T.O., Escobar, T.D., Fracasso, L.B., Forgiarini, L.F. and da Silveira, T.R., 2012. Blood collection for biochemical analysis in adult zebrafish. *JoVE (Journal of Visualized Experiments)*, (63), pp.e3865-e3865.

Qin Y, Xia M, Ma J, Hao YT, Liu J, Mou HY, et al. 2009. Anthocyanin supplementation improves serum LDL- and HDL-cholesterol concentrations associated with the inhibition of cholesteryl ester transfer protein in dyslipidemic subjects. *Am J Clin Nutr* 2009;90:485–92.

Rosito, G.A., Massaro, J.M., Hoffmann, U., Ruberg, F.L., Mahabadi, A.A., Vasan, R.S., et al. 2008. Pericardial fat, visceral abdominal fat, cardiovascular disease risk factors, and vascular calcification in a community-based sample the framingham heart study. *Circulation*, 117(5), pp.605-613.

Rubinshtein R, Halon DA, Jaffe R, Shahla J, Lewis BS. 2006. Relation Between Obesity and Severity of Coronary Artery Disease in Patients Undergoing Coronary Angiography. *The American Journal of Cardiology Volume 97, Issue 9, Pages 1277-1280.*

- Ruhl, N., McRobert, S.P. and Currie, W.J.S. 2009. Shoaling preferences and the effects of sex ratio on spawning and aggression in small laboratory populations of zebrafish (*Danio rerio*). *Lab Animal Europe* 9(9), p19-30.
- Satiti W. 2015. *Uji Aktifitas Antioksidan dan Skrining Fitokimia Ekstrak Metanol Empat Variasi Umbi Ubi Jalar (Ipomoea batatas (L.) Lam) Dengan Metode DPPH (2, 2-Diphenyl-1-Picrylhydrazyl)*. Universitas Sebelas Maret.
- Schilling, T.F. 2002. The morphology of larval and adult zebrafish in Nüsslein-Volhard & Dahm. 2002. *Zebrafish - A Practical Approach* ; Oxford University Press, Oxford, UK.
- Sherwood. *Human Physiology*. 7th rev. ed. Belmont: Wadsworth. 2010.
- Solomon EP, Berg LR, Martin DW. *Biology*. 8th rev. ed. Belmont: Peter Adams, 2008. 178p.
- Spence, R. 2007. Oral presentation The natural ecology and behaviour of zebrafish at LASA Alternatives Section Meeting on Environmental Enrichment for Fish: 8 March 2007, Loughborough, UK.
- Spence, R., Fatema, M.K., Reichard, M., Huq, K.A., Wahab, M.A., Ahmed, F. & Smith, C. 2006. The distribution and habitat preferences of the zebrafish in Bangladesh. *Journal of Fish Biology* 69 (5), p1435-1448.
- Spence R., Gerlach, G., Lawrence C. and Smith C. 2008. The behavior and ecology of the zebrafish, *Danio rerio*. *Biological Reviews* 83 (1), p13-34.

Stapleton PA, Goodwill AG, James ME, Brock RW, and Frisbee JC. 2010.

Hypercholesterolemia and Microvascular Dysfunction: Interventional Strategies. *Journal of Inflammation* 2010, 7:54.

Suda I, Oki T, Masuda M, Kobayashi M, Nishiba Y, and Furuta S. 2003.

Physiological Functionality of Purple-Fleshed Sweet Potatoes Containing Anthocyanins and Their Utilization in Foods. *JARQ* 37(3), 167-173.

Sujadmoko 2013. Metode ekstraksi Antosianin ubi jalar (*Ipomea batatas L.*) varietas ungu kultivar gunung Kawi. Tesis pada departemen Kimia, FMIPA ITB.

Takikawa, M., Inoue, S., Horio, F. and Tsuda, T., 2010. Dietary anthocyanin-rich bilberry extract ameliorates hyperglycemia and insulin sensitivity via activation of AMP-activated protein kinase in diabetic mice. *The Journal of nutrition*, 140(3), pp.527-533.

Teow CC, Truong VD, McFeeters RF, Thompson RL, Pecota KV, Yencho GC. 2007. Antioxidant activities, phenolic and β -carotene contents of sweet potato genotypes with varying flesh colours. *Food chemistry* 103(3):829-38.

Tjahyadi, E.I. 2013. Uji Toksisitas Subkronik Antosianin Ubi Jalar (*Ipomoea batatas L.*) Varietas Ungu Kultivar Gunung Kawi Terhadap Histopatologi Ginjal Tikus *Rattus Norvegicus* Strain Wistar yang Dipapar Diet Normal. Tugas Akhir. Tidak diterbitkan, Fakultas Kedokteran Universitas Brawijaya, Malang.

Towler, M.C. and Hardie, D.G., 2007. AMP-activated protein kinase in metabolic control and insulin signaling. *Circulation research*, 100(3), pp.328-341.

Tresserra-Rimbau, A., Medina-Remón, A., Pérez-Jiménez, J., Martínez-González, M. A., Covas, M. I., Corella, D. 2013. Dietary intake and major food sources of polyphenols in a Spanish population at high cardiovascular risk: The PREDIMED study. *Nutrition, Metabolism, and Cardiovascular Diseases*, 23, 953–959.

Tsuda S, Fukui Y, Nakamura N, Katsumoto Y, Yonekura-Sakakibara K, Fukuchi-Mizutani M, et al. 2004. Flower color modification of *Petunia hybrida* commercial varieties by metabolic engineering. *Plant Biotechnology* 21(5):377-86.

United States Departments of Agriculture. 2013. *Ipomoea batatas* (L.) Lam. Sweetpotato. (Online). USDA. (<http://plants.usda.gov/core/profile?symbol=ipba2>, diakses 14 Desember 2015)

Vargesson, N.A. 2007. 'Zebrafish' in Manual of Animal Technology (ed. S. Barnett) Blackwell Publishing Ltd: Oxford, UK.

Wallace, T.C., 2011. Anthocyanins in cardiovascular disease. *Advances in Nutrition: An International Review Journal*, 2(1), pp.1-7. London: Taylor & Francis Group.

WHO. 2014. The Top 10 Causes of Death. (Online). WHO. (<http://www.who.int/mediacentre/factsheets/fs310/en/>, diakeses 10 Desember 2015)



Whitfield, T.T. 2002. Zebrafish as a Model for Hearing and Deafness. *Journal of Neurobiology* 53(2) p157 - 171.

Zhdanova, I. 2005. 'Zebrafish: High throughput approach to sleep research' International Conference on Methods and Techniques in Behavioural Research (Measuring Behaviour 2005), Wageningen, The Netherlands.

Zodrow, J.M. and Tanguay, R.L., 2003. 2, 3, 7, 8-tetrachlorodibenzo-p-dioxin inhibits zebrafish caudal fin regeneration. *Toxicological Sciences*, 76(1), pp.151-161.

Zuraida N, and Supriati Y. 2001. Usahatani Ubi Jalar sebagai Bahan Pangan Alternatif dan Diversifikasi Sumber Karbohidrat. *Buletin AgroBio* 4(1):13-23.