

DAFTAR PUSTAKA

- Adult Treatment Panel III. 2001. Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults. Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). *Journal American Medical Association*. 285(16): 2486–96.
- Airanthi, H. Masashi, M. Kazuo. (2011), Comparative Antioxidant Activity of Edible Japanese Brown Seaweeds *Journal of Food Science*, 76 (1) (2011), pp. C104–C111
- American Diabetes Association. Management of dyslipidemia in adults with diabetes. *Diabetes Care*.2001;24 (Suppl.1):S58–S61.
- American Diabetes Association: Management of dyslipidemia in adults with diabetes (Position Statement). *Diabetes Care*.2002;25 (Suppl. 1):S74–S77.
- An W, Kim S,Kim K,Nam H,BaeH,ParkY, etal.Association between adiponectin levels, leptinlevelsandlipidprofileindialysispatients. *Peritoneal Dialysis*2007;27 (3):19.
- Andayani, T. M. 2013. *Farmakoekonomi Prinsip dan Metodologi*. Jogjakarta: Bursa Ilmu
- Anwar T. 2008. Faktor risiko penyakit jantung koroner.Medan: Fakultas Kedokteran Universitas Sumatera Utara.

Azhari. 2007. Stress Oksidatif: Faktor Penting Penyulit Vascular. *Jurnal Farmacia*. 15(4): 25–32.

Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. 2010.

Riset Kesehatan Dasar (Riskesdas) 2010. Jakarta.

Boucher J, Masri B, Daviaud D, Gesta S, Guigne C, Mazzucotelli A, Castan-Laurell I, Tack I, Knibiehler B, Carpene C et al. 2005 Apelin, a newly identified adipokine up-regulated by insulin and obesity. *Endocrinology* 146 1764–1771. (doi:10.1210/en.2004-1427).

Brown, E.M.; Allsopp, P.J.; Magee, P.J.; Gill, C.I.; Nitecki, S.; Strain, C.R.; McSorley, E.M. Seaweed and human health. *Nutr. Rev.* 2014, 72, 205–216

Bruckert E, Labreuche J, Amarenco P. Meta-analysis of the effect of nicotinic acid alone or in combination on cardiovascular events and atherosclerosis. *Atherosclerosis* 2010;210:353–361.

Chang YC, Jiang JY, Jiang YD, Chiang FT, Hwang JJ, Lien WP, et al. Interaction of ADIPOQ genetic polymorphism with blood pressure and plasma cholesterol level on the risk of coronary artery disease. *Circ J.* 2009;73(10):1934-8.

Chin, Y.X.; Lim, P.E.; Maggs, C.A.; Phang, S.M.; Sharifuddin, Y.; Green, B.D. Anti-diabetic potential of selected Malaysian seaweeds. *J. Appl. Phycol.* 2015, 27, 2137–2148.

- Choi BG, Badimon JJ, Moreno PR, Fuster V. Lipoprotein Metabolism and Vascular Biology in:Davidson MH, Toth PP, Maki KC (editors). *Therapeutic Lipidology*. Humana Press, New Jersey. 2007: pp 1-22.
- Cnop M, Havel PJ, Utzschneider KM, Carr DB, Sinha MK, Boyko EJ, Retzlaff BM, Knopp RH, Brunzell JD, and Kahn SE (2003) Relationship of adiponectin to body fat distribution, insulin sensitivity and plasma lipoproteins: evidence for independent roles of age and sex. *Diabetologia* 46:459–469.
- Colhoun HM, Betteridge PN, Hitman GA,et.al. Primary prevention of cardiovascular disease with atorvastatin in the Collaborative Atorvastatin Diabetes Study (CARDS): multicentre randomized placebo-controlled trial. *Lancet* 2004;264:685-696.
- Demirel, Z., Yildirim, Z.D., Tuney, I., Kesici, K., and Sukatar, A. 2012. Biochemical analysis of some brown seaweeds from the Aegean Sea. *Botanica Serbica*. 36(2): 91–95.
- Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M. 2008. *Pharmacotherapy: pathophysiologic approach*. USA : McGraw-Hill Companies.
- Dong Y, Zhang M, Wang S, Liang B, Zhao Z, Liu C, Wu M, Choi HC, Lyons TJ, and Zou MH (2010) Activation of AMP-activated protein kinase inhibits oxidized LDL-triggered endoplasmic reticulum stress in vivo. *Diabetes* 59: 1386–1396.
- Doria A. Genetics of diabetes complications. *Curr Diab Rep.* 2010;10:467-75.
- Doronina AM, Lipinski B, and Bokarev IN (2007) [Fibrinogens and their role in atherogenesis in diabetes mellitus]. *Klin Med (Mosk)* 85:52–55.

Duarte, M. E. R., Cardoso, M. A., Noseda, M. D. and Cerezo, A. S. (2001).

'Structural studies on fucoidans from the brown seaweed *Sargassum stenophyllum*', *Carbohydr. Res.*, 333, 281-293.

Dupont JL. Basic Lipidology in : Robert JM, Bryant S (eds). Lipid Metabolism and Health. Boca Raton:Informa;2006:pp 31-45.

Eckel RH, Grundy SM, Zimmet P. The metabolic syndrome. *Lancet*. 2005;365: 1415-28

Faisal, La Ode, Rahmad, S.P. & Yusnaini. 2009. Pertumbuhan Rumput Laut (*Kappaphycus alvarezii*) dan Ikan Baronang (*Siganus guttatus*) yang Dibudidayakan Bersama di Keramba Tancap. *Jurnal Mina Laut Indonesia*, 1 (1), pp.104-111.

Fattah, M. 2006. Sindroma metabolik dan penanda baru disfungsi endotel; Asimetrik Dimetil Arginin (ADMA) dan High Sensitivity C-Reactive Protein (hsCRP). *Forum Diagnosticum*, 1: 1-6.

Ferrarezi DA, Cheurfa N, Reis AF, Fumeron F, Velho G. Adiponectin gene and cardiovascular risk in type 2 diabetic patients: a review of evidences. *Arq Bras Endocrinol Metabol*. 2007;51(2):153-9.

Ford ES, Giles WH, Mokdad AH. Increasing prevalence of the metabolic syndrome among U.S. adults. *Diabetes Care*. 2004; 27(10): 2444-2449.

Fumeron F, Reis AF, Velho G. Genetics of macrovascular complications in diabetes. *Curr Diab Rep*. 2006;6(2):162-8.

Gau GT, Wright RS. Pathophysiology, Diagnosis and Management of Dyslipidemia.

Curr Probl Cardiol 2006;31:445-486.

Godard, M.; Décordé, K.; Ventura, E.; Soteras, G.; Baccou, J.-C.; Cristol, J.-P.;

Rouanet, J.-M. Polysaccharides from the green alga *ulva rigida* improve the antioxidant status and prevent fatty streak lesions in the high cholesterol fed hamster, an animal model of nutritionally-induced atherosclerosis. *Food Chem.* 2009, 115, 176–180.

Goldberg AC,et.al. Efficacy and Safety of Ezetimibe Co administered With Simvastatin in Patients With Primary Hypercholesterolemia: A Randomized, Double-Blind, Placebo-Controlled Trial. *Mayo Clin Proc.* 2004;79:620-629.

Goldberg IJ. Why does diabetes increase atherosclerosis? I don't know! *J. Clin Invest.* 2004;114:613-5.4. Goldstein BJ, Scalia R. Adiponectin: a novel adipokine linking adipocytes and vascular function. *J Clin Endocrinol Metab.* 2004;89(6):2563-8.

Goldstein BJ, Scalia R. Adiponectin: a novel adipokine linking adipocytes and vascular function. *J Clin Endocrinol Metab.* 2004;89(6):2563-8.

Grundy SM, Cleeman JL,et.al. Implications of Recent Clinical Trials for the National Cholesterol Education Program Adult Treatment Panel III Guidelines. *Circulation.* 2004;110:227-239.

Guo LL; Pan Y & Jin H.M. (2009). Adiponectin is positively associated with insulin resistance in subjects with type 2 diabetic nephropathy and effects of angiotensin II type 1 receptor blocker losartan, *Nephrol Dial Transplant* 24: 1876–1883

Gupta, S. and Abu-Ghannam, N. 2011. Bioactive potential and possible health effects of edible brown seaweeds. Trends in Food Science and Technology, 22: 315–326

Guyton AC, Hall JE. Metabolisme Lipid. Dalam : Buku ajar fisiologi kedokteran; alih bahasa, Irawati et al; editor bahasa Indonesia, Luqman Yanuar Rachman et al. Edisi 11. 882-894. Jakarta : ECG ; 2007.

Harrison. MHC molecules and β -cell destructive immune and nonimmune mechanism. Diabetes 38: 815, 1989

Hivert MF, Sullivan LM, Shrader P, Fox CS, Nathan DM, D'Agostino RB Sr, et al. Insulin resistance influences the association of adiponectin levels with diabetes incidence in two population-based cohorts: the Cooperative Health Research in the Region of Augsburg (KORA) S4/F4 study and the Framingham Offspring Study. Diabetologia. 2011;54(5):1019-24.

Holland WL, Miller RA, Wang ZV, Sun K, Barth BM, Bui HH, et al. Receptormediated activation of ceramidase activity initiates the pleiotropic actions of adiponectin. Nat Med. 2011;17(1):55-63.

Hopkins T, Ouchi N, Shibata R, Walsh K. Adiponectin actions in the cardiovascular system. Cardiovascular Res. 2007;74:11–18.

IDF 2005. The IDF Concensus Worldwide Definition of the Metabolic Syndrome. Journal American Medical Association. 213(12): 1345–52.

Indriani dan Sumarsih. (2001). Budidaya Pengolahan dan Pemasaran Rumput Laut.

Cetakan pertama. Jakarta: Swadaya. Halaman 1, 8.

Jaswir, I., Noviendi, D., Salleh, H.M., Taher, M., and Miyashita. 2011. Isolation of fucoxanthin and fatty acids analysis of *Padina australis* and cytotoxic effect of fucoxanthin on human lung cancer (H1299) cell lines. African Journal of Biotechnology. 10(81): 18855–18862.

Kelman, D., Posner, E.K., McDermid, K.J., Tabandera, N.K., Wright, P.R., and Wright, A.D. 2012. Antioxidant activity of Hawaiian marine algae. Mar. Drugs. 10: 403–416.

Kim, J. Y., Ahn, S. V., Yoon, J. H., Koh, S. B., Yoon, J., Yoo, B. S., ... & Guallar, E. (2013). Prospective study of serum adiponectin and incident metabolic syndrome. *Diabetes care*, 36(6), 1547-1553.

Kusumawati, R dan Murdinah. 2012. Potensi pemanfaatan rumput laut: biodiversitas di pantai Binuangeun. Prosiding Seminar Nasional Inovasi Teknologi. Balai Besar Litbang Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan, Jakarta

Kyriakou T, Collins LJ, Spencer-Jones NJ, Malcolm C, Wang X, Snieder H, et al. Adiponectin gene ADIPOQ SNP associations with serum adiponectin in two female populations and effects of SNPs on promoter activity. *J Hum Genet*. 2008;53(8):718-27.

Lan-Pidhainy X, Wolever TM. The hypoglycemic effect of fat and protein is not attenuated by insulin resistance. *Am J Clin Nutr.* 2010;91:98–105. doi: 10.3945/ajcn.2009.28125.

Lange, K.W.; Hauser, J.; Nakamura, Y.; Kanaya, S. Dietary seaweeds and obesity. *Food Sci. Hum. Wellness* 2015, 4, 87–96.

Lee, S.-H.; Qian, Z.-J.; Kim, S.-K. A novel angiotensin i converting enzyme inhibitory peptide from tuna frame protein hydrolysate and its antihypertensive effect in spontaneously hypertensive rats. *Food Chem.* 2010, 118, 96–102.

Li S, Shin HJ, Ding EL, van Dam RM. Adiponectin levels and risk of type 2 diabetes: a systematic review and meta-analysis. *JAMA.* 2009;302(2):179-88.

MacArtain, P.; Gill, C.; Brooks, M.; Campbell, R.; Rowland, I.R. Nutritional value of edible seaweeds. *Nutr. Rev.* 2007, 65, 535–543.

Nayak, B. S., Ramsingh, D., Gooding, S., Legall, G., Bissram, S., Mohammed, A., et al., (2010). Plasma adiponectin levels are related to obesity, inflammation, blood lipids and insulin in type 2 diabetic and non-diabetic Trinidadians. *Primary Care Diabetes,* 4, 187-192.

Oben, J.; Enonchong, E.; Kuate, D.; Mbanya, D.; Thomas, T.; Hildreth, D.; Ingolia, T.; Tempesta, M. The effects of proalgazyme novel algae infusion on metabolic syndrome and markers of cardiovascular health. *Lipids Health Dis.* 2007, 6, 20.

O'Sullivan, J. T. and O'Doherty, J. V.(2009). The effect of dietary Laminaria-derived laminarin and fucoidan on nutrient digestibility, nitrogen utilisation, intestinal

microflora and volatile fatty acid concentration in pigs. *J. Sci. Food. Agric.* 90:430-437

Rahman AM. Angina pektoris Stabil. Dalam : Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. *Buku Ajar Ilmu Penyakit Dalam Ed.5*. Jakarta: Interna Publishing, 2009; 1735-40.

Ranti, G.C., Fatimawali, dan Wehantouw, F., 2013, Uji Efektifitas Ekstrak Flavonoid dan Steroid dari Gedi (*Abelmoschus Manihot*) Sebagai Anti Obesitas dan Hipolipidemik pada Tikus Putih Jantan Galur Wistar, *Jurnal Ilmiah Farmasi UNSRAT*.

Riyanto, Erwin Ivan. Widowati, Ita. Sabdono, Agus. Skrining aktivitas antibakteri pada ekstrak *Sargassum polycystum* terhadap bakteri *Vibrio harveyi* dan *Micrococcus luteus* di Pulau Panjang Jepara. *Journal Of Marine Research*. 2013; 115- 121.

Robinson J., Wang S., Smith B., Jacobson T. (2009) Meta-analysis of the relationship between non-high-density lipoprotein cholesterol reduction and coronary heart disease risk. *J Am Coll Cardiol* 53: 316-322.

Saadi-Rosa P, Oliveira CSV, Giuffrida FMA, Reis AF. Visfatin, glucose metabolism and vascular disease: a review of evidence. *Diabetol Metab Syndr*. 2010;2(1):21.

Sartika, Cyntia R. 2006. Penanda Inflamasi, Stress Oksidatif dan Disfungsi Endotel pada Sindroma Metabolik. *Jurnal Kedokteran Indonesia*. 65(8): 18–21.

Sharifuddin, Y.; Chin, Y.X.; Lim, P.E.; Phang, S.M. Potential bioactive compounds from seaweed for diabetes management. *Mar. Drugs* 2015, 13, 5447–5491.

Sharma K. The link between obesity and albuminuria: adiponectin and podocyte dysfunction. *Kidney Int.* 2009;76(2):145-8. (Sharma,2009)

Shibata R, Ouchi N, Takahashi R, Terakura Y, Ohashi K, Ikeda N, Higuchi A, Terasaki H, Kihara S & Murohara T 2012 Omentin as a novel biomarker of metabolic risk factors. *Diabetology & Metabolic Syndrome* 4 37. (doi:10.1186/1758-5996-4-37)

Soegondo S, Purnamasari D. Sindroma metabolik. Dalam : Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku Ajar Ilmu Penyakit Dalam Ed.5. Jakarta: Interna Publishing, 2009; 1865-72.

Staels B. 2005. PPARGamma and Atherosclerosis. *Jurnal Medical.* 21(8): 513– 20.

Stocker R, Keaney JF.2004. Role of Oxidative Modification in Atheroclerosis. *Journal Physiology.* 84(5):1381–1392.Azhari. 2007. Stress Oksidatif:Faktor Penting Penyulit Vascular.Jurnal Farmacia.15(4):25–32.

Sugiono, Simon Bambang Widjanarko, Loekito Adi Soehono. 2014. Extraction Optimization by Response Surface Methodology and Chacarterization of Fucoidan from Brown Seaweed *Sargassum polycystum*. *International Journal of Chem Tech Research* Vol.6, No.1, pp 195-205.

Sunita, A. 2004. Penuntun Diet. PT Gramedia Pustaka Utama. Jakarta

Thomes, P.; Rajendran, M.; Pasanban, B.; Rengasamy, R. Cardioprotective activity of *cladosiphon okamuranus* fucoidan against isoproterenol induced myocardial infarction in rats. *Phytomedicine* 2010, 18, 52–57

Trisnohadi H.B., 2009. Angina Pektoris Tak Stabil. Dalam: Sudoyo A.W., Setiohadi B., Alwi I., Simadibrata M.K., Setiati S., 2009. Ilmu penyakit dalam: Edisi ke 5. Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia. Jakarta, 1729-1732.

Turer A.T., Scherer P.E. (2012). Adiponectin: mechanistic insights and clinical implications. *Diabetologia* 55, 2319–2326.

Tzatsos A and Kandror KV (2006) Nutrients suppress phosphatidylinositol 3-kinase/Akt signaling via raptor-dependent mTOR-mediated insulin receptor substrate 1 phosphorylation. *Mol Cell Biol* 26:63–76.

Venugopal, V. *Marine Products for Healthcare. Functional and Bioactive Nutraceutical Compounds from the Ocean*, 1st ed.; CRC Press: Boca Raton, FL, USA, 2009; Volume 1.

Wang, J.; Zhang, Q.; Zhang, Z.; Li, Z. Antioxidant activity of sulfated polysaccharide fractions extracted from *Laminaria japonica*. *Int. J. Biol. Macromol.* 2008, 42, 127–132.

Wang, Y., Nie, M., Lu, Y., Wang, R., Li, J., Yang, B., Xia, M., Zhang, H. and Li, X., 2015. Fucoidan exerts protective effects against diabetic nephropathy related to

spontaneous diabetes through the NF- κ B signaling pathway in vivo and in vitro. *International journal of molecular medicine*, 35(4), pp.1067-1073.

Wei, L., MacDonald, T. M., & Walker, B. R. 2004, Taking glucocorticoids by prescription is associated with subsequent cardiovascular disease. *Ann Intern Med*, vol.141, no. 10. pp. 764-70.

WHO. World Health Statistics. 2007

Zhao T, Zhao J. Genetic effects of adiponectin on blood lipids and blood pressure. *Clin Endocrinol (Oxf)*. 2011;74(2):214-22.

