

DAFTAR PUSTAKA

- Abraham D, Ponticos M, Nagase H. Connective tissue remodeling: cross-talk between endothelins and matrix metalloproteinases. *Curr Vasc Pharmacol*, 2005, 3: 369–379.
- Aggarwal BB, Sundaram C, Malani N, Ichikawa H. Curcumin: the Indian solid gold. *Adv Exp Med Biol*, 2007, 595: 1–75.
- Alrawaiq, N. S. & Abdullah, A. A Review of Antioxidant Polyphenol Curcumin and its Role in Detoxification. *International Journal of PharmTech Research*, 2014, 6 (1): 280-89.
- Amirudin, R., 2007. Fibrosis Hati. In: A. Sulaiman, N. Akbar, L.A. Lesmana, S. Noer, eds., 2007. *Buku Ajar Ilmu Penyakit Hati*. Jakarta: Penerbit Jayabadi, pp. 329-33.
- Anom. T.I.S dan I.D.N. Wibawa. 2010. *Pendekatan Diagnosis dan Terapi Fibrosis Hati*. Tesis SMF Ilmu Penyakit Dalam. Tidak diterbitkan, Fakultas Kedokteran Universitas Udayana, Denpasar.
- Arpino Valerie, Brock Michael, Gill E Sean. The Role Of TIMPs in regulation of extracellular matrix proteolysis. *J Cell Sci*, 2015, 44-46: 247-254.
- Arthur MJ, Stanley A, Iredale JP, Rafferty JA, Hembry RM, Friedman SL. Secretion of 72 kDa type IV collagenase/gelatinase by cultured human lipocytes. Analysis of gene expression, protein synthesis and proteinase activity. *Biochem J*, 1992, 287:701-707.
- Arthur MJ. Degradation of matrix proteins in liver fibrosis. *Pathol Res Pract*, 1994, 190: 825–833.
- Arthur MJ. Fibrosis and altered matrix degradation. *Digestion*, 1998, 59: 376–380

Arthur MJ. Matrix degradation in liver: a role in injury and repair. *Hepatology*, 1997, 26: 1069–1071.

Arthur MJ. Matrix degradation in the liver. *Semin Liver Dis*, 1990, 10: 47–55.

Bataller R, Brenner DA. Pathogenesis of hepatic fibrosis. In: Yamada T, editor. *Textbook of Gastroenterology*. Singapore: Blackwell Publishing, 2009.

Bataller R, Brenner DA. Liver fibrosis. *J Clin Invest*, 2005, 115: 209–18.

Bataller R, North KE, Brenner DA. Genetic polymorphisms and the progression of liver fibrosis: a critical appraisal, *Hepatology*, 2003, 37: 493–503.

Benyon RC, Hovell CJ, Da Gaça M, Jones EH, Iredale JP, Arthur MJ. Progelatinase A is produced and activated by rat hepatic stellate cells and promotes their proliferation. *Hepatology*. 1999; 30: 977–986.

Benyon RC, Iredale JP, Goddard S, Winwood PJ, Arthur MJP. Expression of tissue inhibitor of metalloproteinases 1 and 2 is increased in fibrotic human liver. *Gastroenterology*, 1996, 110: 821–831.

Berenguer M, et al. Severe recurrent hepatitis C after liver retransplantation for hepatitis C virus related graft cirrhosis. *Liver Transpl*, 2003, 9: 228–235.

Bhattacharyya S, Mandal D, Saha B, Sen GS, Das T, Sa G. Curcumin prevents tumor-induced T cell apoptosis through Stat5a-mediated Bcl-2 induction. *J Biol Chem*, 2007, 282: 15954–15964.

Brew K, Dinakarpanthian D, Nagase H. Tissue inhibitors of metalloproteinases: evolution, structure and function. *Biochim Biophys Acta*, 2000, 1477: 267–83.

Brouet I., Ohshima H. Curcumin, an anti-tumour promoter and anti-inflammatory agent, inhibits induction of nitric oxide synthase in activated macrophages. *Biochem. Biophys. Res. Commun*, 1995, 206: 533–540.

Bruck R, Ashkenazi M, Weiss S, Goldiner I, Shapiro H, Aeed H *et al.* Prevention of liver cirrhosis in rats by curcumin. *Liver Int*, 2007, 27: 373–383.

Butler GS, Butler MJ, Atkinson SJ, Will H, Tamura T, Schade Van Westrum S, Crabbe T, *et al.* The TIMP2 membrane type 1 metalloproteinase “receptor” regulates the concentration and efficient activation of progelatinase A. A kinetic study. *J Biol Chem*, 1998, 273: 871-880.

Cai WM, Zhang BB, Weng HL, Hu ZR, Lv J, Zheng M, Liu RH. The diagnostic value of eight serum indices for liver fibrosis. *Zhonghua Gan Zang Bing Za Zhi*, 2004, 12: 219–222.

Chattopadhyay I, Bandyopadhyay U, Biswas K, Maity P, Banerje RK. Indomethacin inactivates gastric peroxidase to induce reactive-oxygenmediated gastric mucosal injury and curcumin protects it by preventing peroxidase inactivation and scavenging reactive oxygen. *Free Radical Biol Med*, 2006, 40: 1397-408.

Chen XL, Kunsch C. Induction of cytoprotective genes through Nrf2/antioxidant response element pathway: a new therapeutic approach for the treatment of inflammatory diseases. *Curr Pharm Des*, 2004, 10: 879–891.

Cheng Y, Ping J, Xu LM. Effects of curcumin on peroxisome proliferator-activated receptor gamma expression and nuclear translocation/redistribution in culture-activated rat hepatic stellate cells. *Chin Med J (Engl)*, 2007, 120: 794–801.

Chuang S. E., Cheng A. L., Lin J. K., Kuo M. L. Inhibition by curcumin of diethylnitrosamine-induced hepatic hyperplasia, inflammation, cellular gene products and cell-cycle-related proteins in rats. *Food Chem. Toxicol*, 2000, 38: 991–995.

- Davis GL, Albright JE, Cook SF, Rosenberg DM. Projecting future complications of chronic hepatitis C in the United States. *Liver Transpl*, 2003, 9:331–338.
- Duvoix A, Blasius R, Delhalle S, Schnekenburger M, Morceau F, Henry E *et al.* Chemopreventive and therapeutic effects of curcumin. *Cancer Lett*, 2005, 223: 181–190.
- Elsharkawy AM, Oakley F, Mann DA. The role and regulation of hepatic stellate cell apoptosis in reversal of liver fibrosis. *Apoptosis*, 2005, 10: 927–938.
- Enomoto, M. *et al.* Noninvasive assessment of liver fibrosis in patients with chronic hepatitis B. *World Journal of Gastroenterology*, 2014, 34: 12031–12038.
- F. Oakley, M. Meso, J. P. Iredale *et al.*, Inhibition of inhibitor of kb kinases stimulates hepatic stellate cell apoptosis and accelerated recovery from rat liver fibrosis. *Gastroenterology*, 2005, 128 (1): 108–120.
- Fallowfield JA, Mizuno M, Kendall TJ, Constandinou CM, Benyon RC, *et al.* Scar-associated macrophages are a major source of hepatic matrix metalloproteinase-13 and facilitate the resolution of murine hepatic fibrosis. *J Immunol*, 2007, 178: 5288–5295.
- Fassina G, Ferrari N, Brigati C, *et al.* Tissue inhibitors of metalloproteinases: regulation and biological activities. *Clin Exp Metastasis*, 2000, 18: 111–20.
- Frank Grunhage, Frank Iammert. Assessment of hepatic fibrosis in chronic viral hepatitis. In: Mauss, Berg, Rockstroh, Sarrazin, Wedemeyer, editors. *Hepatology: a clinical textbook. Philadelphia: Churcill Livingstone*, 2009, 307–18.
- Friedman SL, Rockey DC, Bissell DM. Hepatic fibrosis 2006: report of the third AASLD single topic conference. *Hepatology*, 2007, 45: 242–9.

Friedman SL. Mechanisms of disease: mechanisms of hepatic fibrosis and therapeutic implications. *Nat Clin Pract Gastroenterol Hepatology*, 2004, 1: 98–105.

Friedman, S. Evolving challenges in hepatic fibrosis. *Nat Re*, 2010.

Friedman, S.L. Liver fibrosis - from bench to bedside. *J. Hepatol*, 2003, 38: S38–S53.

Fu Yumei, Zheng Shizhong, Lin Jianguo, Ryerse Jan, dan Chen Anping. Curcumin Protects the Rat Liver from CCl₄-Caused Injury and Fibrogenesis by Attenuating Oxidative Stress and Suppressing Inflammation. *Mol Pharmacol*, 2008, 73: 399-409.

Galli A., Crabb D., Price D., Ceni E., Salzano R., Surrenti C., Casini A. Peroxisome proliferator-activated receptor gamma transcriptional regulation is involved in platelet-derived growth factor-induced proliferation of human hepatic stellate cells. *Hepatology*, 2000, 31: 101–108

Gangarapu V, Gujjala S, Korivi S *et al*. Combined effect of curcumin and vitamin E against CCl₄ induced liver injury in rats. *Am J Life Sci*, 2013, 1(3): 117-124.

Garciade Leon Mdel C, Montfort I, Tello Montes E, Lopez Vancell R, Olivos Garcia A, *et al*. Hepatocyte production of modulators of extracellular liver matrix in normal and cirrhotic rat liver. *Exp Mol Pathol*, 2006, 80: 97–108.

Goodman, Z. Grading and staging systems for inflammation and fibrosis in chronic liver diseases. *Journal of Hepatology*, 2007, 47 (4): 598-607.

Gupta S, Kesarla R, Omri A. Formulation strategies to improve the bioavailability of poorly absorbed drugs with special emphasis on self-emulsifying systems. *ISRN Pharmaceutics*, 2013.

Hemmann S, Graf J, Roderfeld M, Roeb E. Expression of MMPs and TIMPs in liver fibrosis - a systematic review with special emphasis on anti-fibrotic strategies. *J Hepatol*, 2007, 46: 955–975.

Hestianah, Eka Pramyrtha., Hidayat, Nur., Koesdarto, Setiawan. Pengaruh Lama Pemberian Ekstrak Rimpang Temu Ireng (*Curcuma Aeruginosa* Roxb.) Terhadap Gambaran Histopatologi Hati Mencit (*Mus Musculus*) Jantan. *Veterinaria Medika*. 2010, 3: 1.

Houseknecht K. L., Cole B. M., Steele P. J. Peroxisome proliferator-activated receptor gamma (PPARgamma) and its ligands: a review. *Domest. Anim. Endocrinol*, 2002, 22: 1–23.

Hu YB, Li DG dan Lu HM. Modified synthetic siRNA targeting tissue inhibitor of metalloproteinase-2 inhibits hepatic fibrogenesis in rats. *J Gene Med*, 2007, 9: 217–229.

Iredale JP. Models of liver fibrosis: exploring the dynamic nature of inflammation and repair in a solid organ. *J Clin Invest*, 2007, 117: 539-548.

Iredale JP. Tissue inhibitors of metalloproteinases in liver fibrosis. *Int J Biochem Cell Biol*, 1997, 29: 43-54.

Irving, G. R. B., Karmokar, A., Berry, D. P., Brown, K. & Steward, W. P. Curcumin: The potential for efficacy in gastrointestinal diseases. *Best Practice & Research Clinical Gastroenterology*, 25, 2011, 519-34.

Jayaprakasha GK, Jaganmohan RL, Sakariah KK. Antioxidant activities of curcumin, demethoxycurcumin and bisdemethoxycurcumin. *Food Chemistry*, 2006, 98: 720-24.

Joe B., Lokesh B. R. Role of capsaicin, curcumin and dietary n-3 fatty acids in lowering the generation of reactive oxygen species in rat peritoneal macrophages. *Biochim. Biophys. Acta*, 1994, 1224: 255–263.

Jonathan, Sarwono. 2006. Metode Penelitian Kuantitatif dan Kualitatif. Yogyakarta: Graha Ilmu.

J. Supranoto. 2000. Statistik (Teori dan Aplikasi). Edisi Keenam. Jakarta. Erlangga.

Kamalakkannan, N., Rukkumani, R., Varma, P.S., Viswanathan, P., Rajasekharan, K.N. and Menon, V.P. Comparative Effects of Curcumin and an Analogue of Curcumin in Carbon Tetrachloride-Induced Hepatotoxicity. *Basic and Clinical Pharmacology and Toxicology*, 2005, 97: 15-22.

Kessenbrock K, Plaks V, Werb Z. Matrix metalloproteinases: regulators of the tumor microenvironment. *Cell*, 2010, 141: 52–67.

Kohn EC, Liotta LA. Molecular insights into cancer invasion: strategies for prevention and intervention. *Cancer Res*, 1995, 55: 1856–62.

Lee, K.S., Buck, M., Houghlum, K. and Chojkier, M. Activation of Hepatic Stellate Cells by TGF Alpha and Collagen Type I Is Mediated by Oxidative Stress through c-myc Expression. *Journal of Clinical Investigation*, 1995, 96: 2461-2468.

Leija A, Reyes J, Rodriguez L. Hepatic stellate cells are a major component of liver fibrosis and a target for the treatment of chronic liver disease. *Biotechnologia Aplicada*, 2007, 24: 19-25.

- Liabakk NB, Talbot I, Smith RA, Wilkinson K, Balkwill F. Matrix metalloprotease 2 (MMP-2) and matrix metalloprotease 9 (MMP-9) type IV collagenases in colorectal cancer. *Cancer Res*, 1996, 56: 190–196.
- Li, J.J., Zhang, G.H., Yang, X.M., Li, S.S., Liu, X., Yang, Q.T et al. Reduced E-cadherin expression is associated with lymph node metastases in laryngeal squamous cell carcinoma *Auris Nasus Larynx*, 2012, 39: 186-192.
- Lim Young-Suk dan Kim W. R.. The Global Impact of Hepatic Fibrosis and End Stage Liver Disease. *Clin Liver Dis*, 2008, 12(4): 733-746.
- Liu J. Y., Lin S. J., Lin J. K. Inhibitory effects of curcumin on protein kinase C activity induced by 12-O-tetradecanoyl-phorbol-13-acetate in NIH 3T3 cells. *Carcinogenesis*, 1993, 14: 857–861.
- Manibusan, M.K., Odin, M. and Eastmond, D.A. Postulated Carbon Tetrachloride Mode of Action: A Review. *Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews*, 2007, 25: 185-209.
- Meng F., Wang K., Aoyama T., Grivennikov S. I., Paik Y., Scholten D., et al.. Interleukin-17 signaling in inflammatory, Kupffer cells, and hepatic stellate cells exacerbates liver fibrosis in mice. *Gastroenterology*, 2012, 143: 765–776.
- Milani S, Herbst H, Schuppan D, et al. Differential expression of matrix-metalloproteinase-1 and -2 genes in normal and fibrotic human liver. *Am J Pathol*, 1994, 144: 528-537.
- Miyahara T, Schrum L, Rippe R, Xiong S, Yee HF Jr, Motomura K, et al. Peroxisome proliferator-activated receptors and hepatic stellate cell activation. *J Biol Chem*, 2000, 275: 35715–22.

Miyahara T., Schrum L., Rippe R., Xiong S., Yee H. F., Jr, Motomura K., Anania F. A., Willson T. M., Tsukamoto H. Peroxisome proliferator-activated receptors and hepatic stellate cell activation. *J. Biol. Chem*, 2000, 275: 35715–35722.

Monika, B. Propolis prevents hepatorenal injury induced by chronic exposure to carbontetrachloride. *Hindawi publishing corporation. Evidence-Based Complementary and Alternative Medicine*, 2012, 12.

Mormone E, George J dan Nieto N. Molecular pathogenesis of hepatic fibrosis and current therapeutic approaches. *Chem Biol Interact*, 2011, 193: 225–231.

Murphy G, Gavrilovic J. Proteolysis and cell migration: creating a path? *Curr Opin Cell Biol*, 1999, 11: 614–21.

Nieto N, Friedman SL, Greenwel P, Cederbaum AI. CYP2E1-mediated oxidative stress induces collagen type I expression in rat hepatic stellate cells. *Hepatology*, 1999, 30: 987-996.

Nissinen L, Kahari VM. Matrix metalloproteinases in inflammation. *Biochim Biophys Acta*, 1840, 2014, 2571-80.

Opdenakker G, Van den Steen PE, Van Damme J. Gelatinase B: a tuner and amplifier of immune functions. *Trends Immunol*, 2001, 22: 571–579.

Parks WC, Wilson CL, Lopez-Boado YS. Matrix metalloproteinases as modulators of inflammation and innate immunity. *Nat Rev Immunol*, 2004, 4: 617-29.

Parsons CJ, Bradford BU, Pan CQ, Cheung E, Schauer M, Knorr A, Krebs B, Kraft S, Zahn S, Brocks B, et al. Antifibrotic effects of a tissue inhibitor of

metalloproteinase-1 antibody on established liver fibrosis in rats.

Hepatology, 2004, 40: 1106–1115.

Pendurthi UR, Williams JT, Rao LV. Inhibition of tissue factor gene activation in cultured endothelial cells by curcumin. Suppression of activation of transcription factors Egr-1, AP-1, and NF-kappa B. *Arterioscler Thromb Vasc Biol*, 1997, 17: 3406–3413.

Pierce, R.A., Glaug, M.R., Greco, R.S., Mackenzie, J.W., Boyd, C.D. and Deak, S.B. Increased Procollagen mRNA Levels in Carbon Tetrachloride-Induced Liver Fibrosis in Rats. *The Journal of Biological Chemistry*, 1987, 262: 1652-1658.

Poynard T, *et al.* Natural history of HCV infection. *Baillieres Best Pract. Res. Clin. Gastroenterol*, 2000, 14: 211–228.

Purwanti S, Mutia R, Widhyari SD dan Winarsih W. Kajian Efektifitas Pemberian Kunyit, Bawang Putih dan Mineral Zink Terhadap Performa, Kolesterol Karkas dan Status Kesehatan Broiler. *Prosiding Seminar Teknologi Peternakan dan Veteriner*, 2009, 690-695.

Radbill BD, Gupta R, Ramirez MC, *et al.* Loss of matrix metalloproteinase-2 amplifies murine toxin-induced liver fibrosis by upregulating collagen I expression. *Dig Dis Sci*, 2011, 56: 406–416.

Ramon B, Daud AB. Liver fibrosis. *The Journal of Clinical Investigation*, 2005, 115: 209-18.

Reeves H. L. dan Friedman S. L.. Activation of hepatic stellate cells: a key issue in liver fibrosis. *Frontiers in Bioscience*, 2002, 7; d808–d826.

Rivera Y, Espinoza, Muriel P. Pharmacological actions of curcumin in liver diseases or damage. *Liver International*, 2009. 29 (10): 1457-66.

Rockey DC. The cell and molecular biology of hepatic fibrogenesis. Clinical and therapeutic implication. *Clin Liver Dis*, 2000, 4: 319-355.

Ruby A. J., Kuttan G., Babu K. D., Rajasekharan K. N., Kuttan R. Anti-tumour and antioxidant activity of natural curcuminoids. *Cancer Lett*, 1995, 94: 79–83.

Rundhaug JE. Matrix metalloproteinases, angiogenesis, and cancer: commentary re: AC Lockhart et al., Reduction of wound angiogenesis in patients treated with BMS-275291, a broad spectrum matrix metalloproteinase inhibitor. *Clin. Cancer Res*, 2003, 9: 551–554.

Sato H, Seiki M. Membrane-type matrix metalloproteinases (MT-MMPs) in tumor metastasis. *J Biochem*, 1996, 119: 209-215.

Shi GF, Li Q. Effects of oxymatrine on experimental hepatic fibrosis and its mechanism in vivo. *World J Gastroenterol*, 2005, 11: 268–271.

Schuppan D, Ruehl M, Sofmasundaram R, Hahn EG. Matrix as a modulator of hepatic fibrogenesis. *Semin Liver Dis*, 2001, 21: 351–372.

Shankar S, Srivastava RK. Bax and Bak genes are essential for maximum apoptotic response by curcumin, a polyphenolic compound and cancer chemopreventive agent derived from turmeric, *Curcuma longa*. *Carcinogenesis*, 2007, 28: 1277–1286.

Shapiro SD. Matrix metalloproteinase degradation of extracellular matrix: biological consequences. *Curr Opin Cell Biol*, 1998, 10(5): 602-8.

Sharma RA, Gescher AJ, Steward WP. Curcumin: the story so far. *Eur J Cancer*, 2005, 41: 1955–1968.

Sharma RA. Phase I Clinical Trial of oral curcumin biomarkers of systemic activity and compliance. *Clinical Cancer Res*, 2004, 10: 6847-54.

Shishodia S, Chaturvedi MM, Aggarwal BB. Role of curcumin in cancer therapy.

Curr Probl Cancer, 2007, 31: 243–305.

Singh S., Aggarwal B. B. Activation of transcription factor NF-kappa B is suppressed by curcumin (diferuloylmethane). *J. Biol. Chem*, 1995, 270: 24995–25000.

Sreejayan R. M. N. Curcuminoids as potent inhibitors of lipid peroxidation. *J. Pharm. Pharmacol*, 1994, 46: 1013–1016.

Stemlicht MD, Werb Z. How matrix metalloproteinases regulate cell behavior. *Annu Rev Cell Dev Biol*, 2001, 17: 463-516.

Stetler-Stevenson WG, Aznavoorian S, Liotta LA. Tumor cell interactions with the extracellular matrix during invasion and metastasis. *Annu Rev Cell Biol*, 1993, 9: 541-573.

Strongin AY, Marmer BL, Grant GA, Goldberg GI. Plasma membrane dependent activation of the 72-kDa type IV collagenase is prevented by complex formation with TIMP-2. *J Biol Chem*, 1993, 268: 14033-14039.

Sulaiman, Akbar, Lesmana dan Noer. 2007. *Buku Ajar Ilmu Penyakit Hati*. Jakarta: Jayabadi.

Svegliati-Baroni G, Saccomanno S, van Goor H, Jansen P, Benedetti A, Moshage H. Involvement of reactive oxygen species and nitric oxide radicals in activation and proliferation of rat hepatic stellate cells. *Liver*, 2001, 21: 1-12.

Takashima T., Fujiwara Y., Higuchi K., Arakawa T., Yano Y., Hasuma T., Otani S. PPAR-gamma ligands inhibit growth of human esophageal adenocarcinoma cells through induction of apoptosis, cell cycle arrest and

reduction of ornithine decarboxylase activity. *Int. J. Oncol*, 2001, 19: 465–471.

Thomas JA, Pope C, Wojtacha D, Robson AJ, Gordon-Walker TT, et al. Macrophage therapy for murine liver fibrosis recruits host effector cells improving fibrosis, regeneration and function. *Hepatology*, 2011.

Tiegs G, Hentschel J, Wendel A. A T cell-dependent experimental liver injury in mice inducible by concanavalin A. *J Clin Invest*, 1992, 90: 196-203.

Tontonoz P., Singer S., Forman B. M., Sarraf P., Fletcher J. A., Fletcher C. D., Brun R. P., Mueller E., Altiock S., Oppenheim H., et al. Terminal differentiation of human liposarcoma cells induced by ligands for peroxisome proliferator-activated receptor gamma and the retinoid X receptor. *Proc. Natl. Acad. Sci. U.S.A*, 1997, 94: 237–241

Vaillant Brian, Chiaramonte G. Monica, Cheever W.Allen, Soloway D Paul, Wynn A Thomas. Regulation of Hepatic Fibrosis and Extracellular Matrix Genes by the Th Response : New Insight into the Role of THE Tissue Inhibitors of Matrix Metalloproteinases. *J Immunol*, 2001.

Valle V. Sanchez, Tapia N. C. Chavez, Uribe M., dan Sanchez N. Mendez. Role of oxidative stress and molecular changes in liver fibrosis : a review. *Current Medicinal Chemistry*, 2012, 19 (28): 4850–4860.

Veidal SS, Karsdal MA, Vassiliadis E, Nawrocki A, Larsen MR, et al. MMP mediated degradation of type VI collagen is highly associated with liver fibrosis–identification and validation of a novel biochemical marker assay. *PLoS One*, 2011, 6: e24753.

Verspaget HW, Kuyvenhoven JP, Sier CF, van Hoek B. In: Lendeckel U, Hooper NM Eds. Matrix metalloproteinases in chronic liver disease and liver

transplantation. *Proteases in Biology and Disease 5: Proteases in Gastrointestinal Tissues*. Dordrecht, the Netherlands, *Springer*, 2006, 209-34.

Visse R, Nagase H. Matrix metalloproteinases and tissue inhibitors of metalloproteinases and tissue inhibitors of metalloproteinases: structure, function, and biochemistry. *Circ Res*, 2003, 92:827-39.

Walace K, Burt AD, Wirght M C. Liver fibrosis. *Biochemical Journal*, 2008, 411: 1-8.

Wang Y, Zhang JS, Huang GC, Cheng Q, Zhao ZH. Effects of adrenomedullin gene overexpression on biological behavior of hepatic stellate cells. *World J Gastroenterol*, 2005, 11: 3549–3553.

Weber WM, Hunsaker LA, Abcouwer SF, Deck LM, Vander Jagt DL. Anti-oxidant activities of curcumin and related enones. *Bioorg Med Chem Lett*, 2005, 13: 3811–3820.

Wernke, M.J. and Schell, J.D. Solvents and Malignancy. *Clinics in Occupational and Environmental Medicine*, 2004, 4: 513-527.

Wijayakusuma M. Penyembuhan dengan temulawak. Jakarta: Sarana Pustaka Prima; 2007.

Winaya & Suarsana. 2005. Perubahan Morfologi Hati dan Ginjal Mencit yang diinduksi Karbontetraklorida (CCl₄). *Jurnal Penelitian*.

Winnock M, Garcia Barcina M, Lukomska B, et al. Human liver-associated lymphocytes: an overview. *J Gastroenterol Hepatology*, 1995, 10: S43-S46.

Woessner JF. Matrix metalloproteinases and their inhibitors in connective tissue remodeling. *FASEB J*, 1991, 5: 2145-2154.

Xu J, Fu Y, Chen A. Activation of peroxisome proliferator-activated receptor- γ contributes to the inhibitory effects of curcumin on rat hepatic stellate cell growth. *Am J Physiol Gastrointest Liver Physiol*, 2003, 285: G20–G30.

Yi H.-S. dan Jeong W.-I.. Interaction of hepatic stellate cells with diverse types of immune cells: foe or friend?. *Journal of Gastroenterology and Hepatology*, 2013, 28(1): 99–104.

Zhang Feng, Zhang Zili, Chen Li, Kong Desong, Zhang Xiaoping, et al., Curcumin attenuates angiogenesis in liver fibrosis and inhibits angiogenic properties of hepatic stellate cells. *J Cell Mol Med*, 2014, 18(7): 1392–1406.

Zheng S, Chen A. Curcumin suppresses the expression of extracellular matrix genes in activated hepatic stellate cells by inhibiting gene expression of connective tissue growth factor. *Am J Physiol Gastrointest Liver Physiol*, 2006, 290: G883–G893.

Zheng Shizhong, Chen Anping,. Activation of PPAR γ is required for curcumin to induce apoptosis and to inhibit the expression of extracellular matrix genes in hepatic stellate cells *in vitro*. *Biochemical Journal*, 2004, 384 (1): 149–157.