

Lampiran 1. Tabulasi Jawaban Responden untuk Variabel Produk

No. Resp	X _{1.1}	X _{1.2}	X _{1.3}	X _{1.4}	X ₁
1	5	5	5	5	20
2	5	5	4	5	19
3	5	5	5	5	20
4	3	4	3	5	15
5	4	5	4	5	18
6	5	5	5	5	20
7	4	4	4	5	18
8	5	4	3	5	17
9	4	3	3	4	14
10	5	5	5	5	20
11	4	5	3	5	17
12	5	3	3	4	15
13	4	3	4	5	16
14	3	4	5	5	17
15	5	5	5	5	20
16	4	4	4	5	17
17	3	4	3	5	15
18	4	4	5	5	18
19	5	4	3	5	17
20	4	5	4	5	18
21	5	4	4	5	18
22	4	3	4	5	16
23	4	4	3	5	16
24	4	4	4	5	17
25	5	5	5	4	20
26	4	5	3	5	17
27	3	4	3	4	14
28	5	5	5	5	20
29	4	4	3	5	16
30	3	4	4	5	16
31	5	4	5	5	19
32	3	4	4	5	16
33	3	4	3	5	15
34	3	3	3	4	13
35	3	3	3	5	14
36	5	5	5	5	20
37	4	4	3	5	16
38	4	5	4	5	18
39	3	4	3	4	14
40	3	5	3	4	15
41	5	5	5	4	19
42	5	5	3	5	18
Total	176	177	161	204	718
Rata-rata	4,190476	4,214286	3,833333	4,857143	17,09524

Lampiran 2. Tabulasi Jawaban Responden untuk Variabel Harga

No. Resp	X _{2,1}	X _{2,2}	X _{2,3}	X ₂
1	5	5	5	15
2	3	4	4	11
3	4	4	5	13
4	3	5	4	12
5	4	5	5	14
6	5	5	5	15
7	4	5	5	14
8	3	5	3	11
9	3	4	3	10
10	5	5	5	15
11	4	5	3	12
12	3	4	4	13
13	3	5	4	12
14	4	5	5	14
15	5	5	5	15
16	4	5	4	13
17	4	5	4	13
18	5	5	4	14
19	4	5	4	13
20	5	5	5	15
21	4	5	3	12
22	4	5	4	13
23	4	5	3	12
24	4	4	3	11
25	3	4	5	12
26	5	5	4	14
27	5	5	3	13
28	4	5	5	14
29	4	5	4	13
30	4	4	3	11
31	5	5	5	15
32	4	5	4	13
33	4	5	4	13
34	3	4	3	10
35	5	5	3	13
36	5	5	5	15
37	4	5	3	12
38	5	5	4	14
39	4	4	3	11
40	3	4	3	10
41	5	4	4	13
42	3	5	4	12
Total	171	201	168	540
Rata-rata	4,071429	4,785714	4	12,85714

Lampiran 3. Tabulasi Jawaban Responden untuk Variabel Tempat

No. Resp	X _{3,1}	X _{3,2}	X _{3,3}	X ₃
1	5	4	5	14
2	3	4	3	10
3	5	3	5	13
4	4	3	4	11
5	5	5	5	15
6	5	4	5	14
7	3	4	4	11
8	5	3	5	13
9	4	3	3	10
10	5	5	5	15
11	3	3	4	10
12	5	3	5	13
13	3	3	3	9
14	5	4	5	14
15	5	5	3	13
16	4	4	4	12
17	3	3	3	9
18	5	4	4	13
19	4	3	3	10
20	5	4	5	14
21	4	3	5	12
22	5	5	3	13
23	4	3	3	10
24	4	4	3	11
25	4	5	5	14
26	4	3	4	11
27	5	5	4	9
28	5	5	5	15
29	4	3	3	10
30	4	4	4	12
31	5	5	3	13
32	4	3	3	10
33	5	4	5	14
34	4	3	4	11
35	3	3	3	9
36	5	5	5	15
37	3	3	3	9
38	4	3	5	12
39	5	5	3	13
40	3	3	3	9
41	4	5	4	13
42	5	4	5	14
Total	177	158	167	502
Rata-rata	4,214286	3,761905	3,97619	11,95238

Lampiran 4. Tabulasi Jawaban Responden untuk Variabel Promosi

No. Resp	X _{4,1}	X _{4,2}	X _{4,3}	X ₄
1	5	5	5	15
2	4	3	3	10
3	4	4	4	12
4	3	3	4	10
5	4	5	5	14
6	5	5	5	15
7	5	5	4	14
8	3	3	3	9
9	3	3	3	9
10	5	5	5	15
11	3	3	3	9
12	4	3	4	11
13	3	4	3	10
14	3	5	5	13
15	5	5	5	15
16	4	4	4	12
17	4	3	3	10
18	4	5	3	12
19	4	3	4	11
20	5	4	5	14
21	4	3	3	10
22	4	3	3	10
23	4	4	3	11
24	3	3	3	9
25	5	4	4	13
26	5	3	4	12
27	5	5	3	13
28	5	5	4	14
29	4	3	4	11
30	3	3	3	9
31	5	5	5	15
32	4	3	4	11
33	3	3	3	9
34	3	3	4	10
35	3	3	3	9
36	5	5	5	15
37	4	3	3	10
38	5	3	3	11
39	4	5	3	12
40	3	3	3	9
41	4	3	3	10
42	5	4	4	13
Total	170	159	157	486
Rata-rata	4,047619	3,785714	3,738095	11,57143

Lampiran 5. Tabulasi Jawaban Responden untuk Variabel *People*

No. Resp	$X_{5,1}$	$X_{5,2}$	X_5
1	4	5	9
2	5	3	8
3	3	4	7
4	5	4	9
5	5	3	8
6	5	5	10
7	4	5	9
8	5	3	8
9	4	3	7
10	5	4	9
11	5	4	9
12	4	3	7
13	4	4	8
14	5	5	10
15	5	5	10
16	4	4	8
17	3	3	6
18	5	5	10
19	3	4	7
20	4	5	9
21	5	5	10
22	5	4	9
23	5	5	10
24	5	4	9
25	4	3	7
26	5	5	10
27	4	3	7
28	5	5	10
29	5	4	9
30	5	3	8
31	5	4	9
32	4	3	7
33	4	5	9
34	5	3	8
35	5	3	8
36	5	5	10
37	4	4	8
38	4	4	8
39	4	4	8
40	4	4	8
41	5	4	9
42	4	5	9
Total	188	170	358
Rata-rata	4,47619	4,047619	8,52381

Lampiran 6. Tabulasi Jawaban Responden untuk Variabel *Process*

No. Resp	X _{6.1}	X _{6.2}	X ₆
1	5	5	10
2	3	3	6
3	5	4	9
4	3	3	6
5	5	4	9
6	5	5	10
7	3	4	7
8	5	3	8
9	4	3	7
10	5	5	10
11	3	3	6
12	4	3	7
13	3	3	6
14	5	4	9
15	5	5	10
16	4	4	8
17	3	4	7
18	5	4	9
19	4	4	8
20	4	5	9
21	3	4	7
22	5	4	9
23	3	4	7
24	4	4	8
25	3	3	6
26	3	5	8
27	5	5	10
28	3	3	6
29	5	4	9
30	4	4	8
31	5	5	10
32	3	4	7
33	3	4	7
34	5	3	8
35	5	4	9
36	5	5	10
37	3	4	7
38	3	5	8
39	5	4	9
40	3	3	6
41	4	4	8
42	5	4	9
Total	170	167	337
Rata-rata	4,047619	3,97619	8,02381

Lampiran 7. Tabulasi Jawaban Responden untuk Variabel Produk, Harga, Tempat, Promosi, *People*, *Process* dan Keputusan Pembelian

No. Resp	X ₁	X ₂	X ₃	X ₄	X ₅	X ₆	Y
1	20	15	14	15	9	10	5
2	19	11	10	10	8	6	4
3	20	13	13	12	7	9	5
4	15	12	11	10	9	6	4
5	18	14	15	14	8	9	5
6	20	15	14	15	10	10	5
7	18	14	11	14	9	7	5
8	17	11	13	9	8	8	3
9	14	10	10	9	7	7	3
10	20	15	15	15	9	10	5
11	17	12	10	9	9	6	3
12	15	13	13	11	7	7	4
13	16	12	9	10	8	6	4
14	17	14	14	13	10	9	5
15	20	15	13	15	10	10	5
16	17	13	12	12	8	8	4
17	15	13	9	10	6	7	4
18	18	14	13	12	10	9	4
19	17	13	10	11	7	8	4
20	18	15	14	14	9	9	5
21	18	12	12	10	10	7	3
22	16	13	13	10	9	9	4
23	16	12	10	11	10	7	3
24	17	11	11	9	9	8	3
25	20	12	14	13	7	6	5
26	17	14	11	12	10	8	4
27	14	13	9	13	7	10	3
28	20	14	15	14	10	6	5
29	16	13	10	11	9	9	4
30	16	11	12	9	8	8	3
31	19	15	13	15	9	10	5
32	16	13	10	11	7	7	4
33	15	13	14	9	9	7	4
34	13	10	11	10	8	8	3
35	14	13	9	9	8	9	3
36	20	15	15	15	10	10	5
37	16	12	9	10	8	7	3
38	18	14	12	11	8	8	4
39	14	11	13	12	8	9	3
40	15	10	9	9	8	6	3

Lampiran 7.(Lanjutan)

No. Resp	X ₁	X ₂	X ₃	X ₄	X ₅	X ₆	Y
41	19	13	13	10	9	8	4
42	18	12	14	13	9	9	4
Total	718	540	502	486	358	337	168
Rata-rata	17,095 24	12,85714	11,95238	11,57143	8,52381	8,02381	4



Lampiran 8. Distribusi Frekuensi Variabel Bebas

Frequency Table

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	11	26.2	26.2	26.2
	4	15	35.7	35.7	61.9
	5	16	38.1	38.1	100.0
	Total	42	100.0	100.0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	6	14.3	14.3	14.3
	4	19	45.2	45.2	59.5
	5	17	40.5	40.5	100.0
	Total	42	100.0	100.0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	18	42.9	42.9	42.9
	4	12	28.6	28.6	71.4
	5	12	28.6	28.6	100.0
	Total	42	100.0	100.0	

X1.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	8	19.0	19.0	19.0
	5	34	81.0	81.0	100.0
	Total	42	100.0	100.0	

Lampiran 8. (Lanjutan)

X2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	10	23.8	23.8	23.8
	4	19	45.2	45.2	69.0
	5	13	31.0	31.0	100.0
	Total	42	100.0	100.0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	11	26.2	26.2	26.2
	5	31	73.8	73.8	100.0
	Total	42	100.0	100.0	

X2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	13	31.0	31.0	31.0
	4	16	38.1	38.1	69.0
	5	13	31.0	31.0	100.0
	Total	42	100.0	100.0	

X3.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	8	19.0	19.0	19.0
	4	15	35.7	35.7	54.8
	5	19	45.2	45.2	100.0
	Total	42	100.0	100.0	

Lampiran 8. (Lanjutan)

X3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	19	45.2	45.2	45.2
	4	12	28.6	28.6	73.8
	5	11	26.2	26.2	100.0
	Total	42	100.0	100.0	

X3.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	16	38.1	38.1	38.1
	4	10	23.8	23.8	61.9
	5	16	38.1	38.1	100.0
	Total	42	100.0	100.0	

X4.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	12	28.6	28.6	28.6
	4	16	38.1	38.1	66.7
	5	14	33.3	33.3	100.0
	Total	42	100.0	100.0	

X4.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	22	52.4	52.4	52.4
	4	7	16.7	16.7	69.0
	5	13	31.0	31.0	100.0
	Total	42	100.0	100.0	

Lampiran 8. (Lanjutan)

X4.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	20	47.6	47.6	47.6
	4	13	31.0	31.0	78.6
	5	9	21.4	21.4	100.0
	Total	42	100.0	100.0	

X5.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	7.1	7.1	7.1
	4	16	38.1	38.1	45.2
	5	23	54.8	54.8	100.0
	Total	42	100.0	100.0	

X5.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	12	28.6	28.6	28.6
	4	16	38.1	38.1	66.7
	5	14	33.3	33.3	100.0
	Total	42	100.0	100.0	

Lampiran 8. (Lanjutan)

X6.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	16	38.1	38.1	38.1
	4	8	19.0	19.0	57.1
	5	18	42.9	42.9	100.0
	Total	42	100.0	100.0	

X6.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	11	26.2	26.2	26.2
	4	21	50.0	50.0	76.2
	5	10	23.8	23.8	100.0
	Total	42	100.0	100.0	




Lampiran 9. Hasil Uji Validitas Variabel Produk

Correlations						
		X1.1	X1.2	X1.3	X1.4	X1
X1.1	Pearson Correlation	1	.420**	.494**	.149	.785**
	Sig. (2-tailed)		.006	.001	.345	.000
	N	42	42	42	42	42
X1.2	Pearson Correlation	.420**	1	.437**	.184	.735**
	Sig. (2-tailed)	.006		.004	.245	.000
	N	42	42	42	42	42
X1.3	Pearson Correlation	.494**	.437**	1	.208	.819**
	Sig. (2-tailed)	.001	.004		.186	.000
	N	42	42	42	42	42
X1.4	Pearson Correlation	.149	.184	.208	1	.385*
	Sig. (2-tailed)	.345	.245	.186		.012
	N	42	42	42	42	42
X1	Pearson Correlation	.785**	.735**	.819**	.385*	1
	Sig. (2-tailed)	.000	.000	.000	.012	
	N	42	42	42	42	42

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).



Lampiran 10. Hasil Uji Validitas Variabel Harga

Correlations

		X2.1	X2.2	X2.3	X2
X2.1	Pearson Correlation	1	.425**	.329*	.764**
	Sig. (2-tailed)		.005	.034	.000
	N	42	42	42	42
X2.2	Pearson Correlation	.425**	1	.275	.611**
	Sig. (2-tailed)	.005		.078	.000
	N	42	42	42	42
X2.3	Pearson Correlation	.329*	.275	1	.789**
	Sig. (2-tailed)	.034	.078		.000
	N	42	42	42	42
X2	Pearson Correlation	.764**	.611**	.789**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	42	42	42	42

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Lampiran 11. Hasil Uji Validitas Variabel Tempat

		Correlations			
		X3.1	X3.2	X3.3	X3
X3.1	Pearson Correlation	1	.538**	.540**	.797**
	Sig. (2-tailed)		.000	.000	.000
	N	42	42	42	42
X3.2	Pearson Correlation	.538**	1	.199	.632**
	Sig. (2-tailed)	.000		.207	.000
	N	42	42	42	42
X3.3	Pearson Correlation	.540**	.199	1	.741**
	Sig. (2-tailed)	.000	.207		.000
	N	42	42	42	42
X3	Pearson Correlation	.797**	.632**	.741**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	42	42	42	42

** . Correlation is significant at the 0.01 level (2-tailed).



Lampiran 12. Hasil Uji Validitas Variabel Promosi

Correlations					
		X4.1	X4.2	X4.3	X4
X4.1	Pearson Correlation	1	.564**	.467**	.816**
	Sig. (2-tailed)		.000	.002	.000
	N	42	42	42	42
X4.2	Pearson Correlation	.564**	1	.537**	.857**
	Sig. (2-tailed)	.000		.000	.000
	N	42	42	42	42
X4.3	Pearson Correlation	.467**	.537**	1	.804**
	Sig. (2-tailed)	.002	.000		.000
	N	42	42	42	42
X4	Pearson Correlation	.816**	.857**	.804**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	42	42	42	42

** . Correlation is significant at the 0.01 level (2-tailed).



Lampiran 13. Hasil Uji Validitas Variabel *People* dan *Process*

Correlations				
		X5.1	X5.2	X5
X5.1	Pearson Correlation	1	.206	.697*
	Sig. (2-tailed)		.190	.000
	N	42	42	42
X5.2	Pearson Correlation	.206	1	.845**
	Sig. (2-tailed)	.190		.000
	N	42	42	42
X5	Pearson Correlation	.697**	.845**	1
	Sig. (2-tailed)	.000	.000	
	N	42	42	42

**. Correlation is significant at the 0.01 level (2-tailed).

Correlations				
		X6.1	X6.2	X6
X6.1	Pearson Correlation	1	.377 [*]	.872 ^{**}
	Sig. (2-tailed)		.014	.000
	N	42	42	42
X6.2	Pearson Correlation	.377 [*]	1	.782 ^{**}
	Sig. (2-tailed)	.014		.000
	N	42	42	42
X6	Pearson Correlation	.872 ^{**}	.782 ^{**}	1
	Sig. (2-tailed)	.000	.000	
	N	42	42	42

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

Lampiran 14. Hasil Uji Reliabilitas Variabel Bebas

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
.891	.888	17

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
X1.1	65.9286	55.580	.454	.537	.888
X1.2	65.7857	55.831	.510	.582	.886
X1.3	66.1905	52.451	.696	.812	.879
X1.4	65.2381	59.796	.277	.763	.892
X2.1	65.9762	54.658	.584	.860	.884
X2.2	65.3095	59.146	.338	.771	.891
X2.3	66.0476	52.485	.740	.893	.878
X3.1	65.7857	53.880	.638	.728	.882
X3.2	66.2381	53.747	.590	.696	.883
X3.3	66.0476	54.973	.451	.550	.889
X4.1	66.0476	52.583	.700	.833	.879
X4.2	66.2381	51.796	.708	.698	.879
X4.3	66.2857	53.136	.656	.811	.881
X5.1	65.5238	58.743	.281	.569	.893
X5.2	66.0476	55.998	.422	.464	.890
X6.1	66.0000	55.512	.392	.688	.892
X6.2	66.0714	54.458	.633	.903	.882

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
70.0476	61.656	7.85215	17

Lampiran 15. Hasil Uji Asumsi Klasik

Uji Normalitas

Descriptive Statistics									
	N	Minimum	Maximum	Mean	Std. Deviation	Skewness		Kurtosis	
	Statistic	Statistic	Statistic	Statistic	Statistic	Statistic	Std. Error	Statistic	Std. Error
Unstandardized Residual	42	-.59343	.67467	.0000000	.30799247	.107	.365	-.426	.717
Valid N (listwise)	42								

Uji Autokorelasi

Model Summary ^b					
Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.922 ^a	.850	.825	.333	1.753

a. Predictors: (Constant), X6, X5, X1, X3, X2, X4

b. Dependent Variable: Y

Lampiran 15.(Lanjutan)

Uji multikolinieritas

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	-1.037	.592		-1.751	.089		
X1	.080	.039	.204	2.037	.049	.424	2.356
X2	.265	.061	.491	4.326	.000	.332	3.016
X3	.100	.038	.249	2.679	.011	.494	2.024
X4	.139	.047	.366	2.945	.006	.277	3.614
X5	-.146	.055	-.200	-2.647	.012	.752	1.330
X6	-.163	.052	-.276	-3.134	.003	.550	1.817

a. Dependent Variable: Y

Uji Heteroskedastisitas

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	.604	.338		1.788	.082
X1	-.019	.022	-.211	-.868	.391
X2	-.014	.035	-.107	-.390	.699
X3	-.015	.021	-.161	-.715	.479
X4	.007	.027	.077	.254	.801
X5	.041	.031	.240	1.317	.196
X6	-.013	.030	-.094	-.441	.662

a. Dependent Variable: ABSRESID

Lampiran 16. Hasil Uji Korelasi Parsial Antara Variabel Bebas dengan Variabel Terikat

		Correlations						
		X1	X2	X3	X4	X5	X6	Y
X1	Pearson Correlation	1	.606**	.621**	.656**	.418**	.274	.738**
	Sig. (2-tailed)		.000	.000	.000	.006	.079	.000
	N	42	42	42	42	42	42	42
X2	Pearson Correlation	.606**	1	.517**	.784**	.413**	.577**	.789**
	Sig. (2-tailed)	.000		.000	.000	.007	.000	.000
	N	42	42	42	42	42	42	42
X3	Pearson Correlation	.621**	.517**	1	.619**	.421**	.439**	.651**
	Sig. (2-tailed)	.000	.000		.000	.006	.004	.000
	N	42	42	42	42	42	42	42
X4	Pearson Correlation	.656**	.784**	.619**	1	.358*	.597**	.803**
	Sig. (2-tailed)	.000	.000	.000		.020	.000	.000
	N	42	42	42	42	42	42	42
X5	Pearson Correlation	.418**	.413**	.421**	.358*	1	.257	.254
	Sig. (2-tailed)	.006	.007	.006	.020		.101	.105
	N	42	42	42	42	42	42	42
X6	Pearson Correlation	.274	.577**	.439**	.597**	.257	1	.340*
	Sig. (2-tailed)	.079	.000	.004	.000	.101		.028
	N	42	42	42	42	42	42	42
Y	Pearson Correlation	.738**	.789**	.651**	.803**	.254	.340*	1
	Sig. (2-tailed)	.000	.000	.000	.000	.105	.028	
	N	42	42	42	42	42	42	42

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Lampiran 17. Hasil Analisis Regresi

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.922 ^a	.850	.825	.333	1.753

a. Predictors: (Constant), X6, X5, X1, X3, X2, X4

b. Dependent Variable: Y

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	22.111	6	3.685	33.163	.000 ^a
	Residual	3.889	35	.111		
	Total	26.000	41			

a. Predictors: (Constant), X6, X5, X1, X3, X2, X4

b. Dependent Variable: Y

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-1.037	.592		-1.751	.089		
	X1	.080	.039	.204	2.037	.049	.424	2.356
	X2	.265	.061	.491	4.326	.000	.332	3.016
	X3	.100	.038	.249	2.679	.011	.494	2.024
	X4	.139	.047	.366	2.945	.006	.277	3.614
	X5	-.146	.055	-.200	-2.647	.012	.752	1.330
	X6	-.163	.052	-.276	-3.134	.003	.550	1.817

a. Dependent Variable: Y