

## DAFTAR PUSTAKA

- Asahi, K. 1980. Peanut ans its contrain in Kyushu, Japan KNES, 8 (2):12-14.
- Balasoka. 2012. Rumput Teki. Available at <http://eprints.ung.ac.id/6032/5/2012-1-48201-462407010-bab2-29082012115541.pdf>.
- Batish, D. R., Singh, H. P and Kohli, R. K. 2001. Vegetation Exclusion Under *Casuarina equisetifolia L.*: Does Allelopathy Play a Role. Comm Ecol., 2 (1) : 93-100.
- Bensch CN, Horak MJ, Peterson DE. 2000. Amaranthus competition in sunflower. Proc. North Cent. Weed Science. Soc. 55:81.
- Cahyanti, L. 2013. Potensi Alelopati Daun Tanaman Pinus sebagai Bioherbisida pada Gulma Krokot. Tesis Pasca Sarjana Fakultas Pertanian Universitas Brawijaya Malang. Jawa Timur.
- Chauhan, B. S., and D. E. Johnson. 2009. Germination ecology of spiny (*Amaranthus spinosus*) and slender amaranth (*A. viridis*): Troublesome weeds of direct-seeded rice. Weed Science 57: 379–385.
- Chung, I.M., K.H. Kim, J.K. Ahn, S.B. Lee, S.H. Kim and S.J. Hahn. 2003. Comparison of Allelopathic Potential of Rice Leaves, Straw, and Hull Extractson Barnyardgrass. Agron. J. 95 : 1063-1070.
- Dalimartha, S. 2009. Atlas Tumbuhan Obat Indonesia Jilid 6. Pustaka Bunda. Jakarta. p.60-62.
- Einhellig, F.A. 1985. Mechanism and Modes of Action of Allelochemicals. John Wiley and Sons. New York. pp 3
- Einhellig, FA. 1995. Allelopathy: Current status and future goals. American Chemical Society. Washington D.C. p. 1 – 24.
- Elakovich SD., and Wooten JW. 1995. Allelopathic woody plant, Part I: *Abies alba* through *Lyonia lucida*. Allelopathy J. 2:117-146.
- Fitria, Y. 2011. Pengaruh Alelopati Gulma *Cyperus rotundus*, *Ageratum conyzoides* , dan *Digitaria adscendens* Terhadap Pertumbuhan dan Produksi Tanaman Tomat. Skripsi Fakultas Pertanian Institut Pertanian Bogor, Bogor, Jawa Barat.
- Gill AS, Prasad JVNS. 2000. Allelopathic Interactions in Agroforestry Systems. In: Narwal SS, Hoagland RE, Dilday RH, Reigosa MJ (ed). Allelopathy in Ecological Agriculture and Forestry. Dordrecht: Kluwer Acad. Publ. : 195-207.
- Hanum, S. 2009. Uji allelopati tumbuhan penarik serangga musuh alami hama porang (*Amorphophallus blumei* (Schott) Engl.) dalam skala laboratorium skripsi. Universitas Brawijaya. Malang.
- Hilman, I. 1993. Produksi laju dekomposisi dan pengaruh alelopati seresah *Pinus merkusi* Jungh. et De Vriese dan *Acacia mangium* Wild di gunung Walet Sukabumi. Jawa Barat. Tesis Pasca Sarjana. Program Pasca Sarjana. IPB. Bogor.



- Holm, L. G., D. L. Plucknett, J. V. Pancho, and J. P. Herberger, 1991. The world's worst weeds. Krieger Publishing Company, Malabar, FL.
- Holm, L., J. Doll, E. Holm, J. V. Pancho, and J. P. Herberger. 1997. World weeds. John Wiley and Sons, Inc. New York. p.1-129 .
- Hong NH., Xuan TD, Eiji T, and Khanh TD. 2004. Paddy weed control by higher plants from Southeast Asia. Crop Prot J 23:255-261.
- Inderjit and Keating, K. I. 1999. Allelopathy: Principles, Procedures, Procecesses, and Promises for Biological Control. In: Advances in Agronomy. (Eds.) Sparks D.L. Academic Press. 67 : 141-231.
- Irawaty, EM. 2009. Uji Alelopati Seresah Daun Mohoni Pada Pertumbuhan Vegetatif Tanaman Jagung dan Tanaman Kacang Hijau. Skripsi Fakultas Pertanian Universitas Brawijaya, Malang, Jawa Timur.
- Jung WS, Kim KH, Ahn JK, Hahn SJ and IM Chung. 2004. Allelopathic Potential of Rice (*Oryza sativa* L.) Residues Against *Echinochloa crus-galli*. Crop. Prot. J. 23 : 211-218.
- Khotib, M, 2002, Potensi alelokimia daun jati untuk mengendalikan *Echinochloa crusgalli*, Skripsi, Institut Pertanian Bogor (IPB), Bogor, Jawa Barat.
- Kusumawardhani. 2012. Bayam duri (*Amaranthus spinosus* L.). Available at <http://eprints.ung.ac.id/4423/9/2013-1-54411-611309017-bab4-01082013123544.pdf>.
- Kowthar, EL.R., Rafat. R ., Nadia, K.M, and Salah, A.A. 2010. The Allelopathic Effect Of Manggo Leaves on The Growth and Propagative Capacity of Purple Nutsedge. *J. of American Science* 6(9):151-159.
- Kristanto, B. A., B. Sukamto, Nuraini dan E. Y. Suyanti. 2003. Alelopati alang-alang(*Imperata cylindrical* L. Beauv.) dan teki (*Cyperus rotundus* L.) pada perkecambahan dan pertumbuhan berbagai tanaman gramineae dan legum. *Jurnal Pastura* 7 (2) : 48-54.
- Kristanto, B.A. 2006. Perubahan Karakter Tanaman Jagung (*Zea mays* L.) Akibat Allelopati dan Persaingan Teki (*Cyperus rotundus*). *J.Indon .Trop. Anim. Agric.* 31 (3) : 189-194.
- Krusse, MS and Beate Standberg. 2000. Ecological Effects of Allelopathic Plants— a Review. Miljøbutikken Information and Books Læderstræde 1 DK-1201 Copenhagen, Denmark. 65 pp
- Laela. 2012. Bayam duri. Available at <https://lylaeyla.wordpress.com/2012 /10/24/amaranthus-spinosus-1-2/>.
- Martho, TP. 2009. Senyawa Allelopati Teki (*Cyperus rotundus*) dan Alang-alang (*Imperata cylindrical*) Sebagai Penghambat Pertumbuhan Bayam Duri (*Amaranthus spinosus*). ISSN. 0852-5426. *Jurnal Agritek* 6 (17) : 131-139.
- Mirshekari B. 2001. Weeds and their management. Islamic Azad University of Tabriz. 400 pp



- Moenandir, J. 1988. Persaingan Tanaman Budidaya dengan Gulma. Rajawali Press. Jakarta.
- Molani MK, Knake EL, Stife FW. 1994. Competition of weeds with corn and soybean .Weeds. 12:126-128.
- Nuryana, C. T. 2007. Pengaruh Pemberian Ekstrak Etanol Umbi Teki (*Cyperus rotundus*) Secara Topikal Terhadap Proses Penyembuhan Luka Eksisi Kulit Punggung Mencit Galur BALB/C. Yogyakarta: UGM.
- Patterson, D.T. 1986. Research Methods in Weed Weed Science: Allelopathy.3rd ed.Southern Weed Sci. Soc.p. 111-134.
- Pebriani., R. Linda dan Mukarlina. 2013. Potensi Ekstrak Daun Sambung Rambat sebagai Bioherbisida terhadap Guma Maman Ungu dan Rumput Bahia. Protobiont 2 (2) : 32 – 38.
- Putnam, A. R. and Weston, L. A. 1986. Adverse Impacts of Allelopathy in Agricultural Systems. In The Science of Allelopathy (ed. A. R. Putnam and C. S. Tang). John Willley and Son. New York. 43-65 pp
- Qasem JR., and Foy CL. 2001. Weed Allelopathy, its Ecological Impacts and Future Prospects: a Review. J. Crop. Prod. 4:43-119.
- Rahayu, E.S. 2003. Peranan Penelitian Alelopati dalam Pelaksanaan Low External Input and Sustainable Agriculture (LEISA). Publ. balitro.
- Reigosa M.S, Gonzalesy L, Souto X.C, Pastoriza J.E. 2000. Allelopathy in forest ecosystem. Di dalam: Narwal SS, Hoagland RE, Dilday RH, Reigosa MJ (ed). Allelopathy in Ecological Agriculture and Forestry. Dordrecht: Kluwer Acad Publ. p. 183-193.
- Reigosa M.S, Nuria and Luis G. 2006. Allelopathy: a Physiological Process with Ecological Implications. Springer. Nether. 565.pp
- Rice, E.L. 1984. Allelopathy (2nd). Academic Press. New York.
- Rice E.L. 1995. Biological Control of Weeds and Plant Diseases: Advances in Applied Allelopathy. Norman: Univ of Oklahoma.
- Ronald AE, and Smith EC. 2000. The flora of the Nova Scotia. Halifax Nova Scotia museum. P.746.
- Saleem. K, Perveen. S, Latif. F, Akhtar.KP & Arhsad.HMI, 2013, “Identification of phenolics in mango leaves extact and their allelopathic effect on canary grass and wheat”, Pak. Journal. Bot. 25 (5):1527-1535.
- Salisbury, F.B. and W.C. Ross. 1985. Plant physiology. Wadsworths Publ. Co. California.
- Sastroutomo. 1990. Ekologi Gulma. PT. Gramedia Pustaka Utama. Jakarta. p.26.
- Sastroutomo. 1990. Ekologi Gulma. PT. Gramedia Pustaka Utama. Jakarta. p. 141-166.
- Senjaya, Y.A., dan Wahyu,S. 2007. Potensi Ekstrak Daun Pinus (*Pinus merkusii* Jungh. et de Vriese) Sebagai Bioherbisida Penghambat Perkecambahan *Echinochloa colonum* L. dan *Amaranthus viridis*. J. Parennyal, 4(1):1-5.



- Setyowati, N., Eko S. 2001. Efikasi Alelopati Teki Formulasi Cairan Terhadap Gulma Mimosa invisa dan Melochia corchorifolia. Jurnal Ilmu-Ilmu Pertanian Indonesia 3(1):16-24.
- Singh HP, Batish DR, Kohli RK. 2001. Allelopathy in agroecosystems: an overview. J Crop Prod 4:1-41.
- Sitompul, S.M. dan Guritno, B. 1995. Analisis Pertumbuhan Tanaman. Gadjah Mada Univ. press. Yogyakarta. pp.412.
- Sparks, D.L. 1999. Allelopathy. Adv in Agron. 67:142-205.
- Stewart, C. Neal Jr. 2009. Weedy and Invasive Plant Genomics. Wiley-Blackwell. USA.
- Streibig, J. C., M. Olofsdotter and Inderjit. 2002. Joint action of phenolic acid mixtures and its significance in allelopathy research. Plant Physiol. 114 (3) : 422-428.
- Sukman, Y dan Yakup. 1991. Gulma dan Teknik Pengendaliannya. Rajawali Pers. Jakarta. pp. 157.
- Sutarto, V. 1990. Pengaruh Takaran Ekstrak Teki (*Cyperus rotundus L.*) dan Waktu Pemberiannya Terhadap Pertumbuhan dan Hasil Kacang Tanah (*Arachis hypogaea L.*). J Pros. Konf. HIGI X, Malang 1990. p 135-140.
- Swari, E.I. 2007. Teki dan Manfaatnya . Available at [www.suarakarya.com](http://www.suarakarya.com).
- Walalangi, 1994. Alelopati Tanaman Jahe *Zingiber officinale*. Tesis. IPB. Bogor. p. 27.
- Weston, G, J.N. Barney and A.G. Hay. 1996. Allelopathy. Pearson Education, Inc, San Francisco. 1081-91 pp
- Willis, 2007. Allelopathy: Communities and Ecosystems. Macmillan, London. p.7.
- Yulifrianti,E., Linda R and Lovadi I. 2015. Potensi Alelopati Ekstrak Serasah Daun Mangga (*Mangifera indica (L.)*) Terhadap Pertumbuhan Gulma Rumput Grinting (*Cynodon dactylon (L.)*) Press. *J Protobiont* (2015). 4 (1) : 46-51.
- Zhou, Y.H dan J.Q. Yu. 2006. Allelochemicals and Photosynthesis. Horticultural Departement. Zhejiang University. China : 127-139.

