Lampiran 1. Instalasi XAMPP

- 1. Download file XAMPP dari http://www.apachefriends.org
- 2. Jika sudah mendapatkan file instalasinya, langkah selanjutnya klik dua kali pada file *xampp-win32-1.6.4-installer*.



xampp-win32-1.6.4-installer

3. Pilih bahasa yang akan digunakan, pada versi XAMPP 1.6.4 ini hanya terdapat 3 bahasa pada pilihan bahasa yaitu deutsch, English dan Japanese.

Installer	Language	×
ន	Please select a language.	
	English	~
	OK Cancel	
1 - 5		

4. Maka akan muncul Setup Wizard, kemudian klik next.

XAMPP 1.6.4 win32 (Be	isic Package) 📃 🗖 🔀
	Welcome to the XAMPP 1.6.4 Setup Wizard
	This wizard will guide you through the installation of XAMPP 1.6.4.
	It is recommended that you close all other applications before starting Setup. This will make it possible to update relevant system files without having to reboot your computer.
	Click Next to continue.
	Next > Cancel

5. Untuk lokasi instalasi, penulis menyarankan pilih secara *default*. Kemudian klik next.

🛱 XAMPP 1.6.4 win32 (Basic Package)	
Choose Install Location Choose the folder in which to install XAMPP 1.6.4.	ន
Setup will install XAMPP 1.6.4 in the following folder. To install in a different folder, Browse and select another folder. Click Next to continue.	click
Destination Folder Extension Browse Space required: 215.9MB Space required: 215.9MB	
Space available: 26.3GB	
Nullsoft Install System v2:25	Cancel

6. Selanjutnya akan muncul XAMPP Option, centang semua checkbox yang ada, kemudian klik install.



7. Tunggu sampai proses instalasi selesai, sampai muncul kotak dialog seperti dibawah ini, kemudian klik finish.

🔁 XAMPP 1.6.4 win32 (Ba	isic Package)
	Completing the XAMPP 1.6.4 Setup Wizard XAMPP 1.6.4 has been installed on your computer. Click Finish to close this wizard.
	< Back Einish Cancel

8. Setelah itu akan muncul kotak dialog konfirmasi **control panel**, lihat gambar dibawah ini dan pilih yes pada kotak dialog berikutnya, lihatt gambar berikutnya.

Installation Complete	
Setup was completed successfully.	ន
XAMPP 1.6.4 win32 (Basic Package)	X
Service installation finished! Hint: Use also the XAMPP Con	trol Panel to manage services.
OK	
< Back	Einish Cancel
< Back	Einish Cancel
XAMPP 1.6.4 win32 (Basic Package) Installation complete Satur use completed current/file	
KAMPP 1.6.4 win32 (Basic Package) Installation Complete Setup was completed successfully.	Enish Cancel
KAMPP 1.6.4 win32 (Basic Package) Installation Complete Setup was completed successfully.	Enish Cancel
<back b<="" back="" c="" td=""><td>Enish Cancel</td></back>	Enish Cancel
California (Section 2) (Sec	Enish Cancel
	Emish Cancel
Congratulations The installation was successfully. Congratulations: The installation was successfully. Congratulations: The installation was successfull Start th Yes No	Enish Cancel
<back< td=""><td>Enish Cancel</td></back<>	Enish Cancel

9. Untuk memastikan Apache dan MySql sudah berjalan pada sistem komputer, maka klik start yang ada pada Apache dan MySql.

VIJA,



 Jika Apache dan MySql sudah berjalan pada sistem komputer, maka tampilan Control Panel XAMPP akan tampak seperti gambar berikut



11. Setelah Apache dan MySql sudah diaktifkan, klik tombol exit untuk menutup kotak dialog Control Panel XAMPP.



Lampiran 2. Cara Menguji XAMPP pada Server Lokal

- 1. Buka web browser (Mozilla Firefox, Internet Explore, dll) dalam hal ini penulis menggunakan Mozilla Firefox.
- Dalam jendela browser, ketik localhost pada bagian Address, kemudian tekan Enter.
 Perhatikan gambar berikut:



3. Pada halaman yang tampil, karena tidak ditunjang dengan bahasa Indonesia maka pilih English. Lihat gambar



<u>English / Deutsch / Francais / Nederlands / Polski / Italiano / Norsk / Español / 中文 / Português (Brasil) / 日本語</u>

4. Kemudian tampil halaman seperti berikut

ເຊ	XAMPP for Windows
ExAMPP [Publi 35.4] Maleane Status Status Security Documentation Components phpinfo() Demos CD Collection Biorhythm Instant Art Flash Art Phone Book Excel_Writer ADOdb	Welcome to XAMPP for Windows Version 1.6.4! Congratulations: You have successfully installed XAMPP on this system! Now you can start using Apache and Co. You should first try »Status« on the left navigation to make sure everything works fine. For OpenSSL support please use the test certificate with <u>https://127.0.0.1</u> or <u>https://localhost</u> And most importantly, a big thanks for help and support to Carsten, Nemesis, KriS, Boppy, Pc-Dummy and all other friends of XAMPPI Good luck, Kay Vogelgesang + Kai 'Oswald' Seidler
Tools phpMyAdmin Webalizer PHP Switch Mercury Mail FileZilla FTP ©2002-2006 APACHE FAIENDS	

5. Selanjutnya cek instalasi **PHP** sudah berhasil atau belum, dan juga dapat mengetahui versi **PHP** yang digunakan. Untuk mengecek caranya adalah klik menu **phpinfo**() pada halaman awal **XAMPP**. Jika berhasil maka akan muncul tampilan seperti berikut

PHP Version 5.2.4	php
System	Windows NT MULTIMED-1970B2 5.1 build 2600
Build Date	Aug 30 2007 07:05:48
Configure Command	cscript /nologo configure.js "enable-snapshot-build" "with-gd=shared"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:WINDOWS
Loaded Configuration File	C:txampptapachetbintphp.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	enabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, data, http, ftp, compress.zlib, zip
Registered Stream Socket Transports	tcp, udp
Registered Stream Filters	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags convert.*, consumed, zlib.*

6. Sedangkan untuk melihat database, klik menu **phpMyAdmin** atau pada **address** browser ketik **localhost/phpmyadmin**, maka akan muncul tampilan sebagai berikut



Lampiran 3. Instalasi Joomla!

Copy file Joomla, kemudian letakkan dalam folder htdocs yang ada pada Local Dick
 (C) – xampp.

							-
😂 htdocs							
Eile Edit Yiew Favorites Iools Help							
🚱 - 😥 - 🏂 Back Forward Up	Se) arch	Polders	Move To	Сору То	Delete	У Unde
Address C:\xampp\htdocs							
Folders	×	0	•		~	•	
Desktop Desktop Documents	^	E	contrib			forbidden	
😑 😼 My Computer		GIF	apache_p	ь	PNG	apache_pt)
Config.Msi			ACDSee F	Pro 2.5 GIF Imag		ACDSee Pr	o 2.5 P
Documents and Settings			- 				
🗉 🧰 Intel		GIF	259 x 32	62_ani	6	32 x 32	
MSOCache			ACDSee F	ro 2.5 GIF Imag	· 🗳	Icon File	
Program Files Transtool WINDOW5		P	joomla				
E approximate							
■ in stratighter			Size: 18.2 Folders: tr	MB templates pl	uning modules	media logo	
🚞 cgi-bin			Files: LICE	NSE.txt, READM	E.txt, htacces	.txt, index.php	 5,
FileZillaFTP							_
E htdocs							
i contrib							

2. Pastikan Apache, MySql, Filezilla pada XAMPP sudah dalam keadaan running, untuk melihat klik dua kali pada XAMPP Control Panel Aplication.

-					IN MA	
冠 ХАМРР	Control P	anel Appl	ication			
8	XAMP	P Control F	anel	Ser <u>v</u> ice) <u>SCM</u>	
- Modules Svc Svc Svc Svc	Apache MySql FileZilla Mercury	Running Running Running	Stop Stop Stop Start	Admin Admin Admin Admin	<u>S</u> tatus <u>R</u> efresh <u>E</u> xplore <u>H</u> elp <u>Ex</u> it	
XAMPP Con Windows Current 1 Install 1 Status C	ntrol Pan S.1 Build Directory Directory heck OR	el Versio 2600 Pla : c:\xamp : c:\xamp	n 2.5 (9. tform 2 S p p	May, 2007) ervice Pack :		
<					> .::	

 Langkah selanjutnya buka browser (dalam hal ini penulis menggunakan Mozilla Firefox) Ketik http://localhost/joomla atau localhost/joomla, kemudian tekan Enter.

🥹 Mozilla Firefox Start Page - Mozilla Firefox
Elle Edit Yiew History Bookmarks Iools Help
Mozilla Firefox Start Page +
♦ i localhost/joomla
🙆 Most Visited 🦳 Smart Bookmarks 🔅 Windows Marketplace 🌆 Customize Links 🔅 Free Hotmail 🔅 Windows 🔅 Windows Media 💽 autumn leaf -

 Maka akan tampil halaman awal instalasi joomla, terlihat seperti gambar berikut. Langkah pertama adalah memilih bahasa yang digunakan pada bagian Select Language, penulis memilih English (United States), kemudian klik Next.

localhost/joomla/installati	on/index.php	☆ マ C] 🚼 マ Google	
st Visited 🗀 Smart Bookmarks	🦳 Windows Marketplace 🌌 Customize Links 📄 Free Hotmai 🗌 Windows 🛄 V	indows Media 这 autumn leaf - Bing Im 🎯 Image Search Results 🔀 Website Templates	Free Joomla Template
Steps	Choose Language		Next
: Language	Select Language		
2: Pre-Installation Check 3: License 4: Database 5: FTP Configuration 6: Configuration 7: Finish	Please select the language to use during the Joomla'i installation steps:	ar-AA - Arabic(قلبیة الموحدة الموحة الموحدة الموحة الموحدة الموحةة الموحةة الموحةة الموحةة الموحةة ال	

5. Langkah berikutnya, **Joomla!** secara otomatis akan melakukan pengecekan untuk keperluan proses instalasi, tekan **Next** untuk melanjutkan proses.

⊇ autumn leaf - Bing Im ତł Image Search	h Results 🔀 Webste Templates 🕌 Fire	ee Joomla Template
uuunin eer - sing um 🤍 umage search	n kesults 🚺 website lemplaces 📗 Pri	ee Joomia lemplace
	Check Again 📢	
	Check Again 🔇	
	Check Again 🔇	
		O Previous Next
amni] 14-November-2011 18:00	GMT:	
PHP Version >= 4.3.10	Yes	
- Zlib Compression Support	Yes	
- MySQL Support	Yes	
MB Language is Default	Yes	
MB String Overload Off	Yes	
configuration.php Writable	Yes	
Directive	Recommended	Actual
Safe Mode:	Off	Off
Display Errors:	Off	On
File Uploads:	On Off	Un
Magic Quotes Runtime:	Off	Off
Negister Globals. Output Buffering:	Off	Off
Cassian Auto Charle	Off	Off
	PHP Version >= 4.3.10 - Zib Compression Support - XML Support - MSQL Support MB Language is Default MB String Overload Off configuration.php Writable Directive Safe Mode: Display Errors: File Uploads: Magic Quotes Runtime: Register Globals: - Output Buffering:	PHP Version > = 4.3.10 Yes - Zib Compression Support Yes - Mit Support Yes - Mit Support Yes - Mit Support Yes MB String Overbad Off Yes - Configuration.php Writable Yes - Directive Recommended - Safe Mode: Off - Display Errors: Off - Display Errors: Off - Display Errors: Off - Display Errors: Off - Register Globals: Off - Courty Elifering: Off - Courty Elifering: Off

6. Selanjutnya, tampil halaman lisensi penggunaan Joomla!. Baca kemudian tekan Next.

Joomla! Web Installer	- Mozilla Firefox	a a a
<u>E</u> dit <u>V</u> iew Hi <u>s</u> tory	Bookmarks Tools Help	
Joomla! Web Installer	+	
localhost/joomla/in	stalaton/index.php 🔓 🕫 📽 scoole	<i>P</i>
Most Visited 🦲 Smart Boo	kmarks 📄 Windows Marketplace 📶 Customize Links 📄 Free Hotmal 📄 Windows 📄 Windows Media 🧿 autumn keaf - Bing Im 🖤! Image Search Results 🏋 Website Templates 🚺 Free Joomla Template	
2000 I I I I		
🔏 Joomla!	Installation	1.5.25
Steps	License O Previous	Next 🔾
1 : Language	GNIL General Public License	
2 : Pre-installation		~
Check	Table of Contents	
3 : License	• ONU GENERAL PUBLIC LICENSE • Prasmbie	Ξ
4 : Database	• TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION • How to App) These Terms to You New Programs	
	ONLI GENERAL DUBLICI LICENSE	-
SEFTP Configuration	Version 2. June 1991	
6 : Configuration	Copyright (C) 1989, 1991 Free Software Foundation. Inc.	
7 : Finish	Sy Tempie Place - Suite 300, Boston, HA 0211-1207, USA	
	of this license document, but changing it is not allowed.	
255	Preamble	
JL.	The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software-to make sur the software is free for all tis tures. This General Public License applies for most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it by your program, too.	
	When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this senice if you wis that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.	n).
	To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the softwa or if you modify it.	e,
	For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.	
	We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.	
	Also, for each author's protection and outs, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to	~

7. Halaman selanjutnya untuk mengatur konfigurasi database, gunakan tatanan sebagai berikut: Database Type: Mysql, Host Name: localhost, Username: root, Password biarkan kosong, Database Name: db_cenderamata, kemudian klik Next.

omial web installer	T		
localhost/joomla/installation/in	dex.php		🏫 ⊽ 🖱 🚼 ▼ Google
st Visited 🦲 Smart Bookmarks 🔅	Windows Marketplace 📶 Customize Links 🛄 Free Hotmail 🛄 Windows 🛄 Windows Media	a 🧿 autumn leaf - Bing Im 🥸	Y Image Search Results 🔀 Website Templates 📗 Free Joomla Template
	la stall sti sa		
M Joomia:	Installation		1
Steps	Database Configuration		O Previous Next C
: Language	Connection Settinger		
	Connection Settings:		
: Pre-Installation Check	Setting up Joomla! to run on your server involves four easy steps.	Basic Settings	
: License	The first step is database configuration. Choose your preferred settings:	Database Type	
	Basic Settings	mysql 🖌 🖌	This is probably MySQL
: Database	Colect the two of database from the drop down list. This will expendiu he	Host Name	This is usually localhost or a host name provided by the hosting provider.
: FTP Configuration	MySQL.	Illername	
	Enter the hostname of the database server Joomla! will be installed on. This	root	I his can be the default MySQL username root, a username provided by your hosting provider, or one that you created in setting up your database server.
: Configuration	hosting provider if you are not sure.	Password	Using a password for the MySQL account is mandatory for site security. This is
: Finish	Enter the MySQL username, password and database name you wish to use		the same password used to access your database. This may be predefined by your hosting provider.
	with Joomlal. These must already exist for the database you are going to use.	Database Name	Some hosting providers allow only a specific database name per account. If
	Advanced Settings	db_cenderamata	Settings section below to differentiate more than one Joomla' site.
25%	Select how to handle existing tables from a previous installation.		
57	Enter a table prefix to be used for this Joomla! installation.	Advanced Settings	
L			

Joomlal is free software released under the GNU/GPL v2.0 License.



Your Email : isi dengan alamat email

diingat)

Admin Password

- Admin Username : biarkan tetap terisi dengan nama admin
 - : Masukkan password untuk administrator (mudah
- Confirm Admin Password : Ketik ulang password yang sama dengan Admin Password.

Joomla! Web Installe	er - Mozilla Firefox			
e Edit View History	Bookmarks Tools Help			
localitative	Installation/index.nbp		A = A	
Vost Visited C Smart Pr	instandumyindex.php	Martia 🔽 autumo leaf - Rino Im 🔊 Image Courth Doo	ulte 🕎 Website Templater I 📲 Sree Perula Te	nolate 🖉 🗖
		autumi noar - ung tin 👽: tinagé béarch Kés	are Mensire remplares (🔢 Lise Joomia le	
A Joomia!	Installation			1.5.25
iteps	Main Configuration			C Previous Next 🔾
Language				
Pre-installation ack	Site Name:			
icense	Enter the name of your Joomlal site.	Site Name cenderamata ceramics		
Jatabase	Confirm the Admin E mail and Paseword			
TP Configuration	Committee Remain Printer and Passavore.			
onfiguration	Enter your e-mail address, init will be the e-mail address of the velo site Super Administrator. Enter a new password and then confirm it in the appropriate fields. Along with the summane admin , this will be the password that you will use to login to the Administrator Control Panel at the end of the installation.	Your E-mail diem_ast@ymail.com Admin Password		
nish	IP you are migrating, you can ignore this section. Your current settings will be automatically migrated.	Confirm Admin Password		
200	Load sample data, restore or migrate backed-up content			
25%	Importantl: It is strongly recommended that new Joomlal users install the default sample data. To do this, refer the point of the point	Install Default Comple Data Installing sample (lata is strongly recommended for beginners. This will install sample	e content that is included
4	Before leaving the installation, you can populate the site database with data. There are three ways to do this:	Install Sample Data in the Joomla' inst	allation package,	
	1. Default sample data can be inserted. To do this, select the first option and click the Install Sample Data button.	Load Migration Script The migration scrip	rt needs to be created on the old site by the commandprator tool to	conform. Enter the
	2a. A Joomlal 1.5.x compatible SQL script file can be uploaded from a localhost and executed on the site. This could be for installing localized sample data or restoring a Joomlal 1.5.x backup. The script brough have the correct table prefixes, be in UTF-8 encoding and correctly with the Jacomlal 1.5.x relations cohoroa.	table prefix of the browser info/enroi Joom(2) 1.5 minroi	old site and enter the encoding used in old site [150 setting in lar fing(source). ion SQL scripts need to be Joomla 1.5.2 comoatible and should ha	nguage file or as seen in ve the appropriate table
	2b. Migrate content from previous versions of Joannal. Selecting the Load Migration Script option enables support for the migration of older Joannal 1.0.x version database dumos to a new Joannal 1.5.x vie.	prefit.	num file unload size is 16 00MB.	
	The required conversions are performed on-the-fly and the migration script file can be created on the older site by using the coming rates component. For finite information player the component and the migration provedure player reacting bound of E Migration	Old Table Prefix	men me georgi ale la toronnon	
	For further mornation about the component and the migration procedure, please see the boomer LS migration Guide.	Old Site Encoding	~	
	contain oppose distributions and a second se	Migration Script	Browse	
	nave aiready uploaded option. 3. Clean Installation: If you wish to perform a clean installation, enter the site name, admin e-mail and	This script is a	Joomlal 1.0 migration script.	
Edit View History	Bookmarks Tools Help			
ila! Web Installer	+			
localhost/joomla/	installation/index.php		☆ マ C Google	<u>ا</u>
: Visited 🦲 Smart Bo	ookmarks 🔝 Windows Marketplace 📶 Customize Links 🛄 Free Hotmail 🛄 Windows 🛄 Window	Media 🧿 autumn leaf - Bing Im 😢 Image Search Res	ults 🔀 Website Templates 🏢 Free Joomla Te	mplate
Joomla!	Installation			1.5.25
ps	Main Configuration		ſ	Previous Next
inguage				
e-installation	Site Name:			
k	Enter the name of your Joomlal site.	Site Name cenderamata ceramics		
ense.				
napase	Confirm the Admin E-mail and Password.			
P Configuration	Enter your e-mail address. This will be the e-mail address of the Web site Super Administrator. Enter a new password and then confirm it in the appropriate fields. Along with the username admin , this will	Your E-mail diem_ast@ymail.com		
ich	be the password that you will use to login to the Administrator Control Panel at the end of the installation. If you are migrating, you can ignore this section. Your current settings will be automatically migrated.	Admin Password		
	I rad sample data restore or ministe backed un content	Password		
X	Transitiant!: This strongly recommended that new homeal users install the default sample data. To do this,			
J	select the option <i>and</i> click on the button <i>defore</i> moving to the next stage. Before leaving the installation, you can populate the site database with data. There are three ways to do this:	Install Default Sample Data Installing sample of in the Joomlal inst	lata is strongly recommended for beginners. This will install sampli allation package.	e content that is included
	1. Default sample data can be inserted. To do this, select the first option and click the Install Sample Data button.	Dample data installed successfully.	and a feature of the second	and a family
	2a. A Joomlat 1.5.r compatible SQL script file can be uploaded from a localhost and executed on the site. This could be for installing localized sample data or restoring a Joomlat 1.5.r backup. The script should have the councer table motiver the JUTG® executed and combined that function 1.5.r backup. The script should have	Load Migration Script The migration scrip table profile of the browser info/encol hom/s1 1.5 micro	rr neeos ro be created on the old site by the commignation tool to old site and enter the encoding used in old site (ISO setting in lar fing[source], ion SOL scripts need to be Joomla 1.5.+ commatible and chould ha	r controrm, Enter the nguage file or as seen in we the acompristo rahin
	2b. Migrate content from previous versions of Joomlat. Selecting the Load Migration Script option archite proved for the results of Advances for the Advances of the Advances of Advanc	prefit.	ere flexible dense to be avoined 1.2.4 competitive and SDDUD Da	eppropriete table
	makes support or the improvement or over submit 10.4 Version database dumps to a new soomial 1.5.4 site. The required conversions are performed on-the-fly and the migration script file can be created on the older site by using the ram_migrator component.	Maximum Uproad Size Your server's maxi	mum me upload size is 16.00MB	
	For hurther information about the component and the migration procedure, please see the Joomlal 1.5 Migration Guide.	Old Site Encoding	×	
	rou can uposa uncompressed 5-QL script files, zeppacked script files and gs-packed script files. Packed files may contain only one 5-QL script file. If your file is too big to handle or causing memory and time limit errors, upload the uncompressed file into the <i>i</i> nstallation/sql/migration/ folder. Rename it <i>migrate</i>	Migration Script	Browse	
	have already uploaded" option. 3. Clean Installation: If you wish to perform a clean installation, enter the site name, admin e-mail and	This script is a	Joomlal 1.0 migration script.	
	choose a password. Then proceed to the final step by clicking Next.	Upload and E	xecute	

11. Pada halaman selanjutnya kita diminta untuk menghapus folder instalasi, bisa langsung klik remove installation folder atau bisa secara manual dengan buka Explore – Local

Disk (C) – xampp – htdocs – joomla kemudian hapus folder installation. Maka akan muncul tampilan berikut.



13. Untuk memudahkan penulisan alamat pada jendela browser, penulis mengganti folder joomla dengan nama cenderamata, caranya dengan membuka Explore – Local Disk(C) – xampp – htdocs, klik kanan pada folder joomla, pilih Rename, lalu ganti menjadi cenderamata. Untuk menampilkan Joomla pada browser ketik alamat http://localhost/cenderamata.

INERSITAS BRAWING



1. Tampilan Menu Home



3. Tampilan Menu Product



5. Tampilan Menu How to Buy



7. Tampilan Keranjang Belanja

Mark (Seland 🦳 Great Baskerada 🦳 (Medaus Maded					☆ ⊽ C	🚼 🛪 Google	۶ م
Most visited _ Shart Bookinants _ Windows Market	tplace 📶 Customize Links 🗍 Free Hotmai	Windows Windows	ndows Media 这 autumn leaf	- Bing Im 😢 Image	Search Results 🔀 Websiti	e Templates 🚺 Free Joomla Te	nplate
CERAMIC's						· · · · · · ·	At A n ⁻
Home About cC Product	History How to Buy Custo	mer care					
CERAMICS TYPE	Cart					Search	
Souvenir Aroma Theraphy Burner	Name	SKU P	rice Quanti	ty / Update	Subtotal		
List All Products	Cangkir domba	507	Kp 11 000.00 1	\$	Кр 11 000.	LOGIN FORM	*
Account Maintenance	<u>Cangkir tempat cokelat</u>	S02	Rp 16 500.00 3	\$ 3	Rp 49 500.	00 Hi dimas,	
TOP FIVE PRODUCTS	<u>Bel burung hantu</u>	S05	Rp 3 850.00	\$ 3	Rp 3 850.1	Tempat madu (basi)	
01 <u>Asbak mobil</u>	<u>Asbak mobil</u>	S06	Rp 6 600.00 1	\$ 3	Rp 6 600.		
03 <u>Cangkir hati</u>	<u>Bel Penguin</u>	S03	Rp 3 850.00 2	\$ 3	Rp 7 700.		
04 <u>Tempat madu (basi)</u>	<u>Tempat kartu nama garis</u>	S11	Rp 5 500.00	\$ 3	Rp 5 500.	00	
05 <u>Tempat pensil gigi</u>	<u>Tempat pensil gigi</u>	S01	Rp 11 000.00 1	Update Quantity	/ In Cart Rp 11 000.	CHAT ME	
LATEST PRODUCTS					Subtotal: Rp 95 150.		
Iempat sabun daun Tempat pensil bombong					Total: Rp 95 150.1	Latest Mess 5 days, 18 hou 00 <u>acimin</u> : panduannya ad	rs ago a di top menu sama
				1	'ax Total: Rp 8 650.1	dengan cara belanja 00 • [riĝ] : cara pesantva gr	ana nih ??
					<u>~_</u>		×
		4 O					
				1 29			
	1						
				SNI (
				YENIN			
		W 1			$n \rightarrow n$		
		1.		S = (M)	J YY		
		12 10 19		7110			
			- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	NY A			
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						
				11 - 131 /			
			< mel				
				V A V			
	r i i i i i i i i i i i i i i i i i i i	85 F H					
				157	¥ 1		
				1.1 7			
				<b>JANE N</b>			
				21111			
			ATO A				