

## DAFTAR PUSTAKA

- [1] El-Ameen, N. M. H., dkk., 2015, **Anti-diabetic Properties of Thymoquinone is unassociated with Glycogen Phosphorylase Inhibition**, *Pharmacogn. J.*, vol. 7, no. 6, pp. 406–410.
- [2] Schneider-Stock, R, dkk., 2014, **Thymoquinone: fifty years of success in the battle against cancer models**, *Drug Discov. Today*, vol. 19, no. 1, pp. 18–30.
- [3] Islam, M. T., dkk., 2016, **Thymoquinone is knocking at the door of clinical trial**, *Int. Arch. Med.*
- [4] Odeh, F., dkk., 2012, **Thymoquinone in liposomes: a study of loading efficiency and biological activity towards breast cancer**, *Drug Deliv.*, vol. 19, no. 8, pp. 371–377.
- [5] Wilson, C. O., J. M. Beale, dan J. H. Block, 2011, **Wilson and Gisvold's textbook of organic medicinal and pharmaceutical chemistry**, 12th ed. Baltimore, MD: Lippincott Williams & Wilkins.
- [6] Antonenko, Y. N. dkk., 2008, **Mitochondria-targeted plastoquinone derivatives as tools to interrupt execution of the aging program. 1. Cationic plastoquinone derivatives: Synthesis and in vitro studies**, *Biochem. Mosc.*, vol. 73, no. 12, pp. 1273–1287.
- [7] Severina, I. I. dkk., 2013, **In search of novel highly active mitochondria-targeted antioxidants: Thymoquinone and its cationic derivatives**, *FEBS Lett.*, vol. 587, no. 13, pp. 2018–2024.
- [8] Thomas, G., 2007, **Medicinal chemistry**, 2nd ed., Extensively rev. and updated. Chichester ; Hoboken, NJ: John Wiley.
- [9] Mohammed, N. K. dkk., 2016, **The Effects of Different Extraction Methods on Antioxidant Properties**, Chemical

**Composition, and Thermal Behavior of Black Seed (*Nigella sativa* L.) Oil, Evid. Based Complement. Alternat. Med., vol. 2016, pp. 1–10.**

- [10] ThermoFisher Scientific, 2017, **Safety Data Sheet of Thymoquinone**, <http://www.fishersci.com>, diaskes pada 1 Oktober 2017.
- [11] Abraham,I., R. Joshi, P. Pardasani, dan R. T. Pardasani, 2011, **Recent advances in 1, 4-benzoquinone chemistry**, *J. Braz. Chem. Soc.*, vol. 22, no. 3, pp. 385–421.
- [12] Augustine, R. L., 1996, **Heterogeneous catalysis for the synthetic chemist**, New York: M. Dekker, 1996.
- [13] Utomo, M. P. dan W. L. Endang, 2007, **Tinjauan Umum Tentang Deaktivasi Katalis Pada Reaksi Katalisis Heterogen**, *Prosiding Seminar Nasional Penelitian, Pendidikan, dan Penerapan MIPA*, Yogyakarta, 25 Agustus 2007.
- [14] McMurry, J., 2010, **Organic chemistry**, 7th enhanced ed. Belmont, CA: Cengage Brooks/Cole.
- [15] Rouessac, F. dan A. Rouessac, 2007, **Chemical analysis: modern instrumentation methods and techniques**, 2nd ed. Chichester, England ; Hoboken, NJ: John Wiley.
- [16] Sharma, D. B. K., 2007, **Chromatography**. GOEL Publishing House.
- [17] Pavia, D. L., 2009, **Introduction to spectroscopy**, 4th ed. Belmont, CA: Brooks/Cole, Cengage Learning.
- [18] Tinti, A., V. Tognoli, S. Bonora, dan O. Franciosi, 2015, **Recent applications of vibrational mid-Infrared (IR) spectroscopy for studying soil components: a review**, *J. Cent. Eur. Agric.*, vol. 16, no. 1, pp. 1–22.

- [19] Thammana, M., 2016, **A Review on High Performance Liquid Chromatography (HPLC)**, *Res. Rev. J. Pharm. Anal.*
- [20] Andrés, A., dkk., 2015, **Setup and validation of shake-flask procedures for the determination of partition coefficients ( $\log D$ ) from low drug amounts**, *Eur. J. Pharm. Sci.*, vol. 76, pp. 181–191.
- [21] Hugo, E. G., V. Kotlyar, dan A. Nudelman, 1997, **NMR Chemical Shifts of Common Laboratory Solvents as Trace Impurities**, *Dep. Chem. Bar-Ilan Univ.*, vol. 62, pp. 7512–7515.
- [22] Pathan, S. A., 2011, **Stability-indicating ultra-performance liquid chromatography method for the estimation of thymoquinone and its application in biopharmaceutical studies**, *Biomed. Chromatogr.*, vol. 25, no. 5, pp. 613–620.
- [23] Lipinski, C. A., F. Lombardo, B. W. Dominy, dan P. J. Feeney, 1997, **Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings**, *Adv. Drug Deliv. Rev.*, vol. 23, no. 1–3, pp. 3–25.