

DAFTAR PUSTAKA

- Abowei J.F.N. (2010) Some population parameters of *Distichodus rostratus* (Gunther, 1864) from the fresh water reaches of Lower Nun River, Niger Delta, Nigeria. *Advance journal of Food Science and Technology* **2**: 84-90.
- Adeeb S, N. Fadzly & A.S.R Md Sah. (2014). Population dynamics of bigeye scad, *Selar crumenophthalmus* in Bangaa Faru, Maldives. *J Mar Biol Oceanogr* **3**(3): 1-4.
- Ahmed O.E, E.A. Mohammed & A.A Afra. (2011). Length-weight relationship and condition factors of six fish species in Atbara River and Khashm El-girba reservoir, Sudan. *International Journal of Agriculture Sciences* **3**(1): 65-70.
- Allan J.D & M.M Castillo. (2007). *Stream ecology: Structure and function of running waters*. Second edition. Springer. Netherland.
- Allan P. (2001a). Morphometrics of *Selar crumenophthalmus*, http://www.fishbase.org/physiology/MorphMetSummaryV2.php?picname=Secru_u4.jpg&genusname=Selar&speciesname=crumenophthalmus&id=387. Diakases 17 April 2017.
- Allan P. (2001b). Morphometrics of *Selaroides leptolepis*, http://www.fishbase.org/physiology/MorphMetSummaryV2.php?picname=Selep_u3.jpg&genusname=Selaroides&speciesname=leptolepis&id=388. Diakases 18 April 2017.
- Allen G. R. (1991). *Field guide to the freshwater fishes of New Guinea*. Christensen Research Institute, Madang, Papua New Guinea, Publication No. 9. 286 pp.
- Allen G.R & M.V Erdmann. (2012). *Reef fishes of the East Indies*. Tropical Reef Research Volumes I-III. Universitiy of Hawaii Press Perth, Australia.
- Altschul S.F, T.L Madden, A.A Schaffer, J. Zang, Z. Zang, W. Miller & D.J Lipman. (1997). Gapped BLAST and PSI_BLAST: a new generation af protein database search programs. *Nucleic Acids Research* No.**17**:338-3402.
- Andreu-Soler A, F.J Olivia Paterna, M. Torralva. (2006). A review of length weight relationships of fish from the Segura River Basin (SE Iberian Peninsula) *J. Appl. Ichthyol* **22**: 295-296.
- Angle M.V. (1993). Biodiversity of pelagic ocean. *Conservation Biology* **7**: 760-772.
- Appeltans W. (2011). World Register of Marine Species. Worms. Retrieved 2/11/2011, Accessed from www.marinespecies.org, May, 03, 2016.
- Argente F.A.T, C.I Narido, H.P Palla & M.A Celedonio. (2014). A review on the biology and parasites of the big-eye scad, *Selar crumenophthalmus* (Bloch, 1793). *Journal of Multidisciplinary Scientific Research* **2**(5): 03-08.

- Arimoto T, S.J. Choi & Y.G. Choi. (1999). Trend and Perspective for Fishing Technology Research Towards the Sustainable Development. *Proceeding of 5th International Symposium on the Efficient Application and Preservation of Marine Biological Resources*. Osu National University. p.135-144.
- Ayo-Alalus C.I. (2014). Length weight relationship, condition factor and sex ratio of African Mud Catfish (*Clarias gariepinus*) reared in flow-through systems tanks. *Journal of Fisheries and Aquatic Science* **9**(5): 430-434.
- Bagenal T.B & A.T Tesch. (1978). Conditions and growth patterns in fresh water habitats. Oxford: Blackwell Scientific Publications.
- Bailey C, A. Dwiponggo & F. Maharudin. (1987). *Indonesia Marine Capture Fisheries*. International Center for Living Aquatic Resources Management, Philippines; Directorate General of Fisheries, Ministry of Agriculture, Indonesia; Marine Fisheries Research Institute, Ministry of Agriculture, Indonesia. ICLARM Contribution No. 388. p.3.
- Ball D.V. & K.V Rao. (1984). *Marine fisheries*. Tata McGraw-Hill Publishing Company, New Delhi, p.51-73.
- Badan Pusat Statistik Kota Bitung. (2016). *Statistik Daerah Kota Bitung 2016*. Katalog BPS: 1102001.7172. No. Publikasi: 717206.080. vii+44 hlm.
- Badan Pusat Statistik Provinsi Sulawesi Utara. (2014). *Statistik Daerah Provinsi Sulawesi Utara 2014*. Katalog BPS:1101002.71. No. Publikasi : 71500.1533. 338 hlm.
- Bagenal T.B & A.T Tesch. (1978) *Conditions and growth patterns in fresh water habitats*. Oxford: Blackwell Scientific Publications
- Bagherian A & H. Rahmani (2009). Morphological discrimination between two populations of shemaya, *Chalcalburnus chalcoides* (Actinopterygii, Cyprinidae) using a truss network. *Animal Biodiversity and Conservation* **32**(1): 1-8.
- Baverton, R.J.H & S.J Holt. (1996). *Manual of methods for fish stock assessment part II*. FAO Fisheries Technical Paper. Rome 38-67.
- Barriga-Sosa I.D.L.A, M.D.L. Jimenez-Badillo, A.L. Ibanez & J.L. Arredondo-Figueroa. (2004). Variability of tilapias (*Oreochromis spp.*) introduced in Mexico: morphometric, meristic and genetic characters. *Journal of Applied Ichthyology* **20**:7-14.
- Biusing E.R. (1998). *Dinamika populasi dan aspek biologi reproduksi ikan kembung lelaki/rumahan disekitar perairan Laut Selatan Negara Sabah Kesatuan Negara Malaysia*. Karya Ilmiah. Fakultas Perikanan IPB, Bogor. Tidak dipublikasikan. 743 hlm.
- Bortsford, L.W., J. C Castilla & C. H Peterson. (1997). *The management of fisheries and marine ecosystem*. Science. 5325: 509-515

- Brown J.H & A.C Gibson. 1983: *Biogeography*. St Louis, MO: C.V. Mosby. pp.446.
- Budiman A, A.J. Arief & A.H. Tjakrawidjaya. (2002). Peran museum zoologi dalam penelitian dan konservasi keanekaragaman hayati (ikan). *Jurnal Iktiologi Indonesia* **2**(2): 51-55.
- Burhanuddin A.I, Y. Iwatsuki, T. Yoshino & S. Kimura. (2002). Small and valid species of *Trichiurus brevis* Wang and You, 1992 and *T. russelli* Dutt and Thankam, 1966, defined as the “*T. russelli* complex” (Perciformes: Trichiuridae). *Ichthyological Res.* **49**(3): 211-223.
- Cabral H.N, J.F. Marques, A.L. Rego, A.L. Catarino, J. Figueiredo & J. Garcia. (2003). Genetic and morphological variation of *Synaptura lusitanica* Capello, 1868, along the Portuguese coast. *Journal of Sea Research* **50**:167-175.
- Cadima E.L. (2003). *Fish Stock Assessment Manual*. FAO Fisheries Technical Paper 393. DANIDA. Rome, FAO: 66.
- Chan W, F. Talbot & P. Sukhavaisidh. (1994). The Carangidae. In: W. Fischer and P.J.P. Whitehead (Eds.), F.A.O. species identification sheets for fishery purposes. Eastern Indian Ocean (fishing area 57) and Western Central Pacific (fishing area 71). Vol. 1. FAO, Rome
- Clarke A.T & L.A Privitera. (1995). Reproductive Biology of Two Hawaiian Pelagic Carangid Fishes, the Bigeye Scad, *Selar crumenophthalmus*, and the Round scad, *Decapterus macarellus*. *Bulletin of Marine Science* **56**(1):33-47.
- Claro, Rodolfo & L.R. Parenti/Claro, Rodolfo, K.C Lindeman, & L.R Parenti, eds. (2001). Chapter 2: The Marine Ichthyofauna of Cuba. *Ecology of the Marine Fishes of Cuba* 21-57.
- Carpenter K.E & V.H. Niem. (2001). *The Living Marine Resources of the Western Central Pacific. Volume 4. Bony fishes part 2 (Mugilidae to Carangidae)*. Rome, FAO: pp. 2659-2737.
- Carvalho G.R. (1993). Evolutionary aspects of fish distributions: genetic variability and adaptation. *Journal of Fish Biology* **43**: 53-73.
- Cervigon F, R. Cipriani, W. Fischer, L. Garibaldi, M. Hendrickx, A.J. Lemus, R. Marquez, J.M. Piutiers, G. Robaina & B. Rodriguez. (1992). Sheets FAO species identification for fishery puopose. *Field guide to the commercial marine and brackish species aquas of the northern coast of South America*. FAO, Rome. 513p.
- Charles A.T. (2001). *Sustainable Fishery Systems*. Blackwell Science . London. 370 p.
- Cochrane K.L & S.M Garcia. (2009). *A Fishery Manager's Guidebook*. Rome, Italy, FAO and Willey-Blackwell.

- Cronin-Fine L, J.D Stockwell, Z.T Whitener, E.M Labbe, T.V Willis & K. A Wilson. (2013). Application of Morphometric Analysis to Identify Alewife Stock Structure in the Gulf of Maine. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* **5**: 10-20.
- Dahuri, R., 2002. *Membangun Kembali Perekonomian Indonesia Melalui Sektor Perikanan dan Kelautan*. LISPI. ISBN: 979-96004-0-5
- Dalzell P & G Penaflor. (1989). The fisheries biology of the big eye scad *Selar crumenophthalmus* (Bloch) in the Philippines. *Asian Fisheries Science* **3**: 115–131.
- Debabrata P, A. K. Jaiswar, S.D. Sarkar & S. K. Chakraborty. (2015). Growth, mortality and exploitation of bigeye scad, *Selar crumenophthalmus* off Mumbai, north-west coast of India. *Journal of the Marine Biological Association of the United Kingdom*, pp.1-6.
- Direktorat Jenderal Perikanan. (1985). *Statistik Perikanan Indonesia 1985*. Departemen Pertanian. Jakarta.
- Direktorat Jenderal Perikanan Tangkap. (2013). *Standar Klasifikasi Statistik Jenis Ikan Perikanan Laut*. Kementerian Kelautan dan Perikanan. Jakarta. 188 hlm.
- Direktorat Jenderal Perikanan Tangkap. (2014). *Keragaan Perikanan Tangkap Indonesia*. Kementerian Kelautan dan Perikanan. Jakarta.
- Dinas Kelautan dan Perikanan Kota Bitung. (2015). Presentasi Walikota Bitung Dalam Rapat Paripurna Istimewa DPRD Kota Bitung dalam rangka memperingati Hari Ulang Tahun Ke- 25 Kota Bitung, 10 Oktober 2015.
- Dodds W.K. (2002). Freshwater Ecology Concepts and Environmental Applications. Academy Press. An Elsivier Science in print. San Diego, pp. 569.
- Echem R. T & D.N Minoza. (2017). Biological characterization of bigeye scad *Selar crumenophthalmus* Bloch (Osteichthyes: Carangidae). Nature Science Chapter II. *Advance Research Journal of Multi-Disciplinary Discoveries* **9**(1): 4-8.
- Edwards A.J & C.W Glass. (1987). The fishes of Saint Helena Island, South Atlantic Ocean. The pelagic fishes. *J. Nat. Hist.* **21**:1367-1394.
- Effendie M. I. (2002). *Biologi Perikanan*. Yayasan Pustaka Nusantara Yogyakarta. 163 hlm.
- Esselstyn J.A, C.H Oliveros, R.G Moyle, A.T Peterson, J.A McGuire & R.M Brown. (2010). Integrating phylogenetic and taxonomic evidence illuminates complex biogeographic patterns along Huxley's modification of Wallace's Line. *Journal of Biogeography* **37**: 2054–2066.

- Eschmeyer W.N, R. Fricke, J.D. Fong & D.A. Polack. (2010). Marine fish diversity: history of knowledge and discovery (Pisces). *Zootaxa* **2525**: 19–50.
- Eschmeyer W.N & R. Fricke. (2015). *Catalog of Fishes: genera, species, references*. Updated 1 October 2015. Available at: <http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>.
- Fadzly N, S. Adeeb & A. S. S Md Sah. (2017). Some biological aspects of bigeye scad, *Selar crumenophthalmus* from Bangaa Faru, Maldives. *Tropical Life Sciences Research* **28**(2): 127-141.
- Farmer N. A, R.P. Malinowski, M.F. McGovern & P.J. Rubec. (2016). Stock complexes for fisheries management in the Gulf of Mexico. *Marine and Coastal Fisheries* **8**: 177–201.
- Fatchiyah, E.S Arungmingtyas, S. Widjarti dan S. Rahayu. (2001). *Biologi Molekuler, Prinsip Dasar Analisis*. Penerbit Erlangga. 191 hlm.
- FAO. (1995). *Code of Conduct for Responsible Fisheries*. United Nations. Roma. 41p.
- Fischer W & G. Bianchi. (1984). *FAO Species identification sheets for fishery purposes. Water Indian Ocean Fishing Area 51. Volume I : Bony Fisher Families : Acanthuridae to Clupeidae*. Marine Resources Service Fishery Resources and Environment Division. FAO Fisheries Department Rome, Italy.
- Froese R. (2003) Keep it simple: three indicators to deal with overfishing. *Fish and Fisheries* **5**: 86-91.
- Froese R. (2006). Cube law, condition factor and weight-length relationships: history, metaanalysis and recommendations. *Journal of Applied Ichthyology* **22**(4): 241-253.
- Froese R & D. Pauly. (2011). *Fish Base*: World wide web electronic publication. www.fishbase.org, version 02/2011. Penang, Malaysia, World Fish Center.
- Garcia, S. (1998). *Tropical Prawn Population Dynamics: The Implication for Management*. Chichester. Jhon Wiley & Sons.
- Gaynilo F.C & D. Pauly. (1997). *FAO-ICLARM Stock Assessment Tool. Reference Manual*. FAO Computerized Information Series (Fisheries). No. 8. FAO (Food and Agriculture Organization of the United Nations), Rome. 262p.
- Gaynilo F.C, P. Sparre & D. Pauly. (2000). *FiSAT II Users Guide*. FAO (Food and Agriculture Organization of the United Nations), Rome.

- Gibson B. W. (2005). The human mitochondrial proteome: oxidative stress, protein modifications and oxidative phosphorylation. *Int J Biochem Cell Biol.* **37**(5):927-34.
- Gillanders B.M, D.J Ferrell & N.L Andrew. (1999). Size at maturity and seasonal changes in gonad activity of yellowtail kingfish (*Seriola lalandi*;Carangidae) in New South Wales, Australia *New Zealand Journal of Marine and Freshwater Research* **33**: 457-468.
- Gulland, J. A & A. A Rosenberg. (1992). *A Review of Length-based Approaches to Assessing Fish Stocks*. FAO Fisheries Technical Paper (323): 100pp
- Guimao G.S, M.M.S Cardosa, B. Muller & A.R Bos. (2016). Length-weight and length-length relationships of 139 Indo-Pacific fish species (Teleostei) from the Davao Gulf, Philippines. *Journal of Applied Ichthyology* 1-9.
- Gunawickrama K.B.S. (2007). Morphological heterogeneity in some estuarine populations of the catfish *Arius jella* (Ariidae) in Sri Lanka. *Cey. J. Sci. (Bio.Sci.)* **36**(2):100-107.
- Hall S. (2002). *The Use of Technical Measure in Responsible Fisheries : Area and Time Restrictions*. In Cochrane. K.L (editor). A Fishery Manager's Guidebook. Management Measures and Their Application. FAO Fisheries Technical Paper 424(2): 49-74.
- Hall T. H. (1999). BioEdit: a user friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acid Symposium Series* **4**: 95-98.
- Harder W. (1975). *Anatomy of Fishes: Part II: Figures and Plates E*. Schweizerbart'sche Verlagsbuchhandlung. 132p.
- Hart P.J.B & J.D Reynolds. (2002a). *Fish Biology*. Handbook of fish biology and fisheries. P.J.B. Hart & J.D. Reynolds. Malden, USA, Blackwell Publishing. 1: xiv + 413p.
- Hart P.J.B & J.D Reynolds. (2002b). *Fish Biology*. Handbook of fish biology and fisheries. P.J.B. Hart & J.D. Reynolds. Malden, USA, Blackwell Science. 2: xiii + 410p.
- Haymer D.S. (1994). Arbitrary (RAPD) primer sequences used in insect studies. *Insect Mol Biol.* **3**(3):191-194.
- Hilborn R. (1996). *The Development of Scientific Advice with Incomplete Information in the Context of Precautionary Approach in Technical Consultation on the Precautionary Approach to Capture Fisheries (including species introduction)*. FAO Fisheries Technical Paper No.350/2, pp. 77-101. FAO United Nations. Rome.
- Holden M. J & D.F.S Raith. (1974). *Manual of fisheries science Part 2: Methods of resource investigation and their application*. Rome: FAO. <http://www.fao.org/docrep/003/f0752e/F0752E05.htm#ch5.2.2.2>. Diakses 16 September 2016.

- Holder M & P.O Lewis. (2003). Phylogeny estimation: traditional and Bayesian approaches. *Nature revies genetics* **4**: 275-284.
- Honebrink R.R. (2000). *A review of the biology of the family Carangidae, with emphasis on species found in Hawaiian waters*. Technical Report 20-01. Division of Aquatic Resources, Philippines, Manila.
- Hordyk A, K. Ono, S. Valencia, N. Loneragan, J. Prince. (2014). A novel length-based empirical estimation method of spawning potential ratio (SPR) and test of its performance, for small-scale, data-poor fisheries. *ICES Journal of Marine Science* doi:10.1093/icesjms/fsu004.
- Hurlbut T & D. Clay. (1998). Morphometric and Meristic Differences Between Shallow and Deepwater Populations of Whitehake (*Urophycis tenuis*) in the Southern Gulf of St. Lawrence. *Canadian Journal of Fisheries and Aquatic Sciences* **55**: 2274-2282.
- Hutchings J.A. (2004). The cod that got away. *Nature* **428**: 899-900.
- Hutubessy G., 2011 Encircling gillnet selectivity for oxeye scad (*Selar boops* CUVIER, 1833) in the coast of Waai, Ambon Island. *Journal of Coastal Development* 14(2): 125-130.
- Ikejima K, N.B Ishiguro, M. Wada, K. Kita-Tsukamoto & M. Nishida. (2004). Molecular Phylogeneny and Possible Scenario of Ponyfish (Perciformes:Leiognathidae) Evolution. *Mol. Phylogenetic and Evol.* **31** : 904-909.
- Ingles J & D. Pauly. (1984) *An atlas of the Growth, Mortality and Recruitment of Philipine Fishes*. Manila, Philipines.
- Isa M.M, S. Abdullah & A.H Yasin. (1996). Population structure of small pelagic fish off the east coast of Peninsular Malaysia. *Fisheries Bulettin* No. 99: 1-27. Department of Fisheries Malaysia. Ministry of Agriculture.
- Iwai T.Y, C.S Tamaru, L. Yasukochi, S. Alexander, R. Yoshimura & M. Mitsuyasu. (1996). Natural spawning of captive bigeye scad *Selar crumenophthalmus* in Hawaii. *Journal of the World Aquaculture Society*. **27**(3): 332-339.
- Jaafar T.N.A.M, M.I. Taylor, S.A.M. Nor, M. de Bruy & G.R. Carvalho. (2012). DNA Barcoding Reveals Cryptic Diversity within Commercially Exploited Indo-Malay Carangidae (Teleostei: Perciformes). *PLoS ONE* **7**(11): e49623.
- Jakson, J.B.C., Kirby, M.X., Berger, W.H., Bjordal, K.A., Botsford, L.W., Bourque, B.J., Bradbury, R.H., Cooke, R., Erlandson, J., Estes, J.A., Hughes, T.P., Kidwell, S., Lange, C.B., Lenihan, H.S., Pandolfi, J.M., Peterson, C.H., Steneck, R.S., Tegner, M.J., Warner, R.R., 2001. *Historical overfishing and the recent collapse of coastal ecosystems*. *Science* **293**: 629-637.
- John C, M.I Benoit, W. Peter & P.H Matt. (2009). Notes on nine biological indicators estimable from trawl surveys with an illustrative assessment for North Sea cod. *Aquatic Living Resources* **22**: 135-153.

- Kartamihardja, E. S. (2015). Pengkajian Stok (*Stock Assesment*) Ikan di Perairan Umum Daratan Indonesia. Komisi Nasional Pengkajian Stok Sumber Daya Ikan. Pusat Penelitian Pengelolaan Perikanan dan Konservasi Sumber Daya Ikan. Protokol Pengkajian Stok Sumber Daya Ikan. Komisi Nasional Pengkajian Sumber Daya Ikan. Hal. 95-119.
- Kawamoto P.Y. (1973). *Management investigation of the akule or bigeye scad Trachurops crumenophthalmus* (Bloch). Completion report prepared for National Marine Fisheries Service under Commercial Fisheries Research and Development Act. P.L. 88-309 Project No. H-4-R. 28 pp.
- Kempter J., M. Kielpinski, R. Paniczi, K. Mikolajczyk & S. Keszka. (2015). Genetic Traceability of Selected Populations of the Yellowstripe Scad, *Selaroides leptolepis* (Actinopterygii: Perciformes: Carangidae), Based on the Analysis of Microsatellite DNA—Celfish roject—Part 3. *Acta Ichthyologica Et Piscatoria* **45** (3): 299–305.
- Kharat S.S, Y. K Khillare & N. Dahanukar. (2008). Allometric scaling in growth and reproduction of a freshwater loach *Nemacheilus mooreh* (Sykes, 1839). *Electronic Journal of Ichthyology* **1**: 8-17.
- King M. (1995). *Fisheries biology, assessment and management*. Unite Kingdom: Fishing News Books. 341 p.
- Kishakudan S.J & P. S Reddy. (2012). Length-weigth relationship in three spesies of silver bellies from Chennai coast. *Indian J. Fish* **59**(3): 65-68.
- Klein-MacPhee, C. Grace, B. Bruce & G. Klein-MacPhee, eds. (2002). Jacks: Family Carangidae. Bigelow and Schroeder's Fishes of the Gulf of Maine, Third Edition. 411-427 pp.
- Kottelat M. (2013). The fishes of the inland waters of Southeast Asia: A catalogue and core bibliography of the fishes known to occur in freshwaters, mangroves and estuaries. The Raffles Bulletin of Zoology. *An International Journal of Southeast Asian Zoology*. Supplement No. **27**: 331-336.
- Kuiter R.H & T. Tonozuka. (2001). Pictorial guide to Indonesian reef fishes. Part 1. Eels- Snappers, Muraenidae - Lutjanidae. Zoonetics, Australia. 1-302.
- Lagler K.F, J.E Bardach, R.R Miller & D. Passino. (1977). *Ichtiology*. New York : John Willey and sons. Inc. 545p.
- Langer S, Tripathi & Khajuria. (2013). Morphometric and Meristic Study of Golden Mahseer (*Tor putitora*) from Jhajjar Stream India. *Journal of Animal, Veterinary and Fishery Sciences*. **1**(7) : 1 – 4.
- Lamouroux N, S. Dole'dec & S. Gayraud. (2004). Biological traits stream macroinvertebrate communities: effects of microhabitat, reach, and basin filters. *Journal of the North American Benthological Society* **23**: 449-466.

- Lemma B, T. Tessema & R. Fessehaie. (2015). Distribution, abundance and socio-economic impacts of invasive plant species (IPS) in Borana and Guji Zones of Oromia National Regional State, Ethiopia. *Journal of Agricultural Science and Review* **4**(9): 271-279.
- Lanz E, M.O.N Martinez, J.L Martinez & J.A Dworak. (2008). Spatial distribution and species composition of small pelagic fishes in the Gulf of California. *Rev. Biol. Trop. Int. J. Biol.* **56**(2):575-590.
- Loy A, S. Busilacchi, C. Costa, L. Ferlin & S. Cataudella. (2000). Comparing geometric morphometric and outline fitting methods to monitor fish shape variability of *Diplodus puntazzo* (Teleostea: Sparidae). *Aquacultural Engineering* **21**:271-283.
- Mansor M.I, A. Syed & Y. Abdul Hamid. (1996). *Population structure of small pelagic fishes off the east coast of peninsular Malaysia*. Malaysia: Department of fisheries Malaysia, Ministry of Agriculture, 27 pp.
- McPhee D.P. (2008). *Fisheries Management in Australia*. Federation Press.
- Magurran A.E. (2004). *Measuring biological diversity*. Blackwell Science Ltd. 215 p.
- Mat Jaafar T.N.A, M.I Taylor, S.A Mohd Nor, M. de Bruyn & G.R Carvalho. (2012). DNA barcoding reveals cryptic diversity within commercially exploited Indo-Malay Carangidae (Teleostei: Perciformes). *PLoS One*. **7**(11):e49623. doi: 10.1371/journal.pone.0049623.
- Matthews W. J. (1998) Patterns in freshwater fish ecology. Chapman and Hall, New York, USA, 756 pp.
- Mazlan A.G & Y.G Seah. (2006). Meristic and length-weight relationship of the Ponyfish (Leiognathidae) in the Coastal water of Pulau Sibu-Tinggi, Johor, Malaysia. *Malays. Appl.Biol.* **35**(1):27-35
- Merta I.G.S. (1993). Hubungan panjang dan bobot dan faktor kondisi ikan lemuru, *Sardinella lemuru* Bleeker, 1853 dari perairan Selat Bali, *Jurnal Penelitian Perikanan Laut*. **73** : 35–44.
- Miller B & A. W Kendall. (2012). Early life history of marine fishes. Chapter 1 Fish Reproduction. Published by University of California Press. Pp. 9-37. DOI: <http://dx.doi.org/10.1525/california/9780520249721.003.0002>.
- Milligan B.G. (2003). Maximum-Likelihood Estimation of Relatedness. *Genetics* **163**: 1153-1167.
- Miranda R, J. Oscoz, P.M Leunda & M.C Escalé. (2006). Weight-Length Relationships of Cyprinid Fishes of the Iberian Peninsula. *J. Appl. Ichthyol* **22**: 297-298.

- Misra R.K & M.D.L Easton,. (1999). A note on the number of morphometric characters used in fish stock delineation studies employing a MANOVA. 711 Bay St., Apt 1115, Toronto, Ont., Canada M5G 2J8, International EcoGen, 2015 McLallen Court, North Vancouver, BC, Canada V7P 3H6. *Journal Fisheries Research* **42**:191-194.
- Mohsin A.K.M. & M.A. Ambak. (1996). *Marine fishes and fisheries of Malaysia and neighbouring countries*. University of Pertanian Malaysia Press, Serdang, Malaysia. 744 p.
- Monintja, D. (2001). *Pelatihan Untuk Pelatih Pengelolaan Wilayah Pesisir Terpadu*. Prosiding Pusat Kajian Sumberdaya Pesisir dan Laut. IPB. Bogor. 156 hlm.
- Monintja D.R, M.F.A Sondita, C. Nasution, H.R Barus , Mawardi W dan Zulkarnain. (1999). Studi Alat Tangkap Berwawasan Lingkungan. Lembaga Penelitian IPB (*tidak dipublikasikan*), Bogor (ID). 61 hlm.
- Morgan M J. (2008). Integrating reproductive biology into scientific advice for fisheries management. *Journal of Northwest Atlantic Fisheries Science*, **41**: 37-51.
- Mous P.J, J.S Pet, Z. Arifin, R. Djohani, M.V Erdmann, A. Halim, M. Knight, L. Pet-Soede & G. Wiadnya. (2005). Policy needs to improve marine capture fisheries management and to define a role for marine protected areas in Indonesia. *Fisheries Management and Ecology* **12**: 259-268.
- Muchlisin Z.A & H. Fajri. (2015). Morphometric variation of halfbeak fish (*Zenarchopterus buffonis*) from estuary of West Sumatera, Indonesia. *AACL Bioflux Vol.* **8**(2): 167-176.
- Mundy, B.C.(2005). Checklist of the fishes of the Hawaiian Archipelago. *Bishop Mus. Bull. Zoology* (6):1-704.
- Murta A.G, A.L Pinto & P. Abaunza. (2008) Stock identification of horse mackerel (*Trachurus trachurus*) through the analysis of body shape. *Fisheries Research* **89**:152-158.
- Myers R.A & G Mertz. (1998). The limits of exploitation: A precautionary approach. *Ecological Applications*. 165-169.
- Myers R.A. & B. Worm. (2003). *Rapid worldwide depletion of predatory fish communities*. *Nature*. 423: 280-283.
- Naesje T.F, J.A Vourinen & O.T Sandlund. (2004). Genetic and morphometric differentiation among sympatric spawning stocks of white fish (*Coregonus lavaretus* L.) in Lake Femund, Norway. *Journal of Limnology* **63**(2):233-243.
- Najamuddin. (2014). *Pemanfaatan Sumbde Daya Ikan Layang (Decapterus spp.) Berkelanjutan di Perairan Selat Makassar*. IPB Press. Bogor. 190 hlm.

- Nelson J. S. 1994. *Fishes of the world*. 3d edition, John Willey and Sons, New York. 600 pp.
- Nelson J.S, J. Edwin, Crossman, H. Espinosa-Pérez H, L.T Findley & C.R Gilbert. (2004). Common and scientific names of fishes from the United States, Canada, and Mexico, Sixth Edition. *American Fisheries Society Special Publication*, No. 29. ix + 386.
- Nikijuluw V.P.H. (2002). Rezim Pengelolaan Sumberdaya Perikanan. Kerjasama P3R dan PT. Pustaka Cidesindo. Jakarta. 54 hlm.
- Noija D, S. Martasuganda, B. Murdiyanto, A.A Taurusman. (2014). Red snapper (*Lutjanus* spp.) resources management in northern waters of Cirebon, Java Sea. *Jurnal Teknologi Perikanan dan Kelautan* **5**(1):65-74.
- Nurlaili, R. Muhartono dan Y. Hikmayani. (2016). Dampak kebijakan moratorium terhadap dampak kebijakan moratorium terhadap sektor usaha perikanan tangkap di Kota Bitung. *J. Kebijakan Sosok KP* Vol. **6**: 145 – 152.
- Palma J & J. P Andrade. (2002). Morphological study of *Diplodus sargus*, *Diplodus puntazzo*, and *Lithognathus mormyrus* (Sparidae) in the Eastern Atlantic and Mediterranean Sea. *Fisheries Research* **57**(1): 1-8.
- Palumbi, S. R. (2003). Population genetics, demografic connectivity, dang the design of marine reserves. *Ecological Applications* **13**(1), pp. S146–S158
- Panda D, A.K. Jaiswar, S.D. Sarkar & S.K. Chakraborty. (2015). Growth, mortality and exploitation of bigeye scad, *Selar crumenophthalmus* off Mumbai north-west coast India. *Journal Of the Marine Biological Association of UK*. p.1-6. DOI: 10.1017/S0025315415001459.
- Poff N.L, J.D Olden, K.M Nicole, N.K.M Vieira, D.S Finn, M.P Simmons & B.C Kondratieff. (2006). Function trait niches of North Amernican lotic insects: traits-based ecological applications in lighth of phylogenetic relationships. *Journal of the North American Benthological Society* **25**: 703- 755.
- Poulet N, Y. Reyjol, H. Collier & S. Lek. 2005. Does fish scale morphology allow the identification of populations at a local scale ? A case study for rostrum dace *Leuciscus leuciscus burdigalensis* in River Viaur (SW France). *Aquat. Science* **67**: 122-127.
- Pauly D & N. David. (1981). ELEFAN I: a basic program for objective extraction of growth parameters from length-frequencies data. *Moeeresforsch.* **28**(4): 5-6.
- Pauly D. (1983). *Length converted catch curves. A powerfull tool for fieheries research in the tropoics (Part I)*. ICLARM fishbyte **1**(2): 9-13.
- Pauly, D (1984). *Fish Population Dynamics in tropical Waters : A Manual for Use withProgrammable Calculators*. ICLARM Studies and Reviews. No.8. 325p.

- Pauly D & P. Martosubroto. (1996). *Baseline Studies of Biodiversity : The Fish Resources of Western Indonesia*. International Center for Living Aquatic Resources Management, Philippines; Directorate General of Fisheries, Ministry of Agriculture, Indonesia; German Agency for Technical Cooperation, Germany. ICLARM Stud. Rev (23): 312p.
- Pauly D, V. Christensen & S. Guenette (2002). Towards sustainability in world fisheries. *Nature* **418**:689-695
- Paxton J.R, D.F Hoese, G.R Allen & J.E Hanley. (1989). *Pisces. Petromyzontidae to Carangidae*. Zoological Catalogue of Australia, Vol. 7. Australian Government Publishing Service, Canberra, 665 p.
- Pedrosa-Gerasmio I.R, A.B Agmata & M.D Santos. (2015). Genetic diversity, population genetic structure, and demographic history of Auxis thazard (Perciformes), Selar crumenophthalmus (Perciformes), Rastrelliger kanagurta (Perciformes) and Sardinella lemuru (Clupeiformes) in Sulawesi Sea inferred by mitochondrial DNA sequences. *Fisheries Research* **162**: 64–74.
- Pelabuhan Perikanan Samudera Bitung. (2016). *Laporan Statistik*. Direktorat Jenderal Perikanan Tangkap. Kementerian Kelautan dan Perikanan. 41 hlm.
- Pemerintah Republik Indonesia. 2009. Undang-Undang Republik Indonesia Nomor 45 Tahun 2009 Tentang Perubahan Atas Undang-Undang Republik Indonesia Nomor 31 Tahun 2004 tentang Perikanan. Sekretariat Negara Republik Indonesia. Jakarta.
- Pemerintah Republik Indonesia. Peraturan Menteri Kelautan dan Perikanan Republik Indonesia Nomor Per./1/MEN/2009 tentang Wilayah Pengelolaan Perikanan Republik Indonesia. Kementerian Kelautan dan Perikanan. Jakarta.
- Pitchaikani J. S & A. P Lipton. (2012). Impact of environment variables on pelagic fish landings: Special emphasis on Indian oil sardine off Tiruchendur coast, Gulf of Mannar. *Journal of Oceanography and Marine Science* Vol. **3**(3): 56-67. DOI: 10.5897/JOMS12.006.
- Pitcher T.J. (1995). The impact of pelagic fish behaviour on fisheries. *Scientia Marina* **59**: 295-306.
- Pinheiro A, C.M Teixeira, A.L Rego, J.F Marques & H.N Cabral. (2005). Genetic and morphological variation of *Solea lascaris* (Risso, 1810) along the Portuguese coast. *Fisheries Research* **73**:67-78.
- Podosinnikov A. (1990). Information on the development of scads in the Gulf of Aden. *Journal of Ichthyology* **30**: 158-164.
- Pollar M, M. Jaroensutasinee & K. Jaroensutasinee. (2007). Morphometric Analysis of Tor tambroides by Stepwise Discriminant and Neural Network Analysis. *World Academy of Science, Engineering & Technology* **33**: 16-20.

- Poulet N, B. Patrick, J.C Alain, L. Sovan & A. Christine. (2004). Genetic and morphometric variations in the pikeperch (*Sander lucioperca* L.) of a Fragmented delta. *Arch. Hydrobiol* **159**(4):531–554.
- Primyanstanto, M. (2012). *Policy (Kebijakan) Pengelolaan SDI (Sumber Daya Ikan) Pada Perikanan Overfishing (Lebih Tangkap) (Aplikasi Teori Ekonomi Produksi Perikanan)*. UB Press, hlm. 6.
- Prince J. (2014). A technical report on an SPR size assessment of the blue swimmer crab fishery in Southeast Sulawesi. Technical Report for IMACS, USAID, 30 pp.
- Psomadakis P.N, H.B Osmany & M. Moazzam. (2015). *Field identification guide to the living marine resources of Pakistan*. FAO species identification guide for fishery purposes. Food and Agriculture Organization of the United Nations, Rome. i-x + 1-000.
- Pusat Data, Statistik dan Informasi (Pusdatin). (2013). *Profil kelautan dan perikanan provinsi Sulawesi Utara untuk mendukung industrialisasi kelautan dan perikanan*. Sekretariat Jenderal. Kementerian Kelautan dan Perikanan. 245 pp.
- Randall J.E, G.R Allen & R.C Steene. (1990). *Fishes of the Great Barrier Reef and Coral Sea*. University of Hawaii Press, Honolulu. 506 pp.
- Ralston S & H. Williams. (1988). Depth distribution, growth and mortality of deep-slope fishes from the Mariana Archipelago. Southwest Fisheries Center, National Oceanographic and Atmospheric Administration, National Marine Fisheries Service Technical Memorandum No. 113. NOAA, Honolulu.
- Redding J.M & R Patino. (1993). *Reproductive Physiology*. In D.H. Evans (Eds). *The physiology of Fishes*. Marine Science Series. CRC Press. London, pp. 503-534.
- Reyes, R.B. (1993a). Morphometrics of *Selar crumenophthalmus*, http://www.fishbase.org/physiology/MorphMetSummaryV2.php?picname=Secru_u5.jpg&genusname=Selar&speciesname=crumenophthalmus&id=387. Dikases 10 Mei 2017.
- Reyes, R.B. (1993b). Morphometrics of *Selar boops*, http://www.fishbase.org/physiology/MorphMetSummaryV2.php?picname=Seboo_u0.jpg&genusname=Selar&speciesname=boops&id=1954. Dikases 10 Mei 2017.
- Reyes, R.B. (1993c). Morphometrics of *Selaroides leptolepis*, http://www.fishbase.org/physiology/MorphMetSummaryV2.php?picname=Selep_u1.jpg&genusname=Selaroides&speciesname=leptolepis&id=388. Dikases 10 Mei 2017.
- Robins, C. Richard, R.M Bailey, C.E Bond, J.R Brooker & E.A Lachner. (1980). A List of Common and Scientific Names of Fishes from the United States and Canada, Fourth Edition. *American Fisheries Society Special Publication* **12**: 174.

- Robins, C. Richard, M.R Bailey, C.E Bond, J.R Brooker & E.A Lachner. (1991). Common and Scientific Names of Fishes from the United States and Canada, Fifth Edition. *American Fisheries Society Special Publication 20*: 183.
- Robins, C. Richard, R.M Bailey, C.E Bond, J.R Brooker, E.A Lachner, R.N Lea & W.B Scott. (1991b). World fishes important to North Americans. Exclusive of species from the continental waters of the United States and Canada. *Am. Fish. Soc. Spec. Publ. 21*:243 p.
- Roux O & F. Conand. (2000). Feeding habits of the bigeye scad, *Selar crumenophthalmus* (Carangidae), in La Reunion Island Water (South-Western Indian Ocean). *Cybium 200*, **24**(2): 173-179.
- Roos D, O. Roux & F. Conand. (2007). Notes on the biology of the bigeye scad, *Selar crumenophthalmus* (Carangidae) around Reunion Island, southwest Indian Ocean. *Scientia Marina* **71**:137–144.
- Royce W.F. (1972). *Introduction to The Fishery Sciences*. Academic Press. New York. 351 p.
- Saanin H. (1984). *Taksonomi dan Kunci Identifikasi Ikan*. Binacipta, Jakarta.
- Sadhotomo B & S.B Atmadja. (1985). On the growth of some pelagic fishes in the Java Sea. *J. Pen. Perikanan Laut* (33):53-60.
- Sajina A. M, S. A Chakrabarty, A.K Jaiswar, D.G Pazhayamadam & D. Sudheesan. (2011). Stock structure analysis of *Megalaspis cordyla* (Linnaeus, 1758) along the Indian coast based on truss network analysis. *Fisheries Research* 108: 100-105.
- Sharp G. D & Y. J Csirke. (1983). Proceedings of the expert consultation to examine changes in abundance and species composition of neric fish resources. FAO Fisheries Report 3.
- Shelton A.O & M. Mangel. (2012). Estimating von Bertalanffy parameters with individual and environmental variations in growth. *Journal of Biological Dynamics*. iFisrt. 1-28. DOI:10.1080/17513758.2012.697195.
- Shiino S.M. (1976). List of Common Names of Fishes of the World, Those Prevailing among English-speaking Nations. *Science Report of Shima Marineland* 4: 262.
- Siwat V, A. Ambariyanto & I. Widowati. (2016). Biometrics of bigeye scad, *Selar crumenophthalmus* and shrimp scad, *Alepes djedaba* from Semarang waters, Indonesia. *AACL Bioflux* **9** (4): 915-922.

- Smith P.J, P.J McMillan, B. Bull, S. M McVeagh, P.M Gaflhey & S. Chow. (2002). Genetic and Meristic Variation in Black and Smooth Oreos in the New Zealand Exclusive Economic Zone. *J. Mar. Freshw. Res.* 36: 737-750. New Zealand
- Smith-Vaniz, W.F & F.H. Berry. (1981). Carangidae. In W. Fischer, G. Bianchi and W.B. Scott (eds.) FAO species identification sheets for fishery purposes. Eastern Central Atlantic (fishing areas 34, 47 in part) . Vol. 1.
- Smith-Vaniz W.F. (1995). *Carangidae. Jacks, branches, cojinúas, shoemakers, cooks, Casabes, mackerel, mackerel, humpback, amberjack, pilot fish* p. 940-986 in W. Fischer, F. Krupp, W. Schneider, C. Sommer, KE Carpenter and V. Niem (eds.) FAO Species Identification Guide for the Fines for Fisheries. Eastern Central Pacific.Vol. 3. FAO, Rome.
- Smith-Vaniz W.F. (2001). *Selaroides leptolepis* in Kent E. Carpenter & Volker H. Niem (Eds.). FAO Species Identification Guide: *The Living Marine Resources of The Western Pacific*. Vol. 4 Bony fishes part 2 (*Mugilidae* to *Carangidae*): 2737. Food and Agriculture Organization, Rome. ISBN 92-5-104301-9.
- Smith-Vaniz W. F. and F. H. Berry. 1986. *Carangidae*. In: *Fishes of the Northeastern Atlantic and the Mediterranean*. P. J. P. Whitehead, M. L. Bauchot, J. C. Hureau, J. Nielsen and E. Tortonese (eds.) II: 835-836. Unesco. Paris: 1.007 pp.
- Smith-Vaniz W. F & H.L Jelks. (2014). Marine and inland fishes of St. Croix, U. S. Virgin Islands:an annotated checklist. *Zootaxa* 3803 (1): 001–120.
- Smith-Vaniz W.F, J. T Williams, J. Brown, M. Curtis & F.P Amargos. (2015). *Selar crumenophthalmus*. The IUCN Red List of Threatened Species 2015: e.T190388A16510647.
- Sparre, P & S.C Venema. (1998). *Introduction to Tropical Fish Stock Assessment. Part I: Manual*. FAO Computerized Information Series (Fisheries). No. 12. FAO (Food and Agriculture Organization of the United Nations), Rome. 407p.
- Sumadhihaga dan F. D. Hukom (1991). Penelitian Beberapa Aspek Biologi Ikan Kawalinya (*Selar crumenophthalmus*) di Perairan Pulau Ambon dan Sekitarnya. *BPPSL. P3O. LIPI*. Ambon. 31-37.
- Suman A. 2016. Kajian stok dan status pemanfaatan sumber daya ikan pelagis di Wilayah Pengelolaan Perikanan Negara Republik Indonesia (WPP NRI). *Prosiding Seminar Nasional Pengelolaan Perikanan Pelagis di Indonesia*. Fakultas Perikanan dan Ilmu Kelautan. Universitas Brawijaya. Malang. 16 November 2016, hlm. 1-11.
- Suwarso, B. Sadhotomo & S.B. Atmaja. (1995). Growth parameters of the main small pelagic species. p. 85-96. In M. Potier and S. Nurhakim (eds.) *Biology, dynamics, exploitation of the small pelagic fishes in the Java sea*.

- Suwarso A. Kuswoyo & M. Fauzi. (2013a). *Eksplorasi ikan pelagis kecil di Laut Sulawesi*. In : Suman, A., Wudianto, G. Bintoro & J. Haluan (Eds) : Status pemanfaatan sumber daya ikan di perairan Laut Sulawesi, hal : 95-108. Penerbit IPB Press, Bogor.
- Suwarso A, Kuswoyo & M. Fauzi. (2013b). Penelitian stok, distribusi dan parameter biologi ikan pelagis untuk mendukung industrialisasi perikanan di WPP 572, WPP 573 dan WPP 717. Laporan Akhir, Balai Penelitian Perikanan Laut, Jakarta.
- Syaifullah S, H. Fajri, D.I Roesma & Z.A Muchlisin, Z.A. (2015). Morphometric variations of halfbeak fish (*Zenarchopterus buffonis*) from estuary of West Sumatra, Indonesia. *AACL Bioflux Volume 8(2)*: 168-176.
- Tamura K, G. Stecher, D. Peterson, A. Filipski & S. Kumar. (2013). MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Molecular Biology and Evolution 30*: 2725-2729.
- Tandon, K.K. 1960. Biology and fishery of 'Choo Parai', *Selaroides leptolepis* (Cuvier and Valenciennes) Part I. Food and feeding habits. *Indian Journal of Fisheries 7(1)*: 82–100.
- Thomas J. S, Venus & B.M Kurup. (2003). Length-weight relationship of some deep-sea fish inhabiting continental slope beyond 250 m depth along West coast of India. *Naga, world fish center quart 26*: 17-21.
- Tobias W. (1987). Ressource evaluation of the bibeye scad *Selar crumenophthalmus* in the insular shelf waters around St Croix, US Virgin Islands. *Proc. Gulf. Carib. Fish. Inst.*, **40**: 82-98.
- Trenkel V.M & M.J Rochet. (2003). Performance of indicators derived from abundance estimates for detecting the impact of fishing on a fish community. *Can. J. Fish. Aquat. Sci. 60*:67-85
- Trippel, E.A. (1995). Age at maturity as a stress indicator in fisheries. *BioScience 45*: 759-771.
- Tsoumani M, R. Liasko, P. Moutsaki, I. Kagalou & I. Leonardos. (2006). Length-weight relationships of an invasive cyprinid fish (*Carassius gibelio*) from 12 Greek lakes in relation to their trophic states. *J. Appl. Ichthyol. 22(4)*: 281-284.
- Turan C. (1999). A Note on The Examination of Morphometric Differentiation Among Fish Populations: The Truss System. *Tr. J. of Zoology 23*: 259-263.
- Tzeng T-D., C-S Chiu, & S-Y Yeh. (2000). Morphometric Variation in Red-spot Prawn (*Metapenaeopsis barbata*) in Different Geographic Waters of Taiwan. Institute of Oceanography, National Taiwan University, Taipei 106, Taiwan ROC. *Journal Fisheries Research 53*: 211-217

Undang-undang Republik Indonesia Nomor 45 tahun 2009 tentang Perubahan Atas Undang-Undang Republik Indonesia Nomor 31 Tahun 2004 tentang Perikanan. Sekretariat Negara Republik Indonesia. Jakarta.

Valeria R.B.F, M. Michelato, T. P da Cruz & W.M Furuya. (2014). Length-weight relationships and prediction equations of body composition of farm raised *Astyanax* aff. *fasciatus* (Actinopterygii: Characiformes: Characidae). *Zoologia* **31** (6): 521–524.

Vasconcellos A.V, P. Vianna, P.C Paiva, R Schama & A. Solé-Cava. (2008). Genetic and morphometric differences between yellowtail snapper (*Ocyurus chrysurus*, Lutjanidae) populations of the tropical West Atlantic. *Genetics and Molecular Biology* **31**(1): 308-316.

Venkataramani, V.K, N. Ramanathan & K. Venkataramanujam. (1995). "Breeding biology of a carangid fish *Selaroides leptolepis* Cuv. (Perciformes) along Tuticorin, southeast coast of India". *Indian Journal of Marine Sciences* **24** (4): 207–210.

Viette M, P.G Julianini & E.A Ferrero. (1997). Reproductive biology of scad, *Trachurus mediterraneus* (Teleostei, Carangidae), from the Gulf of Trieste. *ICES Journal of Marine Science* **54**: 267-272.

Victor B. C, R. Hanner, M. Shivji, J. Hyde & C. Caldow. (2009). Identification of the larval and juvenile stages of the Cubera snapper, *Lutjanus cyanopterus*, using DNA barcoding. *Zootaxa* **2215**: 24–36

Walters, C.J & S.J.D Martel. (2004). *Fisheries Ecology and Management*. Princeton University. New Jersey (USA), 448 pp.

Weber M & L.F. De Beaufort. (1911). *The fishes of the Indo-Australian Archipelago XI*. Index og the ichthyological paper of Pieter Bleeker. E.J Brill Ltd. Leiden.

Welch A, R. Hoenig, J. Stieglitz, Z. Daugherty, B. Sardenberg, S. Miralao, D. Farkas & D. Benetti. (2013). Growth rates of larval and juvenile bigeye scad *Selar crumenophthalmus* in captivity. *SpringerPlus* **2**(634) : 1-9.

Welcomme R.L. (2001). *Inland Fisheries, Ecology and Management*. Fishing News Book, A division of Blachwell Science. 358 p.

Wiadnya D.G.R, D. Setyohadi, Widodo & Soemarno (2015). Intra-species variations of *Photopectoralis bindus* (Family: Leiognathidae) collected from two geographical areas in East Java, Indonesia. *JBES* **6**(1):160-168.

Widodo, J. (2002). Pengantar Pengkajian Stok Ikan. Pusat Riset Perikanan Tangkap. Badan Riset Kelautan dan Perikanan. Departemen Kelaukan dan Perikanan. Jakarta.

Wilson D. S & A.B Clarke. (1996). The shy and the bold. *Natural History* **9**(96): 26–28.

Whitehead P. J. P., Bauchot M.L, Hureau J.C, Nielsen J.G & Tortonese E. (1986). *Fishes of the North-eastern Atlantic and the Mediterranean*. Vol. II. UNESCO. 517-1007 pp.

Wooten R. J. (1998). *Ecology of teleost fishes*. Kluwer Academic Publishers, Dordrecht, The Netherlands.

Zamroni A., M. Fauzi & H. Ilhamdi. 2015. Penelitian karakteristik biologi perikanan, habitat sumber daya dan potensi produksi di WPP-715 (Teluk Tomini, Laut Maluku, Laut Seram, Laut Halmahera dan Teluk Berau). Laporan Akhir Balai Penelitian Perikanan Laut, Jakarta.

http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=168677). Diakses 18 Juli 2015.

http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=6211310. Diakses 5 Agustus 2015.

http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=641953). Diakses 16 September 2015.

<http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>). Diakses 5 Oktober 2015.

<http://www.bmkg.go.id/iklim/prakiraan-musim.bmkg>. Diaskses 18 Juli 2017

<http://barefootecologist.com.au/lbspr>. Diakses 16 September 2017.

.