

## DAFTAR PUSTAKA

- Acquaah, G. 2012. Principles of Plant Genetics and Breeding. 2nd ed. A John Wiley & Sons, Ltd., Publication, Maryland.
- Alex. 2011. Usaha Tani Cabai: Kiat Jitu Bertanam Cabai di Segala Musim. Pustaka Baru Press, Yogyakarta.
- Amalia, L., R. Setiamihardja, M.H. Karmana, and A.H. Permadi. 1994. Pewarisan heritabilitas dan kemajuan genetik ketahanan tanaman cabai merah terhadap penyakit antraknosa. Zuriat 5(1): 68–74.
- Arifin, Z. 2011. Deskripsi sifat agronomik berdasarkan seleksi genotipe tanaman kedelai dengan metode multivariat. Gromix 3(5): 63–93.
- Aryana, I.M. 2010. Uji keseragaman, heritabilitas dan kemajuan genetik galur padi beras merah hasil seleksi silang balik di lingkungan gogo. Agroekoteknologi 3(1): 12–19.
- Badan Pusat Statistik. 2015. Luas Panen Cabai Menurut Provinsi , 2011-2015. Badan Pusat Statistik.
- Barmawi, M., A. Yushardi, and N. Sa. 2013. Daya waris dan harapan kemajuan seleksi karakter agronomi kedelai generasi F2 hasil persilangan antara yellow bean dan taichung. J. Agrotek Trop. 1(1): 20–24.
- Barus, W.A. 2006. Pertumbuhan dan produksi cabai (*Capsicum annuum* L.) dengan penggunaan mulsa dan pemupukan PK. J. Penelit. Bid. Ilmu Pertan. 4(1): 41–44.
- Ben-chaim, A., I. Paran, B. Dagan, and P.O. Box. 2000. Genetic analysis of quantitative traits in pepper (*Capsicum annuum* L.). J. Am. Soc. Hortic. Sci. 125(1): 66–70.
- Bijalwan, P., and N. Madhvi. 2016. Genetic variability, heritability and genetic advance in chilli (*Capsicum annuum* L.) genotypes. Int. J. Sci. Reasearch 5(7): 1305–1307.
- Bijalwan, P., and A.C. Mishra. 2016. Correlation and path coefficient analysis in chilli (*Capsicum annuum* L.) for yield and yield attributing traits. Int. J. Sci. Res. 5(3): 1589–1592.
- Borojevic, S. 1990. Principle and Methods of Plant Breeding. Elsevier, Yugoslavia.
- C. R. Henderson. 1963. Selection index and expected genetic advance. p. 141–163. In Statistical Genetics and Plant Breeding. Nat Acad Sci - Nat Res Counc Publ, Washington D.C.
- Chakrabarty, S., and A.K.M.A. Islam. 2017. Selection criteria for improving yield in chili (*Capsicum annuum*). Adv. Agric. 2017: 1–8.

- Chandrasari, S.E., Nasrullah, and Sutardi. 2012. Uji Daya Hasil Delapan Galur Harapan Padi Sawah (*Oryza sativa L.*). *Vegetalika* 1(2): 99–107.
- Conner, J.K., and D.L. Hartl. 2004. Quantitative Genetics I: Genetic Variation. In A Primer of Ecological Genetics. Sinauer Associates, Inc, Sunderland.
- Djarwaningsih, T. 2005. Capsicum spp. (Cabai): Asal, Persebaran dan Nilai Ekonomi. *Biodiversitas* 6(4): 292–296.
- Eid, M.H. 2009. Estimation of heritability and genetic advance of yield traits in wheat (*Triticum aestivum L.*) under drought condition. *Int. J. Genet. Mol. Biol.* 1(7): 115–120.
- Eshbaugh, W.H. 2012. The taxonomy of the genus Capsicum. p. 14. In Russo, V.M. (ed.), Peppers: Botany, Production and Uses. Miami University, USA.
- Falconer, D.S. 1970. Introduction to Quantitative Genetic. The Ronald Press Company, New York.
- Fehr, W.. 1987. Principles of Cultivar Development. Volume 1. Theory and Technique. Macmillan Publishing Company, New York.
- Freeman, J. V, and S.A. Julious. 2010. Scope Papers (Collection of Statistical Papers first published in Scope) (J V Freeman, Ed.).
- Government Accounting Office. 1992. Quantitative Data Analysis: An Introduction. p. 134. In United States General Accounting Office, Washington D.C.
- Hapsari, R.T. 2014. Pendugaan keragaman genetik dan korelasi antara komponen hasil kacang hijau berumur genjeh. *Bul. Plasma Nutfah* 20(2): 51–58.
- Hapsari, R.T., and M.M. Adie. 2010. Pendugaan parameter genetik dan hubungan antarkomponen hasil kedelai. *J. Penelit. Pertan. Tanam. Pangan* 29(1): 18–23.
- Hartl, D.L., and E.W. Jones. 1998. Genetics: Principles and Analysis. 4th Editio. Jones and Bartlett Publishers, Inc, Canada.
- Hasanuzzaman, M., M.A. Hakim, J. Fersdous, M.M. Islam, and L. Rahman. 2012. Combining ability and heritability analysis for yield and yield contributing characters in chilli (*Capsicum annuum*) landraces. *Plant Omi. J.* 5(4): 337–344.
- Hewindati, Y.T. 2006. Hortikultura. Universitas Terbuka, Jakarta.
- Hill, J., H.C. Becker, and P.M.A. Tigerstedt. 1998. Principles of Selection Theory. p. 275 p. In Quantitative and Ecological Aspects of Plant Breeding. 1st ed. Springer Science+ Business Media, B.V.
- Holland, J.B., W.E. Nyquist, and C.T. Cervantes-Martinez. 2003. Estimating and Interpreting Heritability for Plant Breeding: An Update. In Janick, J. (ed.),

- Plant Breeding Reviews. John Wiley & Sons, Inc, Mexico.
- IPGRI. 1995. Descriptor for Capsicum (*Capsicum spp.*). International Plant Genetic Resources Institute, Rome.
- Jalata, Z., A. Ayana, and H. Zeleke. 2011. Variability, heritability and genetic advance for some yield and yield related traits in Ethiopian barley (*Hordeum vulgare L.*) landraces and crosses. *Int. J. Plant Breed. Genet.* 5(1): 44–52.
- Jogi, M.Y., M.B. Madalageri, V.M. Ganiger, G. Bhuvaneswari, H.B. Patil, and Y.K. Kotikal. 2013. Character association and path analysis studies in green chilli (*Capsicum annuum L.*). *Int. J. Agric. Sci.* 9(2): 547–550.
- Johnson, H., H.F. Robinson, and R.E. Comstock. 1955. Estimates of genetic and environmental variability in soybeans. *Agron. J.* 47(7): 314–318.
- Jyothi, K.U., S.S. Kumari, and C.V. Ramana. 2011. Variability studies in chilli (*Capsicum annuum L.*) with reference to yield attributes. *J. Hortic. Sci.* 6(2): 133–135.
- Kearsey, M.J., and H.S. Pooni. 1996. The Genetical Analysis of Quantitative Traits. Chapman and Hall, Birmingham.
- Kementerian Pertanian. 2016. Outlook Komoditas Pertanian Sub Sektor Hortikultura Cabai Merah (L Nuryati, B Waryanto, and R Widaningsih, Eds.). Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian.
- Lagu, C., and F.I.B. Kayanja. 2013. Acute Toxicity Profiles of Aqueous and Ethanolic Extracts of *Capsicum annuum* Seeds from South Western Uganda. p. 257–268. In Insights from Veterinary Medicine. INTECH, Uganda.
- Lubis, K., S.H. Sutjahjo, and M. Syukur. 2014. Pendugaan parameter genetik dan seleksi karakter morfofisiologi galur jagung introduksi di lingkungan tanah masam. *Penelit. Pertan. Tanam. Pangan* 33(2): 122–128.
- Manju, P.R., and I. Sreelathakumary. 2002. Genetic variability, heritability and genetic advance in hot chilli (*Capsicum chinense* Jacq.). *J. Trop. Agric.* 40: 4–6.
- Martono, B. 2009. Keragaman genetik, heritabilitas dan korelasi antar karakter kuantitatif nilam (*Pogostemon* sp.) hasil fusi protolas. *J. Littri* 15(1): 9–15.
- Maryenti, T., M. Bermawai, and J. Prasetyo. 2014. Heritabilitas dan kemajuan genetik karakter ketahanan kedelai generasi F2 persilangan Tanggamus x B3570 terhadap soybean mosaic virus. *J. Kelitbangtan* 2(2): 137–153.
- Maurya, A.K., M.L. Kushwaha, S.K. Maurya, and Y.R. P. 2017. Correlation and path analysis of yield and economic traits in chilli (*Capsicum annuum L.*). *Indian J. Ecol.* 44(4): 255–258.
- Meena, M.L., N. Kumar, J.K. Meena, and T. Rai. 2016. Genetic variability, heritability and genetic advances in chilli, *Capsicum annuum*. *Biosci.*

- Biotechnol. Reaserch Commun. 9(2): 258–262.
- Nawangsih, A. 2003. Cabai Hot Beauty (Edisi Revisi). Penebar Swadaya, Jakarta.
- Patel, P. 2009. Introduction to Quantitative Methods. p. 1–14. In Empirical Law Seminar.
- Pitojo, S. 2003. Benih Cabai. Kanisius, Yogyakarta.
- Portal, T.A. 2014. Seed Technology. Available at [http://agritech.tnau.ac.in/seed/Seed\\_seedtesting.html](http://agritech.tnau.ac.in/seed/Seed_seedtesting.html) (verified 16 March 2017).
- Prajnanta. 2007. Agribisnis Cabai Hibrida. Penebar Swadaya, Jakarta.
- Quresh, W., M. Alam, H. Ullah, and S. Ahmad. 2015. Evaluation and characterization of Chilli (*Capsicum annuum* L.) germplasm for some morphological and yield characters. Bolan Soc. Pure Appl. Biol. 4(4): 628–635.
- Rachmawati, A.A., M. Syukur, and M. Surahman. 2005. Pendugaan Nilai Heritabilitas dan Korelasi Genetik Beberapa Karakter Agronomi Tanaman Semangka (*Citrullus lanatus* (Thunberg) Matsum dan Nakai).
- Rana, M., R. Sharma, P. Sharma, S. Kumar, D. Kumar, and R.K. Dogra. 2015. Correlation and path-coefficient analysis for yield and its contributing traits in capsicum , *Capsicum annuum* L. Int. J. Farm Sci. 5(2): 66–73.
- Rodríguez, Y., T. Depestre, and O. Gómez. 2008. Efficiency of selection in pepper lines (*Capsicum annuum*), from four sub-populations, in characters of productive interest. Cienc. e Investig. Agrar. 35(1): 29–40.
- Rosmaina, Syafrudin, Hasrol, F. Yanti, Juliyanti, and Zulfahmi. 2016. Estimation of variability, heritability and genetic advance among local chili pepper genotypes cultivated in peat lands. Bulg. J. Agric. Sci. 22(3): 431–436.
- Sarkar, S., D. Murmu, A. Chattopadhyay, P. Hazra, B. Chandra, K. Viswavidyalaya, and W. Bengal. 2009. Genetic variability, correlation and path analysis of some morphological characters in chilli. J. Crop Weed 5(1): 157–161.
- Sattar, A., M.A. Chowdhry, and M. Kashif. 2003. Estimation of heritability and genetic gain of some metric traits in six hybrid population of spring wheat. Asian J. Plant Sci. 2(6): 495–497.
- Sesardic, N. 2005. Making Sense of Heritability (MR Florida, Ed.). Cambridge University Press, New York.
- Setiawan, A.B., S. Purwanti, and Toekidjo. 2012. Pertumbuhan dan hasil benih lima varietas cabai merah (*Capsicum annuum* L.) di dataran menengah. Vegetalika 1(3): 1–11.

- Sharma, S., S. Barche, S. Sengupta, B. Verma, and T. Jamkar. 2014. Genetic variability, heritability and genetic advance in chilli, *Capsicum annuum* L. Int. J. Farm Sci. 4(4): 112–116.
- Shumbulo, A., M. Nigussie, and S. Alamerew. 2017. Correlation and path coefficient analysis of hot pepper (*Capsicum annuum* L.) genotypes for yield and its components in Ethiopia. Adv. Crop Sci. Technol. 5(3): 1–5.
- Singh, R.K., and B.D. Chaudhary. 1979. Biometrical Methods in Quantitative Genetics Analysis. Kalyani Publishers, New Delhi.
- Singh, P., P.K. Jain, and A. Sharma. 2017. Genetic variability, heritability and genetic advance in chilli (*Capsicum annuum* L.) genotypes. Int. J. Curr. Microbiol. Appl. Sci. 6(9): 2704–2709.
- Singh, P.K., A. Kumar, and I. Ahad. 2014. Correlation and path coefficient analysis in yield contributing characters in chilli, *Capsicum annuum* L. Int. J. Farm Sci. 4(4): 104–111.
- Sjamsudin, E. 1990. Pendugaan heritabilitas hasil kacang tanah (*Arachis hypogaea* L.) tipe Virginia di Queensland Australia. Bul. Agron. 19(1): 1–7.
- Smitha, R.P., and N. Basavaraja. 2006. Variability and correlation studies in chilli (*Capsicum annuum* L.). Karnataka J. Agric. Sci. 19(4): 888–891.
- Stansfield, W.D. 1991. Theory and Problems of Genetics 3rd Edition.
- Suriana, N. 2013. Budidaya Cabai di Lahan Sempit. Infra Pustaka.
- Susetya, D. 2012. Panduan Lengkap Membuat Pupuk Organik untuk Tanaman Pertanian dan Perkebunan. Pustaka Baru Press, Yogyakarta.
- Sutopo, L. 2010. Teknologi Benih. Raja Grafindo Persada, Jakarta.
- Syukur, M. 2012. Teknik Pemuliaan Tanaman (S Nugroho, Ed.). Penebar Swadaya, Jakarta.
- Tillman, B.L., and S.A. Harrison. 1996. Heritability of resistance to bacterial streak in winter wheat. Crop Sci. 36(2): 412–418.
- Ullah, M.Z., M.J. Hasan, A.I. Saki, A.H.M.A. Rahman, and P.L. Biswas. 2011. Association of correlation and cause-effect analysis among morphological traits in chili (*Capsicum frutescens* L.). Int. J. Biol. Res. 10(6): 19–24.
- Vikram, A., I.K. Warshamana, and M. Gupta. 2014. Genetic correlation and path coefficient studies on yield and biochemical traits in chilli (*Capsicum annuum* L.). Int. J. Farm Sci. 4(2): 70–75.
- Widyawati, Z., and I. Yulianah. 2014. Heritabilitas dan kemajuan genetik harapan populasi F2 pada tanaman cabai besar (*Capsicum annuum* L.). J. Produksi Tanam. 2(3): 247–252.
- Wilson, A.J., and J. Poissant. 2016. Quantitative Genetics in Natural Populations.

- Encycl. Evol. Biol. 3: 361–371.
- WorldWeatherOnline. 2017. Jatikerto weather average. Available at <https://www.worldweatheronline.com/> (verified 1 October 2017).
- Yatung, T., R.K. Dubey, V. Singh, and G. Upadhyay. 2014. Genetic diversity of chilli (*Capsicum annuum* L.) genotypes of India based on morpho-chemical traits. Aust. J. Crop Sci. 8(1): 97–102.