Lampiran 7. Multikolinearitas

Variables Entered/Removed(b)

Model	Variables Entered	Variables Removed	Method
1	X2, X1(a)	.	Enter

a All requested variables entered.
b Dependent Variable: Y

Coefficients(a)

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	X1	.406	2.461
	X2	.406	2.461

a Dependent Variable: Y

Lampiran 8. Autokorelasi

Variables Entered/Removed(b)

Model	Variables Entered	Variables Removed	Method
1	X2, X1(a)	.	Enter

a All requested variables entered.
b Dependent Variable: Y

Model Summary(b)

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.765(a)	.585	.571	1.999	1.941

a Predictors: (Constant), X2, X1
b Dependent Variable: Y

Lampiran 9. Normalitas

Tests of Normality

	Kolmogorov-Smirnov(a)			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
X1	.108	63	.066	.986	63	.718
X2	.111	63	.053	.980	63	.380
Y	.099	63	.200(*)	.977	63	.293

* This is a lower bound of the true significance.
a Lilliefors Significance Correction




Normal Q-Q Plot of X2
4
2
0
-2
-4
25.0
27.5
30.0
32.5
35.0
37.5
40.0
Observed Value


Normal Q-Q Plot of Y
2
1
0
-1
-2
24
26
28
30
32
34
36
38
Observed Value


Histogram
Dependent Variable: Y
20
15
10
5
0
-4
-3
-2
-1
0
1
2
3
Mean = 4.98E-16
Std. Dev. = 0.984
N = 63
Regression Standardized Residual