

Frequensi Table X1

X1.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	3	4.1	4.1	4.1
2	11	15.1	15.1	19.2
3	34	46.6	46.6	65.8
4	25	34.2	34.2	100.0
Total	73	100.0	100.0	

X1.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	3	4.1	4.1	4.1
2	20	27.4	27.4	31.5
3	35	47.9	47.9	79.5
4	14	19.2	19.2	98.6
5	1	1.4	1.4	100.0
Total	73	100.0	100.0	

X1.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	3	4.1	4.1	4.1
2	17	23.3	23.3	27.4
3	39	53.4	53.4	80.8
4	14	19.2	19.2	100.0
Total	73	100.0	100.0	

X1.4

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	2	2.7	2.7	2.7
2	10	13.7	13.7	16.4
3	28	38.4	38.4	54.8
4	33	45.2	45.2	100.0
Total	73	100.0	100.0	



X1.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.4	1.4	1.4
	2	10	13.7	13.7	15.1
	3	40	54.8	54.8	69.9
	4	20	27.4	27.4	97.3
	5	2	2.7	2.7	100.0
	Total	73	100.0	100.0	

X1.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	4.1	4.1	4.1
	2	14	19.2	19.2	23.3
	3	26	35.6	35.6	58.9
	4	29	39.7	39.7	98.6
	5	1	1.4	1.4	100.0
	Total	73	100.0	100.0	

X1.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	4.1	4.1	4.1
	2	20	27.4	27.4	31.5
	3	35	47.9	47.9	79.5
	4	14	19.2	19.2	98.6
	5	1	1.4	1.4	100.0
	Total	73	100.0	100.0	

X2.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	4.1	4.1	4.1
	3	26	35.6	35.6	39.7
	4	41	56.2	56.2	95.9
	5	3	4.1	4.1	100.0
	Total	73	100.0	100.0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1.4	1.4	1.4
	3	25	34.2	34.2	35.6
	4	40	54.8	54.8	90.4
	5	7	9.6	9.6	100.0
	Total	73	100.0	100.0	

X2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	2.7	2.7	2.7
	3	31	42.5	42.5	45.2
	4	37	50.7	50.7	95.9
	5	3	4.1	4.1	100.0
	Total	73	100.0	100.0	

X2.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	5.5	5.5	5.5
	3	24	32.9	32.9	38.4
	4	38	52.1	52.1	90.4
	5	7	9.6	9.6	100.0
	Total	73	100.0	100.0	

X2.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	8	11.0	11.0	11.0
	3	30	41.1	41.1	52.1
	4	29	39.7	39.7	91.8
	5	6	8.2	8.2	100.0
	Total	73	100.0	100.0	

X2.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	4.1	4.1	4.1
	3	26	35.6	35.6	39.7
	4	39	53.4	53.4	93.2
	5	5	6.8	6.8	100.0
	Total	73	100.0	100.0	

X2.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	5	6.8	6.8	6.8
	3	30	41.1	41.1	47.9
	4	34	46.6	46.6	94.5
	5	4	5.5	5.5	100.0
	Total	73	100.0	100.0	

X2.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	27	37.0	37.0	37.0
	4	38	52.1	52.1	89.0
	5	8	11.0	11.0	100.0
	Total	73	100.0	100.0	

X2.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	14	19.2	19.2	19.2
	3	28	38.4	38.4	57.5
	4	29	39.7	39.7	97.3
	5	2	2.7	2.7	100.0
	Total	73	100.0	100.0	

X2.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	10	13.7	13.7	13.7
	3	35	47.9	47.9	61.6
	4	28	38.4	38.4	100.0
	Total	73	100.0	100.0	

X2.11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	10	13.7	13.7	13.7
	3	37	50.7	50.7	64.4
	4	25	34.2	34.2	98.6
	5	1	1.4	1.4	100.0
	Total	73	100.0	100.0	

X3.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	4.1	4.1	4.1
	2	11	15.1	15.1	19.2
	3	36	49.3	49.3	68.5
	4	23	31.5	31.5	100.0
	Total	73	100.0	100.0	

X3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	11	15.1	15.1	15.1
	3	28	38.4	38.4	53.4
	4	31	42.5	42.5	95.9
	5	3	4.1	4.1	100.0
	Total	73	100.0	100.0	

X3.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	2.7	2.7	2.7
	2	2	2.7	2.7	5.5
	3	21	28.8	28.8	34.2
	4	38	52.1	52.1	86.3
	5	10	13.7	13.7	100.0
	Total	73	100.0	100.0	

X3.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	5.5	5.5	5.5
	3	22	30.1	30.1	35.6
	4	39	53.4	53.4	89.0
	5	8	11.0	11.0	100.0
	Total	73	100.0	100.0	

X3.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	4.1	4.1	4.1
	3	17	23.3	23.3	27.4
	4	47	64.4	64.4	91.8
	5	6	8.2	8.2	100.0
	Total	73	100.0	100.0	

X3.6

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	3	4.1	4.1	4.1
2	6	8.2	8.2	12.3
3	36	49.3	49.3	61.6
4	25	34.2	34.2	95.9
5	3	4.1	4.1	100.0
Total	73	100.0	100.0	

X3.7

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	3	4.1	4.1	4.1
2	5	6.8	6.8	11.0
3	33	45.2	45.2	56.2
4	27	37.0	37.0	93.2
5	5	6.8	6.8	100.0
Total	73	100.0	100.0	

X4.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	1	1.4	1.4	1.4
3	22	30.1	30.1	31.5
4	44	60.3	60.3	91.8
5	6	8.2	8.2	100.0
Total	73	100.0	100.0	

X4.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	1	1.4	1.4	1.4
2	5	6.8	6.8	8.2
3	24	32.9	32.9	41.1
4	40	54.8	54.8	95.9
5	3	4.1	4.1	100.0
Total	73	100.0	100.0	

X4.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.4	1.4	1.4
	3	19	26.0	26.0	27.4
	4	46	63.0	63.0	90.4
	5	7	9.6	9.6	100.0
	Total	73	100.0	100.0	

X4.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.4	1.4	1.4
	2	3	4.1	4.1	5.5
	3	27	37.0	37.0	42.5
	4	37	50.7	50.7	93.2
	5	5	6.8	6.8	100.0
	Total	73	100.0	100.0	

X4.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.4	1.4	1.4
	2	2	2.7	2.7	4.1
	3	17	23.3	23.3	27.4
	4	42	57.5	57.5	84.9
	5	11	15.1	15.1	100.0
	Total	73	100.0	100.0	

X4.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.4	1.4	1.4
	2	3	4.1	4.1	5.5
	3	24	32.9	32.9	38.4
	4	42	57.5	57.5	95.9
	5	3	4.1	4.1	100.0
	Total	73	100.0	100.0	

RELIABILITY

Reliability X1


Reliability Statistics	
Cronbach's Alpha	N of Items
.897	7

Item Statistics			
	Mean	Std. Deviation	N
X1.1	3.11	.809	73
X1.2	2.86	.822	73
X1.3	2.88	.763	73
X1.4	3.26	.800	73
X1.5	3.16	.746	73
X1.6	3.15	.892	73
X1.7	2.86	.822	73

Reliability X2

Reliability Statistics	
Cronbach's Alpha	N of Items
.933	11

Item Statistics			
	Mean	Std. Deviation	N
X2.1	3.60	.640	73
X2.2	3.73	.651	73
X2.3	3.56	.623	73
X2.4	3.66	.731	73
X2.5	3.45	.800	73
X2.6	3.63	.677	73
X2.7	3.51	.710	73
X2.8	3.74	.646	73
X2.9	3.26	.800	73
X2.10	3.25	.683	73
X2.11	3.23	.698	73



Reliability X3

Case Processing Summary

		N	%
Cases	Valid	73	100.0
	Excluded ^a	0	.0
	Total	73	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.889	7

Item Statistics

	Mean	Std. Deviation	N
X3.1	3.08	.795	73
X3.2	3.36	.788	73
X3.3	3.71	.841	73
X3.4	3.70	.739	73
X3.5	3.77	.657	73
X3.6	3.26	.834	73
X3.7	3.36	.872	73

Reliability X4

Reliability Statistics

Cronbach's Alpha	N of Items
.924	6

Item Statistics

	Mean	Std. Deviation	N
X4.1	3.74	.667	73
X4.2	3.53	.747	73
X4.3	3.79	.666	73
X4.4	3.58	.744	73
X4.5	3.82	.770	73
X4.6	3.59	.704	73

1. Hasil Analisis Jalur X1, X2, Terhadap X3

Regression

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	X2, X1 ^a		. Enter

a. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.727 ^a	.529	.515	2.994

a. Predictors: (Constant), X2, X1

b. Dependent Variable: X3

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	703.735	2	351.867	39.264	.000 ^a
	Residual	627.306	70	8.962		
	Total	1331.041	72			

a. Predictors: (Constant), X2, X1


b. Dependent Variable: X3

Coefficients^a


Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	4.756	2.338		2.035	.046		
	X1	.395	.102	.408	3.862	.000	.602	1.660
	X2	.287	.076	.397	3.754	.000	.602	1.660

a. Dependent Variable: X3

Normal P-P Plot of Regression Standardized Residual



Scatterplot



2. Hasil Analisis Jalur X1, X2, dan X3 Terhadap X4

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	X3, X2, X1 ^a		.Enter

a. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.778 ^a	.605	.588	2.353

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: X4

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	585.802	3	195.267	35.273	.000 ^a
	Residual	381.979	69	5.536		
	Total	967.781	72			

a. Predictors: (Constant), X3, X2, X1


b. Dependent Variable: X4

Coefficients^a


Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	3.897	1.891		2.061	.043		
	X1	.265	.088	.322	2.999	.004	.496	2.014
	X2	.158	.066	.257	2.402	.019	.501	1.995
	X3	.264	.094	.310	2.814	.006	.471	2.122

a. Dependent Variable: X4

Normal P-P Plot of Regression Standardized Residual



Scatterplot



UNIVERSITAS BRAWIJAYA

