

DAFTAR PUSTAKA

- Albert, N. M. (2008). Improving medication adherence in chronic cardiovascular disease. *Critical Care Nurse*, 28 (52), 54-64.
- Alimul, A. (2007). *Riset Keperawatan dan Teknik Penulisan Ilmiah*. Jakarta: Salemba Medika.
- Amira, O. C., & Okubadejo, N. U. (2007). Frequency of complementary and alternative medicine utilization in hypertensive patients attending an urban tertiary care centre in Nigeria. *BMC Complementary and Alternative Medicine*, 7:30. 1472-6882/7/30.
- Arikunto, S. (2006). *Prosedur Penelitian (Suatu Pendekatan Praktek)*. Jakarta: Rineka Cipta.
- Barnes, P. M., Powell-Greiner, E., Mc Fann, K., & Nahin, R. L. (2004). Complementary and Alternative Medicine Use Among Adults: United States, 2002. *Advance Data From Vital and Health Statistic, Number 343, May 27*.
- Barraco, D, Valencia, D., Riba, A., Nareddy, S., Draus, C., & Schwartz, S. (2005). Complementary and alternative medicine (CAM) use patterns and disclosure to physicians in acute coronary syndrome patients. *Complement Ther Med*, 2005, 13:34-40.
- Barutcu, I., Esen, A. M., Degirmenci, B., Acar, M., Kaya, D., Turkmen, M., Melek, M., Onrat, E., Esen, O. B., & Kirma, C. (2004). Acute cigarette smoking-induced hemodynamic alterations in the common carotid artery. *Circ J*; 68(12):1127-31.
- Bell, R. A., Suerken C. K., Grzywacz J. G., Lang W., Quandt S. A., & Arcury T. A. (2006). CAM Use Among Older Adults Age 65 or Older with Hypertension in the United States: General Use and Disease Treatment. *J Alternative Compl Med*, 12(9):903-909.
- Bishop, F. L., Yardley, L., & Lewith, G. T. (2007). A Systematic Review of Beliefs Involved in the Use of Complementary and Alternative Medicine. *Journal of Health Psychology*, Vol. 12 (6) 851-867. Doi: 10.1177/1359105307082447.
- Blackmer, J., & Jefromova, L. (2002). The Use of alternative therapies in the Saskatchewan stroke rehabilitation population. *BMC Compl Alternative Med* 2002, 2(1): 7.

- Blanning., M. (2009). A review of interventions used to improved adherence to medication in older people. *International Journal of Nursing Studies*, 46, 1505-1515.
- Brookes, L. (2004). The Update WHO/ISH Hypertension Guidline. *J Hypertens ;* 151-183.
- Brunelli, B., & Gorson, K. C. (2004). The Use of Complementary and Alternative Medicines by Patients with Peripheral Neuropathy. *Journal of the Neurological Sciences*, 218, 59-66.
- Brunner & Suddart. (2002). *Keperawatan Medikal Bedah*. Ed. 8, Vol. 1. Jakarta: EGC.
- Buabeng, K. O., Matowe, L., Plange-Rhule, J. (2004). Unaffordable drug prices: the major cause of non-compliance with hypertension medication in Ghana. *J Pharm Pharmaceut Sci* 2004, 7(3): 350-352.
- Chobanian, A. V., Bakris, G. L., Black, H. R., Cushman, W. C., Gren, L. A., Izzo, J. L., Jones, D. W., Materson, B. J., Oparil, S., Wright, J. T., Rocella, E. J., & the National High Blood Pressure Education Program Coordinating Committee. (2003). The Seventh Report of the Joint National Committee (JNC). *Journal of the American Heart Association*, 42, 1206-1252.
- Chung Misook, L. (2006). Gender Differences in Adherens to Sodium-Restricted Diet in Patients With Heart Failure. *Journal of Cardiac Failure Elsevier*.
- Copstead, L. E. C., & Jacquelyn, L. B. (2005). *Pathophysiology Third Edition*, St. Louis: Missouri Elsevier Saunders.
- Dawn, M. U., & Laura C. (2004). Use of Complementary and Alternative Medicine among American Women. *Elsevier, Women's Health Issues* 15, 5-13. Doi: 10.1016/j.whi.2004.08.010.
- Debas, H. T., Laxminarayan, R., & Strauss, S. E. (2006). *Complementary and Alternative Medicine.In: Disease Control Priorities in Developing Countries*. Debas H.T et al (Eds)., 2nd Edn, Chapter 69. Washington DC: The World Bank and Oxford University Press.
- Departemen Kesehatan RI. (2006). *Pedoman Teknis Penemuan dan Tatalaksana Penyakit Hipertensi*. Jakarta: Direktorat Pengendalian Penyakit Tidak Menular Depkes RI.
- Departemen Kesehatan RI. (2008). *Riset Kesehatan Dasar (Riskesdas) 2007: Laporan Nasional 2007*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Depkes RI.
- Dharmojojo, D. V. M. (2001). *Menghayati Teori dan Praktek Akupunktur & Moksibusi*. Jilid I. Jakarta : Trubus Agriwidya.

- Dietary Supplement Health and Education Act (DSHEA). (1994). *U.S. Food and Drug Administration Center for Food Safety and Applied Nutrition*.
- DiMatteo, M. R. (2004). Social Support and Patient Adherence to Medical Treatment: A Meta-Analysis. *Health Psychology. The American Psychological Association Inc.*
- Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, A. G., & Posey, L. M. (Eds). (2005). *Pharmacotherapy a Pathophysiological Approach. 4rd ed.* Appleton & Lange, Stamford.
- Eddouks, M., Maghrani, M., Lemhadri, A., Ouahidi, M. L., & Jouad, H. (2002). Ethnopharmacological survey of medicinal plants used for the treatment of diabetes mellitus, hypertension and cardiac diseases in the south-east region of Morocco (Tafilalet). *J Ethnopharmacol*, 82(2-3):97-103.
- Elkins, G., Rajab, M. H., Marcus, J. (2005). Complementary and alternative medicine use by psychiatric in patients. *Psychol Rep* 2005, 96(1): 163-166.
- Ellenbecker, C. H., Samia, L., Cushman, M. J., & Alster, K. (2004). Chapter 13: Patient Safety and Quality in Home Health Care. *Patient Safety and Quality: An Evidence-Based Handbook for Nurses*.
- Ennis, E. (2014). Complementary and alternative medicines (CAMs) and adherence to mental health medications. *BMC Complementary and Alternative Medicine*, 14:93. Doi: 10.1186/1472-6882-14-93.
- Ernst, E. & Fugh-Berman, A. (2002). Complementary and alternative medicine: What it is all about? *Occup Environ Med*; 59: 140–144.
- Ezzati, M., Lopez, A. D., Rodgers, A., Hoorn, S. V., Murray, C. J. L., & the Comparative Risk Assessment Collaborating Group. (2005). Selected major risk factors and global and regional burden of disease. *The Lancet*, Vol. 360:1347–1360.
- Ganiswarna, S. G. (2007). *Farmakologi dan Terapi*. Jakarta: UI Press.
- Gohar, F., Greenfield, S. M., Beevers, D. G., Lip, G. Y. H., and Jolly, K. (2008). Self-care and adherence to medication: a survey in the hypertension outpatient clinic. *BMC Complementary and Alternative Medicine* 2008, 8:4. Doi:10.1186/1472-6882-8-4.
- Gunawan, L. (2005). *Hipertensi*. Yogyakarta: Penerbit Kanisius.
- Haryana, A. (2006). *812 Resep untuk Mengobati 236 Penyakit*. Jakarta : Penebar Swadaya.

- Hashmi, S. K., Afridi, M. B., Abbas, K., Sajwani, R. A., Saleheen, D., Frossard, P. M., Ishaq, M., Ambreen, A. & Ahmad, U. (2007) Faktor Associated with Adherence to Anti-Hypertensive Treatment in Pakistan. *PLoS ONE*, 2, e280.
- Hein, A. W. Van Onzenoort, Menger, F. E., Neef, C., Verberk, W. J., Kroon, A. A., de Leeuw, P. W., & van der Kuy, P. H. M. (2011). Participation in a Clinical Trial Enhances Adherence and Persistence to Treatment: A Retrospective Cohort Study. *American Heart Association; Hypertension*, 58: 573-578. doi: 10.1161/HYPERTENSIONAHA.111.171074.
- Hoffman, B. B., Carruthers, S. G., Melmon, K.L., & Nierenberg, D.W. (2000). *Melmon and Morrelli's Clinical Pharmacology*. Fourth Edition. London: McGraw-Hill.
- Iskedjian, M., Einarson, T. R., MacKeigan, L. D., Shear, N., Addis, A., Mittmann, N., Ilersich, A. L. (2002). Relationship between daily dose frequency and adherence to antihypertensive pharmacotherapy: evidence from meta-analysis. *Clin Ther* 2002;24:302–316. [PubMed: 11911560].
- Isselbacher, Braunwald, Wilson, Martin, Fauci, & Kasper. (2000). *Harrison: Prinsip-Prinsip Ilmu Penyakit Dalam*, Vol. 1. Jakarta: EGC.
- Jefri, H. (2002). *Faktor-faktor Yang Berhubungan Dengan Hipertensi Pada Lansia Di Kota Depok Tahun 2002*. Tesis. Fakultas Kesehatan Masyarakat Universitas Indonesia.
- Jernewall, N., Zea, M. C., Reisen, C. A., Poppen, P. J. (2005). Complementary and alternative medicine and adherence to care among HIV-positive Latino gay and bisexual men. *AIDS Care* 2005, 17:601-609.
- Jin, Jing., Sklar, G. E., Oh, V, M, S., & Li, S, C. (2008). Factor Affecting Therapeutic Compliance: A Review from the Patient's Perspective. *Therapeutics and Clinical Risk Management* 2008;4(1) 269–286.
- Kaerney, P. M., Whelton, M., Reynolds, K., Muntner, P., Whelton, P. K., & He, J. (2005). Global burden of hypertension: analysis of worldwide data. [Lancet](#). 2005 Jan 15-21; 365 (9455): 217-23.
- Keenan, N. L., & Rosendorf, K. A. (2011). Prevalence of hypertension and controlled hypertension United States, 2005–2008. *Morbidity and Mortality Weekly Report*; 60:94–97.
- Khomsan, A. (2003) *Pangan dan Gizi untuk Kesehatan*. Jakarta: Raja Grafindo Persada.
- Kjeldsen, L. J., Bjerrum, L., Herborg, H., Knudsen, P., Rossing, C., & Sondergaard, B. (2011). Development of New Concepts of Non-adherence Measurement among Users of Hypertensives Medicine. *Int J Clin Pharm*, 33(3): 565-72. Doi: 10.1007/s11096-011-9509-y.

- Kretchy, I. A., Owusu-Daaku, F., & Danquah S. (2014). Patterns and determinants of the use of complementary and alternative medicine: a cross-sectional study of hypertensive patients in Ghana. *BMC Complementary and Alternative Medicine* 2014.14:14. doi: 10.1186/1472-6882-14-44.
- Krousel-Wood, M. A., Muntner, P., Joyce, C. J., Islam, T., Stanley, E., Holt, E. W., Morisky, D. E., He, J., & Webber, L. S. (2010). Adverse effects of Complementary and Alternative Medicine Use on Antihypertensive Medication Adherence: Findings from CoSMO. *J Am Geriatr Soc. January*; 58 (1): 54-61. doi:10.1111/j.1532-5415.2009.02639.x.
- Krousel-Wood, M., Joyce, C., Holt, E., Muntner, P., Wbber, L. S., Morisky, D. E., Frohlich, E. D., & Re, R. N. (2011). Predictors of Decline in Medication Adherence : Results From the Cohort Study of Medication Adherence Among Older Adults. *Hypertension*, 58:804-810. doi: 10.1161/HYPERTENSIONAHA.111.176859.
- Kusmana, D. (2002). *Olahraga bagi Kesehatan Jantung*. Jakarta: Balai Penerbit FKUI.
- Lengacher, C., Bennett, M. P., Kipp, K. E., Berarducci, A. & Cox, C. E. (2003). Design and Testing of The Use of a Complementary and Alternative Therapies Survey in Women with Breast Cancer. *Oncol Nurs Forum*, 30 (5):811–821.[PubMed: 12949594].
- Lewis, S. M., Heitkemper, M. M., & Dirksen, S. R. (2000). *Medical Surgical Nursing Assesment and Management of Clinical Problems Vol. 1*. St. Louis, Missouri: Mosby Inc.
- Lukitasari, M., Rohman, S., & Hendrawan, D. (2011). Achievement of Blood Pressure Target with Angiotensin Blockade Based Therapy in Out Patient Clinic.
- Magadza, C., Radloff, S. E., & Srinivas, S. C. (2009). The Effect of an Education Intervention on Patients' Knowledge About Hypertension, Beliefs About Medicines, and Adherence. *Research in Social and Administrative Pharmacy* 5(4): 363-75. Doi: 10.1016/j.sapharm.2009.01.004.
- Mahfudz, A. S., & Chan, S. C. (2005). Use of Complementary Medicine Amongst Hypertensive Patients in a Public Primary Care Clinic in Ipoh. *Med J Malaysia Vol. 60 No.4:454-9*.
- Manfredini, F., Malagoni, A. M., Mandini, S., Boari, B., Felisatti, M., Zamboni, P., & Manfredini, R. (2009). Sport Therapy for Hypertensive: Why, How, and How Much? *Angiology*, Vol. 60, No. 2. DOI: 10.1177/0003319708316012.
- Mansjoer, A. (2001). *Kapita Selektta Kedokteran Jilid I*. Jakarta: Media Aesculapius FKUI.

- Mansoor, G. A. (2001). Herbs and Alternative Therapies in The Hypertension Clinic. *American Journal of Hypertension*, Vol. 4, No.9 : 971-975.
- Maramis, W. F. (2006). *Ilmu Perilaku Dalam Pelayanan Kesehatan*. Surabaya: Airlangga Universitas Press.
- Marentette MA, Gerth WC, Billings DK, Zarnke KB. (2002). Antihypertensive persistence and drug class. *Can J Cardiol* 2002;18:649–656. [PubMed: 12107422]
- Monane M, Bohn RL, Gurwitz JH, et al. (1996). A population-based study of Compliance with Antihypertensive Therapy: Role of Age, Gender and Race. *Am J of Public Health* 1996;86:1805–09. [PubMed: 9003143]
- Morisky., D. E., Ang, A., Krousel-Wood, M., & Ward, H. J. (2008). Predictive Validity of a Medication Adherence Measure in an Outpatient Setting. *The Journal of Clinical Hypertension* (ISSN 1524-6175). Vol. 10 No. 5. : 348–354.
- Mulyana & Rakhmat. (2003). *Komunikasi antar budaya*. Bandung: Rosdakarya.
- NCCAM. (2006). Complementary, Alternative, or Integrative Health: What's In a Name? *The National Center for Complementary and Alternative Medicine*.
- Niven, N. (2002). *Psikologi Kesehatan Pengantar untuk Perawat dan Profesional Kesehatan Lain edisi 2*. Jakarta: EGC.
- Notoatmodjo, S. (2007). *Promosi Kesehatan dan Ilmu Perilaku*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Nurkhalida. (2003). *Warta Kesehatan Masyarakat*. Jakarta: Depkes RI.
- Nursalam. (2011). *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan : Pedoman Skripsi, Tesis, dan Instrumen Penelitian Keperawatan. Ed.2*. Jakarta: Salemba Medika.
- Ong, K. L., Cheung, B. M. Y., Man, B. Y., Lau, C. P. & Lam, K. S. L. (2007). Prevalence, Awareness, Treatment, and Control of Hypertension Among United States Adults 1999-2004. *AHA Hypertension*; 49:69-75. Doi: 10.1161/01.HYP.0000252676.46043.18.
- Osamor, P. E., & Owumi, B. E. (2010). Complementary and Alternative Medicine in The Management of Hypertension in an Urban Nigerian Community. *BMC Complementary and Alternative Medicine*, 10:36.
- Osterberg, L. & Blaschke, T. (2005). Adherence to Medication. *The New England Journal of Medicine*, 97, 353-487.

- Rantucci., M. J. (2007). *Pharmacists talking to patients*. (Ed. Ke-2). Baltimore:: Lippincot Williams dan Wilkins.
- Rayner Jo, Mc Lachlan, H., Forster, D., & Cramer. (2009). Australian women's use of complementary and alternative medicine to enhance fertility: Exploring the experience of women and practitioners. *BMC Complementary and alternative medicine*, 9:52.
- Sani, A. (2008). *Hypertension, Current Perspective*. Jakarta: Medya Crea.
- Shafiq, N., Gupta, M., Kumara, S., & Pandhi, P. (2003). Prevalence and Pattern of Use of Complementary and Alternative Medicine (CAM) in Hypertensive Patients of Tertiary Care Center in India. *International Journal Clinical Pharmacology Therapy*, 41(7): 294-298.
- Shan, S. W., & Richard, L. N. (2003). National Center for Complementary and Alternative Medicine Perspectives for Complementary and Alternative Medicine Research in Cardiovascular Diseases. *Cardiology in review*; 11 (2) : 94-8.
- Sheps, S. G. (2005). *Mayo Clinic Hipertensi, Mengatasi Tekanan Darah Tinggi*. Jakarta: Intisari Mediatama.
- Simamora, H. (2004). *Manajemen Sumber Daya Manusia*. Yogyakarta: STIE YKPN.
- Smeltzer, S. C. & Bare, B. G. (2005). *Brunner & Suddarth Textbook of Medical Surgical Nursing 10th Edition*. Lippincott Williams & Wilkins.
- Sommers, Johnson & Beery. (2007). *Diseases and Disorders: A Nursing Therapeutics Manual, 3rd ed*. Philadelphia: F.A. Davis Company.
- Staessen, A. J., Gasowsky, J., Wang, J. G., Thijs, L., Den H. E., Boissel, J. P., Coope, J., Ekbohm, T., Gueyffier, F., Liu, L., Kerlikowske, K., Pocock, S., & Fagard, R. H. (2000). Risks of Untreated and Treated Isolated Systolic Hypertension in the Elderly: Meta Analysis of Outcome Trials. *The Lancet*. Vol 355. March 11; 355 (9207): 724.
- Stringer, J. L. (2008). *Konsep Dasar Farmakologi : Panduan Untuk Mahasiswa*. Jakarta: EGC.
- Stephen, J., & Maxine, A. (2010). *Medical Diagnosis and Treatment*. Amerika Serikat: The McGraw-Hill Companies.
- Sudoyo, A. W., Setyohadi, B., Alwi, I., Simadibrata, M., & Setiati, S. (2006). *Buku Ajar Ilmu Penyakit Dalam Jilid I Edisi IV*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Sugiyono. (2011). *Metode Penelitian kuantitatif, Kualitatif dan R&D*. Bandung: Alfabeta.

- Suhartono, S. (2005). *Filsafat Ilmu Pengetahuan*. Yogyakarta: Ar-ruzz Media.
- Sunaryo. (2004). *Psikologi Untuk Keperawatan*. Jakarta:EGC.
- Sutomo, B. (2009). *Menu Sehat Penakluk Hipertensi*. Jakarta: DeMedia.
- Suyono, S. (2001). *Buku Ajar Ilmu Penyakit Dalam*. Jakrta: EGC.
- Theodore, A., & Kotchen, J. M. (2006). *Nutrition, Diet, and Hypertension*. In: *Shils ME. Modern Nutrition In Health and Disease tenth edition*. Philadelphia: Lippincott Williams and Wilkins.
- Turana, Y. (2003). *Seberapa Besar Manfaat Pengobatan Alternatif*. Online. http://www.medikaholistik.com/medika.html?xmodule=document_detail&xid=61&ts=1397913927&q=health. Diakses tanggal 5 Oktober 2013.
- Varghese, C. T. (2004). Is Patient's Preference for Medical Care Changing? *MJAFI, Vol. 61, No. 2, 2004*.
- Wayne, B. J. (2001). The evidence house: How to build an inclusive base for complementary medicine. *West J Med* 2001;175:79-80.
- Weil, N., Micheal F., Yan P., Dror T., & Tammy S. R. P. (2007). *The Effect of Acupuncture on Blood Pressure in Hypertensive Patients Treated in a Complementary Medicine Clinic*. Integrative Medicine Insights 01/2007.
- Williams, Linda S., Hopper, & Paula D. (2007). *Understanding Medical Surgical Nursing 3rd Edition*. Philadelphia: F.A. Davis Company.
- World Health Organization. (2003a). *Adherence to Long-Term Therapies: Evidence for Action*. Geneva: World Health Organization. 107-114.
- World Health Organization. (2003b). *Traditional Medicine*. Geneva: World Health Organization.
- World Health Organization. (2011). *Hypertension*. Geneva: World Health Organization.
- Yuliarti. 2007. *Faktor-Faktor Yang Berhubungan Dengan Hipertensi Pada Usia Lanjut Di Posbindu Kota Bogor Tahun 2007*.Tesis. Fakultas Kesehatan Masyarakat Universitas Indonesia.