

DAFTAR PUSTAKA

- Abbas AK and Lichtman AH. 2004. *Basic Immunology: Function and Disorder of The Immune System*. 2nd Ed., Elsevier, Philadelphia, US.
- Abbas AK, Lichtman AH, Pillai S. 2007. *Cellular and Molecular Immunology*. Elsevier, Philadelphia, US.
- Annunziato F and Romagnan S. Heterogeneity Of Human Effector CD4+ T Cells. *Arthritis Research & Therapy*, 2009; 11:257.
- Arruda S, Chalhoub M, Cardoso S, Barral-Netto M. Cell-mediated immune responses and cytotoxicity to mycobacterial antigens in patients with tuberculous pleurisy in Brazil. *Acta Tropica* 71, 1998; 1 – 15.
- Baratawidjaja KG dan Rengganis I. 2010. *Imunologi Dasar*, Edisi 9, Balai Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Black GF, Weir RE, Chaguluka SD, Warndorff D, Crampin AC, Mwaungulu L. Gamma Interferon Responses Induced by a Panel of Recombinant and Purified Mycobacterial Antigens in Healthy, Non-Mycobacterium bovis BCG-Vaccinated Malawian Young Adults. *Clinical And Diagnostic Laboratory Immunology*, 2003; 602–611.
- Boras Z, Juretiae A, Rudolf M, U'areviae B, Treseec A. Cellular and Humoral Immunity to Purified Protein Derivative (PPD) in PPD Skin Reactive and Nonreactive Patients with Pulmonary Tuberculosis: Comparative Analysis of Antigen-specific Lymphocyte Proliferation and IgG Antibodies. *Croat Med J*, 2002; 43:301-305.
- Brooks GF, Butel JS, Morse SA. 2007. *Jawetz, Melnick, and Adelberg Medical Microbiology* 24th Ed., Mc-Graw Hill Companies, USA.
- CDC. 2007. *Diagnose TB chapter 4*, (online), www.cdc.gov/tb/education/corecurr/pdf/chapter4.pdf (diakses tanggal 28 Juli 2013).
- Chand Z, Choudhary SA dan Lathigragn R, QuiochoSII FA. The Immunodominant 38-kDa Lipoprotein Antigen of *Mycobacterium tuberculosis* Is a Phosphate-binding Protein. *The Journal Of Biological Chemistry*, 1994; 1956-1968.
- Ciesielski S. BCG Vaccinated And PPD Test : What The Clinican Needs To Know. *IMAJ* 1996:1-8.
- Coffman RL. Origins of the TH1-TH2 model: a personal perspective. *Nature Immunology*, 2006;7 :536-541.



- Demissie A, Abebe M, Aseffa A, Rook G, Fletcher H, Zumla A, et al. Healthy Individual that Control a Latent Infection with *Mycobacterium tuberculosis* Express High Level of Th1 Cytokines and The IL-4 Antagonist IL-4 δ 2. *J Immunol*, 2004; 172:6938-6943.
- Depkes. 2006. *Pedoman Nasional Penanggulangan Tuberkulosis*. Ditjen PP & PL. Jakarta.
- Depkes. 2010. *Strategi Nasional Pengendalian TB*. Ditjen PP & PL. Jakarta .
- Dzen SM, Roekistiningsih, Santoso S, Winarsih S. 2003. *Mikrobiologi Medik*. Banyumedia Publishing. Malang.
- Ellner JJ. Review: The Immune Response in Human Tuberculosis-Implications for Tuberculosis Control. *The Journal of Infectious Diseases*, 1997; 176:1351-9.
- Fonseca D, Benissa-Trouw B, Engelen MV, Kraaijeveld CA, Snippe H, Verheul AFM. Induction of Cell-Mediated Immunity against *Mycobacterium tuberculosis* Using DNA Vaccines Encoding Cytotoxic and Helper T-Cell Epitopes of the 38-Kilodalton Protein. *Infection and Immunity*, 2001; 69:4839–4845.
- Fonseca D, Frerichs J, Singh M, Snippe H , Verheul AFM. Induction of antibody and T-cell responses by immunization with ISCOMS containing the 38-kilodalton protein of mycobacterium tuberculosis. *Vaccine* 19, 2001:122-131.
- Forrellad MA, Klepp LI, Gioffre A, Garcia JS, Morbidoni HR, Santangelo M, et al. Virulence factors of the Mycobacterium tuberculosis complex. *Virulence*, 2013; 4(1): 3–66.
- Fox GJ, Barry SE, Britton WJ, Marks GB. Contact Investigation For Tuberculosis: A Systematic Review And Meta-Analysis. *Eur Respir J*, 2013; 41:140–156.
- Ghatole M, Sable C, Kamale P, Kandle S, Jahagirdar V, Yemul V. Evaluation of Biphasic Culture System for Mycobacterial Isolation from the Sputum of Patients with Pulmonary Tuberculosis. *Indian J Med Microbiol*, 2005; 23(2):111-3.
- Gottschalk N, Lang S, Kimmig R, Singh M, Brandau S. Monocytes and the 38 kDa-antigen of *Mycobacterium tuberculosis* modulate natural killer cell activity and their cytotoxicity directed against ovarian cancer cell lines. *BMC Cancer*, 2012; 12 :451.
- Guo S dan Zhao J. Immunotherapy for Tuberculosis: what's the better choice?. *Frontiers in Bioscience*, 2012; 17:2684-2690.



Handzel ZT, Barak V, Altman Y, Bibi H, Lidgi M, Lancovici-Kidon M, et al. Increased Th1 and Th2 Type Cytokine Production in Patients with Active Tuberculosis. *IMAJ*, 2007; 9:479–483.

Haslov K, Andersen AB, Ljungqvist L, Bentzon M. Tuberculin test. *J. Immunol*, 1990; 31:503-514

Heuer M, Behlich AS, Lee JS, Ribechni E, Jo EK, Lutz MB. The 30-kDa and 38-kDa antigens from *Mycobacterium tuberculosis* induce partial maturation of human dendritic cells shifting CD4+ T cell responses towards IL-4 production. *BMC Immunology*, 2013; 14:48.

Horwitz MA, Harth G, Dillon BJ, Maslesa-Galic S. A novel live recombinant mycobacterial vaccine against bovine tuberculosis more potent than BCG. *Vaccine*, 2006;24(10):1593–1600.

Hussain R, Toossi Z, Hasan R, Jamil B, Dawood G, Elner JJ. Immune Response Profile In Patients With Active Tuberculosis In A BCG Vaccinated Area. *Immune Respon Profile in TB*, 1997; 28(4).

Indra, R.1999. *Penelitian Eksperimental dalam Buku Ajar Metodologi seri I*.Malang:FKUB.

Isidoro-García M, Dávila I, Laffond E, Moreno E, Lorente F, González-Sarmiento R. Interleukin-4 (IL4) And Interleukin-4 Receptor (IL4RA) Polymorphisms In Asthma: A Case Control Study. *Clinical and Molecular Allergy*, 2005; 3(15):1-7.

Islam S, Lyrawati D, Yudani T. 2007. *Kloning dan ekspresi Gen Penyandi Antigen 38 dari M.tb secara sistem Heterolog*. Malang:UB Press.

Kadival GJ, D'Souza CD, Kulkarni, Samuel AM. A Highly Specific Polymerase Chain Reaction Test For Detection Of *Mycobacterium Tuberculosis*. *Ind J. Tub*, 1996; 43: 151-154.

Kagina BMN, Abel B, Scriba TJ, Hughes EJ, Keyser A, Soares A , et al. Specific T Cell Frequency and Cytokine Expression Profile Do Not Correlate with Protection against Tuberculosis after Bacillus Calmette-Gue' rin Vaccination of Newborns. *Am J Respir Crit Care*, 2010; 182:1073–1079.

Koeswardani, Boentoro, dan Budiman. 2001. *Flow Cytometri dan Aplikasi Alat Hitung Sel Darah Technicon H-1 dan H-3*, diakses dari <http://www.tempo.co.id>.

Lim RLH, Tan LK, Lau WF, Chung MCM, Dunn R, Too HP, et al. Cloning and Expression of Immunoreactive Antigens from *Mycobacterium tuberculosis*. *Clinical And Diagnostic Laboratory Immunology*, 2007; 7(4):600–606.

Luo W, Zhang XB, Huan TY, Hao PP, Jiang ZM, Wen Q, et al. Development of genetically engineered CD4 + and CD8 + T cells expressing TCRs



- specific for a *M.tuberculosis* 38-kDa antigen. *J Mol Med*, 2011; 89:903–913.
- Lyanda A. Rapid TB Test. *Jurnal Tuberkulosis Indonesia*, 2012; 8:12-17.
- Mauricio CA, Yolanda LV, Clara EP, Rogelio HP. A new vaccine against tuberculosis shows greater protection in a mouse model with progressive pulmonary tuberculosis. *Tuberculosis*, 2005; 85:, 115 –126.
- Mehra V, Gong J, Lyer D, Lin YG, Boylen CT, Bloom BR, et al. Immune Response to Recombinant Mycobacterial Proteins in Patients with Tuberculosis Infection and Disease. *The Journal of Infectious Diseases*, 1996; 174:431-4.
- Munasir Z. Respon Imun Terhadap Bakteri. *Sari Pediatri*, 2001; 2(4):193-197.
- Negi SS, Anand R, Basir SF, Pasha ST, Gupta S, Khare, et al. Protein Antigen B (Pab) Based PCR Test In Diagnosis Of Pulmonary & Extra-Pulmonary Tuberculosis. *Indian J Med Res* ,2006 :81-88.
- Nizam S, Emery P. Attenuated response to purified protein derivative in patients with rheumatoid arthritis. *Ann Rheum Dis*, 2006; 65:980.
- Omar MT, Ahmed SH, Sarkis NN. A Study of the Association between Delayed Type Hypersensitivity Reaction to *Mycobacterium Tuberculosis* and Atopy in Asthmatic Children. *JEPHAss*, 2005; 80(3-4) :463-474.
- PDPI. 2006. *Tuberkulosis Pedoman Diagnosis & Penatalaksanaan di Indonesia*. Ditjen PP & PL. Jakarta.
- Raeckiansyah, M. 2005. Meracik Ulang Vaksin BCG. <http://iptek-kesehatan.blogspot.com/2009/12/meracik-ulang-vaksin-bcg-efektifitas.html>. diakses tanggal 5 Januri 2013.
- Rintiswati N, Handayani, Arias M, Voskens J, Kimerling ME. Hospital-health center networking to support the DOTS strategy in Yogyakarta. *The International Journal of Tuberculosis and Lung Disease*, 2002; 6(10):68.
- Rook GAW, Hernandez-Pando R, Dheda K, Seah GT. IL-4 In Tuberculosis: Implications For Vaccine Design(Abstrak). *Trends in Immunology*, 2004; 25(9), p483–488.
- Sable SB, Verma I, Behera D, Khuller GK. Human immune recognition-based multicomponent subunit vaccines against tuberculosis. *Eur Respir J*, 2005; 25: 902–910
- Sander CR, Pathan AA, Beveridge NER, Poulton I , Minassian A , Alder N, et al. Safety and Immunogenicity of a New Tuberculosis Vaccine, MVA85A, in *Mycobacterium tuberculosis*-infected Individuals. *Respir Crit Care*, 2009; 179:724–733.

Schluger NW. Recent advances in our understanding of human host responses to tuberculosis. *Respir Res*, 2001; 2:157–163.

Schwander S dan Dheda K. Human Lung Immunity against *Mycobacterium tuberculosis* Insights into Pathogenesis and Protection. *Am J Respir Crit Care Med*, 2011; 183(6):696–707.

Senol G, Erer OF, Yalcin YA, Coskun M, Gunduz AT, Men CB, et al, Humoral Immune Response Against 38-Kda And 16-Kda Mycobacterial Antigens In Tuberculosis. *Eur Respir J*, 2007; 29:143–148.

Wilkinson KA, Hudecz F, Vordermeier HM, Ivanyi J, Wilkinson RJ. Enhancement Of The T Cell Response To A Mycobacterial Peptide By Conjugation To Synthetic Branched Polypeptide. *Eur. J. Immunol.* 1999; 29:2788–2796.

WHO. 2012. Tuberculosis (TB), (online) <http://www.who.int/topics/tuberculosis/en/> (diakses tanggal 28 Juli 2013).

WHO, 2013. BCG Vaccine, (online) <http://www.who.int/biologicals/areas/vaccines/bcg/en/> (diakses 14 Mei 2014).

WHO, 2013. *Global Tuberculosis Report 2013*. WHO Press, Switzerland, p.1-2; 11; 29.

Wu X, Yang Y, Zhang J, Li B, Liang Y, Zhang C, et al. Humoral Immune Responses against the *Mycobacterium tuberculosis* 38-Kilodalton, MTB48, and CFP-10/ESAT-6 Antigens in Tuberculosis. *Clinical And Vaccine Immunology*, 2010; 17(3):372–375.

Yang CS, Lee JS, Lee HM, Sun ST, Woong SSJ, Jung SS. Differential cytokine levels and immunoreactivities against *Mycobacterium tuberculosis* antigens between tuberculous and malignant effusions. *Respiratory Medicine*, 2008; 2(102): 280-286.

Young DB and Stewart GR. Tuberculosis Vaccines. *British Medical Bulletin*, 2002; 62:73-86.

Young DB, Kent L, Young RA. Screening of a recombinant mycobacterial DNA library with polyclonal antiserum and molecular weight analysis of expressed antigens. *Infect. Immun.* 1987; 55:1421-1425.

Yudani T and Lyrawati D. Cloning and expression of pab gene of *M.tuberculosis* isolated from pulmonary TB patient in *E.coli* DH5α. *Med J Indones*; 20:247-254.

