

LAMPIRAN

Lampiran 1: Kegiatan Penelitian



Pengambilan darah subyek



Sentrifus darah untuk mengambil PBMC



Hasil sentrifus, terlihat cincin PBMC




Pengambilan PBMC





PBMC setelah di sentrifus dengan PBS





Perhitungan IL-4 dengan *flow cytometry*





























Lampiran 3: Analisis Statistik Perbandingan Pengaruh Pemberian Protein 38 kDa pada Kelompok Sehat, Kontak dan Pasien

Uji normalitas

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
antigen	,255	27	,000	,834	27	,001

Uji homogenitas

Test of Homogeneity of Variances

Levene Statistic	df1	df2	Sig.
8,563	2	24	,002

Ranks

	perlakuan	N	Mean Rank
antigen	Sehat	9	12,00
	Kontak	9	7,00
	Pasien	9	23,00
	Total	27	

Test Statistics^{a,b}

	Antigen
Chi-Square	19,149
df	2
Asymp. Sig.	,000

Uji Mann Whitney

Ranks

	perlakuan	N	Mean Rank	Sum of Ranks
antigen	Sehat	9	12,00	108,00
	Kontak	9	7,00	63,00
	Total	18		

Test Statistics^a

	antigen
Mann-Whitney U	18,000
Wilcoxon W	63,000
Z	-1,988
Asymp. Sig. (2-tailed)	,047
Exact Sig. [2*(1-tailed Sig.)]	,050 ^b

a. Grouping Variable: perlakuan

b. Not corrected for ties.

Ranks

	Perlakuan	N	Mean Rank	Sum of Ranks
antigen	Sehat	9	5,00	45,00
	Pasien	9	14,00	126,00
	Total	18		

	antigen
Mann-Whitney U	,000
Wilcoxon W	45,000
Z	-3,576
Asymp. Sig. (2-tailed)	,000
Exact Sig. [2*(1-tailed Sig.)]	,000 ^b

a. Grouping Variable: perlakuan

b. Not corrected for ties.

Ranks				
	Perlakuan	N	Mean Rank	Sum of Ranks
antigen	Kontak	9	5,00	45,00
	Pasien	9	14,00	126,00
	Total	18		

Test Statistics ^a	
	antigen
Mann-Whitney U	,000
Wilcoxon W	45,000
Z	-3,578
Asymp. Sig. (2-tailed)	,000
Exact Sig. [2*(1-tailed Sig.)]	,000 ^b

a. Grouping Variable: perlakuan

b. Not corrected for ties.

Lampiran 4 : Analisis Statistik Perbandingan Pengaruh Pemberian Protein 38 kDa (antigen) dengan PPD dan Kontrol pada Subyek Sehat

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
flowcytometri	,152	27	,108	,895	27	,010

Test of Homogeneity of Variances

Levene Statistic	df1	df2	Sig.
9,502	2	24	,001

	perlakuan	N	Mean Rank
flowcytometri	antigen	9	12,83
	PPD	9	6,39
	Kontrol	9	22,78
	Total	27	

Test Statistics^{a,b}

	flowcytometri
Chi-Square	19,501
Df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable:
perlakuan

Ranks

	perlakuan	N	Mean Rank	Sum of Ranks
flowcytometri	antigen	9	12,61	113,50
	PPD	9	6,39	57,50
	Total	18		

	flowcytometri
Mann-Whitney U	12,500
Wilcoxon W	57,500
Z	-2,476
Asymp. Sig. (2-tailed)	,013
Exact Sig. [2*(1-tailed Sig.)]	,011 ^b

a. Grouping Variable: perlakuan

b. Not corrected for ties.

Ranks

	perlakuan	N	Mean Rank	Sum of Ranks
flowcytometri	antigen	9	5,22	47,00
	Kontrol	9	13,78	124,00
	Total	18		

Test Statistics^a

	flowcytometri
Mann-Whitney U	2,000
Wilcoxon W	47,000
Z	-3,401
Asymp. Sig. (2-tailed)	,001
Exact Sig. [2*(1-tailed Sig.)]	,000 ^b

a. Grouping Variable: perlakuan

b. Not corrected for ties.

Lampiran 5 : Analisis Statistik Perbandingan antara Pengaruh Pemberian Protein 38 kDa (antigen) dengan PPD dan Kontrol pada subyek kontak

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
transform	,144	27	,155	,934	27	,087

Test of Homogeneity of Variances

transform

Levene Statistic	df1	df2	Sig.
1,708	2	24	,203

ANOVA

transform

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	,647	2	,324	6,075	,007
Within Groups	1,278	24	,053		
Total	1,926	26			

LSD

(I) perlakuan	(J) perlakuan	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
antigen	PPD	-,13480	,10880	,227	-,3594	,0898
	Kontrol	-,37440*	,10880	,002	-,5989	-,1498

Lampiran 6 : Analisis Statistik Perbandingan antara Pengaruh Pemberian Protein 38 kDa (antigen) dengan PPD dan Kontrol pada Subyek Pasien

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
flowcytometri	,113	27	,200 [*]	,970	27	,608

Test of Homogeneity of Variances

flowcytometri

Levene Statistic	df1	df2	Sig.
,176	2	24	,840

ANOVA

flowcytometri

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	4,352	2	2,176	6,835	,004
Within Groups	7,642	24	,318		
Total	11,994	26			

LSD

(I) perlakuan	(J) perlakuan	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Antigen	PPD	,50556	,26600	,069	-,0435	1,0546
	Kontrol	,98333 [*]	,26600	,001	,4343	1,5323