

DAFTAR PUSTAKA

- Adeltrudes B and Marina O.Characterization and Evaluation of Antimicrobial Activity of the Essential Oil from the Leaves of *Piper betle* L. *E-International Scientific Research Journal*,2010; 2: 2-13.
- Adnan, Adek Zamrud, Zainuddin Noer, Zulzannah.Analysis of Essential Oil Components From Fresh Leaves of *Piper crocatum Ruiz & Pav* and *Curcuma Domestica Val*. *Majalah Farmasi dan Farmakologi*, 2011; 15 (1) : 17-22
- Alfarabi M.2010.*Kajian Antidiabetogenik Ekstrak Daun Sirih Merah (Piper crocatum)* in vitro.Thesis.Tidak diterbitkan,Fakultas Matematika dan Ilmu Pengetahuan Alam IPB, Bogor
- Ali I, Farrah G Khan, Krishan A Suri, Bishan D Gupta, Naresh K Satti, Prabhu Dutt et al.,In vitro antifungal activity of hydroxychavicol isolated from *Piper betle* L. *Annals of Clinical Microbiology and Antimicrobials*, 2010; 9:7
- Annaissie EJ.2007. *The Changing Epidemiology of Candida infection*, (Online), (http://www.medscape.org/viewarticle/557486_3, diakses 31 Mei 2013), p.2-6;10-15
- Arambewela, Lakshmi, K.G.A Kumaratunga, Kalyani Dias. Studies on *Piper betle* of Srilanka.J.Natn.Sci.Foundation Sri Lanka, 2005;33(2):133-139
- Arulkuman S, Regan L, Papegeorgiou A.2011. *Oxford Desk Reference Obstetric and Gynecology*.Oxford University Press, New York
- Aslam M. Hafeez R, Ijaz S, and Tahir M.Vulvovaginal Candidiasis in Pregnancy, *Biomedica*, 2008;(24):54-56
- Babic, Mirela and Mirsada Hukic. *Candida albicans Non-albicans Species as Etiological Agent of Vaginitis In Pregnant and Non Pregnant Women*. Bosnian Journal Of Basic Medical Sciences, 2010; 10 (1): 90-97
- Bioemraad J.2007. *A-Z for Healthy Pregancy and Natural Children*.Author House, USA,p.74-75
- Bouza E and Muñoz P. Epidemiology of candidemia in intensive care units. *Int. J. Antimicrob. Agents* 32(Suppl. 2),2008; S87-S91



Brooks GF, Butel JS, Morse SA, Jawets.2004. *Melnick & Adelberg's Medical Microbiology*,23rd Edition, McGraw-Hill ,Singapore, p.39-40,58-9,431-4

Brooker C. 2008.*Ensiklopedia Keperawatan*, EGC, Jakarta

Citra, Ayu, Juliantina R F, nirwani B, Nurmasitoh T, Tri Bowo E. Manfaat Sirih Merah (*Piper crocatum*) sebagai Agen Anti Bakterial terhadap Bakteru Gram Positif dan Bakteri Gram Negatif. *Jurnal Kedokteran dan Kesehatan Indonesia* 1, 2009:(1)

Dahlan, Sopiyudin M.2013.Statistik untuk Kedokteran dan Kesehatan, Edisi 5.Salemba Medika, Jakarta

Damayanti, R. M dan Mulyono. 2008. *Khasiat dan Manfaat Daun Sirih; Obat Mujarab dari Masa ke Masa*, Agromedia Pustaka,Jakarta.

Diyah T.*Daun Sirih mengobati mimisan sampai keputihan*.2003, (Online),(<http://www.depkes.go.id/index.php?option=articles&artid=27&Itemid=3>, diakses 1 November 2013)

Djuanda A, Hamzah M, Aisah S.2007.*Ilmu penyakit kulit dan kelamin*,5th Ed., Penerbit Fakultas Kedokteran Universitas Indonesia,Jakarta

Dota, Kelen F. D, Alessandra R. Freitas, Marcia E. L. Consolaro, Terezinha I. E. Svidzinski.2011. *A Challenge for Clinical Laboratories: Detection of Antifungal Resistance inCandida Species Causing Vulvovaginal Candidiasis*,(Online), (<http://www.medscape.com/viewarticle/735840> 1, diakses pada 1 November 2013)

Duryatmo S. 2005.Dulu Hiasan Kini Obat, *Trubus*, p.42-737

Forbes A, Betty, Danel F, Sahm, Alice S, Weissfeld.2007. *Bailey & Scott's Diagnostic Microbiology*,12th Ed., Mosby Elsevier, USA

Frieden, Tom.2013.Fluconazole Resistant Candida. *Antibiotic Resistences Threats in US*, Centers of Disease Control and Prevention,US Department of Health Service,p.63

Glenville D.2011. *Uji Daya Antifungi Ekstrak Etanol Rimpang Kencur Terhadap Pertumbuhan Jamur Trichophyton verrucosum Secara In Vitro*.Seminar Nasional Teknologi Peternakan dan Veteriner, Balai Besar Penelitian Veteriner, Bogor

Geo F, Janet S, Stephen A.2004. *Medical Microbiology*,23th edition, Mc Graw Hill,New York, p.645-7

Hachem R, Hanna H, Kontoyiannis D, Jiang Y, Raad I. The changing epidemiology of invasive candidiasis:*Candida glabrata* and *Candida*



krusei as the leading causes of candidemia in hematologic malignancy. *Cancer*, 2008; 112(11), 2493–2499

- Harnas, Elya Devi MD.2012.*Efek Antifungi Ekstrak Ethanol Rumput Teki (Cyperus rotundus L.) Terhadap Candida albicans Isolat Vaginitis Secara In Vitro.*Tugas Akhir.Tidak diterbitkan,Fakultas Kedokteran Universitas Brawijaya, Malang
- Hartati, Farida.2009.Perbandingan Efektivitas Produk Sabun yang Mengandung Ekstrak Sirih Merah dengan Ekstrak Sirih hijau Terhadap Pertumbuhan Candida sp dan Staphylococcus aureus Vulva.Thesis.Sekolah Pasca Sarjana Fakultas Kedokteran Universitas Gajahmada, Yogyakarta
- Hendrayani, Siti Faujilah.2005.*Pengaruh Beberapa Ekstrak Daun Sirih (Piper betle L) Terhadap Pertumbuhan Candida albicans.*Thesis, Sekolah Pascasarjana Institut Pertanian Bogor (IPB), Bogor
- Hermitasari, Rista Dwi.2013.*Efektivitas Ekstrak Etanol Rimpang Kecur (Kaempferia galanga Linn.) Dalam Mengahambat Pertumbuhan Candida albicans Isolat 218-SV Secara in Vitro.*Tugas Akhir, Fakultas Kedokteran Universitas Brawijaya, Malang
- Indriana. 2006. *Uji Banding Efektivitas Ekstrak Rimpang Temu Kunci (Kaempferia pandurata Roxb) 10% Dengan Ketokonazol 2% Secara In Vitro Pertumbuhan Candida albicans Pada Kandidiasis Vaginalis.*Thesis.Tidak diterbitkan, Fakultas Kedokteran Universitas Diponegoro,Semarang
- Jawetz E, Melnick J, Adelberg E.2008.*Jawetz Melnick & Adelberg's Medical Microbiology*, 24th Edition by Vishal.MC Graw Hill, USA
- Juliantina, Farida, Dewa Ayu Citra, Bunga Nirwani, Titia Nurmasitoh, Endrawati Tri Bowo.Manfaat Sirih Merah (*Piper crocatum*) Sebagai Agen Anti Bakterial Terhadap Bakteri Gram Positif dan Gram Negatif.*Jurnal Kedokteran dan Kesehatan Indonesia (JKKI)*, 2010
- Kayser FH,Bienz KA,Eckert J,Zinkernage RM.2005.*Medical microbiology*,10th Ed., Thieme ,Stuttgart,p.362-4
- Kett DH, Azoulay E, Echeverria PM, Vincent JL; Extended Prevalence of Infection in ICU Study (EPIC II) Group of Investigators. Candida bloodstream infections in intensive care units: analysis of the extended prevalence of infection in intensive care unit study. *Crit. Care Med.* 2011;39(4), 665–670
- Kumari, Varsha, Tuhina Banerjee, Pankaj Kumar, Sulekha Pandey and Ragini Tilak. Emergence of non-albicans *Candida* among candida vulvovaginitis cases and study of their potential virulence factors, from a tertiary care center, North India.*Indian J Pathol Microbiol*,2013;56:144,(Online),(<http://www.ijpmonline.org/text.asp?2013/56/2/144/118703>, diakses 19 Mei 2014)



Kurtzman C.P, J.W Fell, T.Boekholet.2011. *The Yeast :A taxonomic Study, 5th Ed.*,Lavoisier,USA

Kusuma,Sri Agung Fitri, Sri Adi Sumiwi, Ellin Febrina, Amin Tjitraresmi. Pengembangan Sirih Merah (*Piper crocatum*) Sebagai Herbal Terstandar Untuk Mengatasi Keputihan terhadap *Trichomonas vaginalis*.2009.Hibah Penelitian Strategis Nasional.Fakultas Farmasi Universitas Padjajaran, Bandung

Lamore SD, Cabello CM, Wondrak GT. 2010.The topical antimicrobial zinc pyrithione is a heat shock response inducer that causes DNA damage and PARP-dependent energy crisis in human skin cells.*Cell Stress Chaperones Vol. 15,(3)*: 309–22.

Lathifah A.2008. *Uji Efektivitas Ekstrak Kasar Senyawa Antibakteri Pada Buah Belimbing Wuluh (Averrhoa blimbi L) Dengan Variasi Pelarut*.Tugas Akhir.Tidak diterbitkan, Fakultas Sains dan Teknologi Universitas Islam Negeri,Malang

Latifah, Dianing.2011. *Perbandingan Efektivitas Antimikroba Dekok Daun Sirih Hijau (Piper betle) dan Dekok Daun Sirih Merah (Piper crocatum) terhadap Staphylococcus aureus Secara In Vitro*.Tugas Akhir, Fakultas Kedokteran Universitas Brawijaya, Malang

Leroy O, Gangneux JP, Montravers P et al.; AmarCand Study Group. Epidemiology, management, and risk factors for death of invasive Candida infections in critical care: a multicenter, prospective, observational study in France (2005–2006). *Crit. Care Med*, 2009; 37(5), 1612–1618.

Manoi F.2007.Sirih Merah sebagai Tanaman Obat Multi Fungsi, *WartaPuslitbangtan*, vol.13,no(2)

Marrazzo, Jeanne M.2012. *Evaluation of Women With Vulvovaginal Complaints*,(Online), http://www.medscape.com/viewarticle/761992_5, diakses 1 November 2013)

Mikulska, Małgorzata, Valerio Del Bono, Sandra Ratto, Claudio Viscoli. Occurrence, Presentation and Treatment of Candidemia. *Expert Rev Clin Immunol*, 2012;8(8):755-765.

Mulyanto, Rini Damayanti, Mulyono. 2003. *Khasiat dan maanfaat daun sirih: Obat mujarab dari masa ke masa*, AgroMedia Pustaka ,Jakarta

Ogbru, Omudhome.2009. *Fluconazole, Diflucan*, (Online), <http://www.medicinenet.com/fluconazole/article.htm>, 1 November 2013)

Pradhan, D, K.S Sur, K.Pradhan, P.Biswasroy. Golden Heart of The Nature : *Piper betle L*.*Journal of Pharmacognosy and Phytochemistry*,2013; 1(6):147

Prawito SP.2008.Cosmeticals anti ketombe in wasitaatmadja SM (Eds), Cosmeceuticals,Jakarta

Plewig G and Jansen T.*Seborrhoic dermatitis*, 2008.In:Freedberg IM, Elsen AZ, Wolf K, Austen KF, Goldsmith LA, Katz SI,(Eds),*Fitzpatrick's Dermatology in General Medicine 6th Edition*, McGraw-Hill,New York, p.2000-11,1204

Rahmah, Nurul dan Aditya Rahman.Uji Fungistatik Ekstrak Daun Sirih (*Piper betle L*) Terhadap Candida albicans, *Bioscientia Journal*, 2010 :Volume 7:Nomor 2,hal.17-24

Redaksi Betterbook,2009. *Obat Murah Alami dan Berkhasiat*.Editor : Nazaruddin, Betterbook,Jakarta

Rini DM dan Mulyono.2003. *Khasiat &manfaat daun sirih (obat mujarab dari masa ke masa)*, Agromedia Pustaka, Jakarta

Safihtri M dan Fahma F.2005. *Potensi rebusan daun sirih merah (Piper crocatum) sebagai senyawa antihiperglikemia pada tikus putih galur Sparague Dawley*.Laporan penelitian.Tidak diterbitkan,LPPM IPB,Bogor

Satyal, Prabodh and William Setzer.Chemical Composition and Biological Activities of Nepalese *Piper betle L*.*IJPHA*.2012, Vol.1 Issue

Sobel JD. Vulvovaginal candidosis. Lancet. 2007;369:1961-1971

Soetan, Oyekunie MA, Aaiyelaagbe OO, Fafunsi MA.2006.Evaluation of the antimicrobial activity of saponins extract of Sorghum bicolor L. Moench.*African J Biotech*,2006;5(23):2405-7.

Sudewo B.2007. *Basmi penyakit dengan sirih merah*,PT Agromedia Pustaka, Jakarta.

Sudewo B.2010. *Basmi Penyakit dengan Sirih Merah Revisi*, Cet 2. Agromedia Pustaka,Jakarta

Sukmadewi, Gladish Rindra.2013. *Perbandingan Efektivitas Ekstrak Daun Sirih Merah (Piper crocatum Ruiz & Pav) Dengan Fluconazole Sebagai Antifungal Pada Pertumbuhan Candida albicans*.Tugas Akhir, Fakultas Kedokteran Universitas Brawijaya, Malang

Sulistyani N, Sasongko H, Hertanti M, Meilana L. 2007. Aktivitas Minyak Atsiri Daun Sirih Merah (*Piper crocatum Ruiz and Pav*) terhadap *Staphylococcus aureus*, *Escherichia coli* dan *Candida albicans* serta Identifikasi Komponen Kimianya. *Med Far*,Vol 6 (2):33 – 39

Susilo et.al.,2011.Low-dose ketoconazole-fluconazole combination versus fluconazole in single doses for the treatment of vaginal candidiasis.*Med J Indonesia*,vol. 20;no.3

Tortora GJ,Funke BR, Case CL.2004.*Microbiology an Introduction*, 8th Ed., Benjamin Cummings, San Francisco,p.606-7

Tjampakasari CR. 2006. Karakteristik C. Albicans.*Cermin Dunia Ked*,vol.151:33-36

Triarsari, D.2009.*Daun Sirih Mengobati Keputihan hingga Mimisan*, (online), (http://www.depkes.go.id/en/index_en.htm, diakses pada 1 November 2013)

Tsair BY and Shang TC.2006.*Synergistic effect of cinnamaldehyde in combination with eugenol against wood decay fungi*.Elsevier

USDA, ARS, National Genetic Resources Program.2008.*Germplasm Resources Information Network-(GRIN)* , (Online), (<http://www.ars-grin.gov/cgi-bin/npgs/html/taxdump.pl?Piper betle>, 1 November 2013)

Visht S.2012.Isolation of Natural in S.Chatuverdi, *Current Pharma Research*,India,p.591-594

Werdhany, Indri, Anthony Marton, Setyorini.2008.*Sirih Merah*.Balai Pengkajian Teknologi Pertanian:Yogyakarta

