

DAFTAR PUSTAKA

- American Association of Clinical Endocrinologists. Medical Guidelines for Clinical Practice for Developing a Diabetes Mellitus Comprehensive Care Plan. *Endocrine Practice*, 2011, Vol. 17 (2): 1-53.
- American Diabetes Association. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 2011, Vol. 34 (1): 562-569.
- Astuti, S.M., Mimi S.A.M., Retno A.B.M., Awalludin R. Determination of Saponin Compound from *Anredera cordifolia*(Ten) Steenis Plant(Binahong) to Potential Treatment for Several Diseases. *Journal of Agricultural Science*, 2011, Vol. 4 (3).
- Bachtiar, W. 2014. *Efek Ekstrak Daun Binahong (Anredera cordifolia) Terhadap Kadar Serum Insulin Pada Tikus Model DM2*. Tugas Akhir. Tidak Diterbitkan, Fakultas Kedokteran Universitas Brawijaya, Malang.
- Bell, D.S. Importance of Postprandial Glucose Control. *South Med J*, 2001, Vol. 94(8).
- Berg JM, Tymoczko J.L., L Stryer. 2002. *Biochemistry-Fifth Edition: Glycogen Metabolism*. New York: WH Freeman Company, (Online), (<http://www.ncbi.nlm.nih.gov/books/NBK21190/>, diakses tanggal 30 Desember 2013).
- B POM. 2008. *Anredera cordifolia (Ten.) Steenis*. BPOM RI: Direktorat Obat Asli Indonesia.
- Depkes RI. 2011. *Sekitar 80 % Penderita DM di Indonesia adalah Tipe 2*, (Online), (<http://www.depkes.go.id>, diakses pada tanggal 2 November 2013).
- Dipiro, J.T., Talbert R., Gary M., Wells B., Posey L. 2008. *Pharmacotherapy Handbook. Sixth Edition*, The Mc. Graw Hill Company, New York, p. 1206-1212.
- Evacuasiy, Endang, Lusiana D., Rosnaeni. Studi Efektivitas Antidiabetik Ekstrak Air dan Ekstrak Etanol Buah Pare (*Momordica Charantia* Linn) pada Mencit Diabetes Aloksan. *Jurnal Kedokteran Maranatha*, 2005, Vol 4 (2): 1-14.
- Federer, W. 1991. *Statistics and Society: Data Collection and Interpretation. 2nd ed*, Marcel Dekker, New York, p. 407-410.

- Gadja, A. M. 2008. *High Fat Diets for Diet-Induced Obesity Model*, (Online), (<http://www.researchdiets.com/OSD/DIDM/Obesity>), diakses tanggal 2 November 2013).
- Hariyadi, P. Freeze Drying Technology: for Better Quality&Flavor of Dried Product. *Foodreview Indonesia*. 2013. Vol. 8(2): 52-57.
- Indrawati, S. 2014. *Efek Pemberian Ekstrak Daun Binahong Terhadap Kadar Glukosa Darah dan Glikogen Otot Pada Tikus Wistar DM2*. Tugas Akhir. Tidak Diterbitkan, Fakultas Kedokteran Universitas Brawijaya, Malang.
- International Diabetes Federation. 2010. *Diabetes Education Modules*, Diabetes Atlas, p. 43-55
- International Diabetes Federation. 2012. *Global Guideline for Type 2 Diabetes*, International Diabetes Federation, Sydney, p. 135-143.
- Jensen, J., Per Inge R., Anders J.K., and Yu-Chiang L. The Role of Skeletal Muscle Glycogen Breakdown for Regulation of Insulin Sensitivity by Exercise. *Frontiers in Physiology*. *Frontiers in Physiology*. 2011. Vol.2 (112).
- Jung, Un Ju, Lee Mi-Kyung, Park Yong Bok, Seon-Min Jeon, Myung-Sook Choi. Antihyperglycemic and Antioxidant Properties of Caffeic Acid in db/db Mice. *Journal of Pharmacology and Experimental Therapeutics*, 2006, Vol. 318: 476-483.
- Karouw S. and Rindengan B. Binahong (*Anredera cordifolia*) sebagai Obat. *Warta Penelitian dan Pengembangan Tanaman Industri*, 2009, Vol. 15(1): 3-5.
- Kristina, Natalini N., Edy D.K., Putri K., Lailani. Analisis Fitokimia dan Penampilan Polapita Protein Tanaman Pegagan (*Centella asiatica*) Hasil Konservasi In Vitro. *Buletin Litro*, 2009, Vol 20(1): 11-20.
- Laurence, D.R. and Bacharach A.L. 1964. *Evaluation of Drugs Activities Pharmacometrics*, Willey-Liss Inc, London, p. 978-985
- Lian, Ji-hong, You-qing Xiang, Lei Guo, Wei-rong Hu, Wei Ji, Bang-qiang Gong. The use of High-Fat/Carbohydrate Diet-Fed and Streptozotocin-Treated Mice as a Suitable Animal Model of Type 2 Diabetes Mellitus. *Scandinavian Journal of Laboratory Animal Science*, 2007, Vol. 34(1): 21-29.
- Manaf, A. 2009. *The FDC of Glimperide and Metformin:Its Cardioprotective Properties and Evidence Based Data*. Mecarsu 5, Surabaya, p. 1-12.

- Marks D.B., Marks A.D., Smith C.M. 2000. *Biokimia Kedokteran Dasar*, Edisi Ke-1, EGC, Jakarta, p. 270-281.
- Mori, R.C.T., S.M. Hirabara, A.E. Hirata, M.M. Okamoto, U.F. Machado. Glumepiride as Insulin Sentiizer: Increased Liver and Muscles Responses to Insulin. *The Authors Journal Compilation*. 2008. Vol.10(7):596-600.
- Murray, Robert K., K Daryl, Granner, Peter A. Mayes, Victor W. Rodwel. 2003. *Harper's Illustrated Biochemistry-Twenty Sixth Edition*, McGraw-Hill Companies USA, p. 140-170.
- Nelson, David L., Michael M.Cox. 2004. *Lehninger Principles of Biochemistry-Fourth Edition*, W H Freeman & C, New York, p. 540-596.
- Nugroho, A. E. Review: Hewan Percobaan Diabetes Mellitus: Patologi dan Mekanisme Aksi Diabetogenik. *Biodiversitas*, 2006, Vol. 7(4): 378-382.
- Pasaribu, Fidayani, Sitorus P., Saiful B. Uji Ekstrak Etanol Kulit Buah Manggis (*Garcinia mangostana* L.) terhadap Penurunan Kadar Glukosa Darah. *Journal of Pharmaceutics and Pharmacology*, 2012, Vol. 1(1): 1-8
- Pederson, O. 2006. *Pharmaceutical Chemical Analysis*, Taylor and Francis Group, USA, p. 185.
- Perkeni. 2011. *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia*. Jakarta: Perkumpulan Endokrinologi Indonesia.
- Pranarka, Kris, Setiawati A, Halim S, Saraswati D, Alkaf Z. Glimepiride Monotherapy in Achieving Good Blood Glucose Control in Type Diabetes Mellitus: a Prospective Observational Study. *Med J Indonesia*, 2009, Vol 18(3): 170-178.
- Pranata, F.J. 2010. *Pengaruh Pemberian Ekstrak Daun Pare terhadap Kadar Insulin pada Tikus Putih Strain Wistar Model Diabetes Melitus Tipe 2 dengan Hiperinsulinemia*. Tugas Akhir. Tidak Diterbitkan, Fakultas Kedokteran Universitas Brawijaya, Malang.
- Rahmawati, L., Fachriyah E., Dewi K. 2012. *Isolasi, Identifikasi, dan Uji Aktivitas Antioksidan Senyawa Flavonoid Daun Binahong*. Semarang: Universitas Diponegoro.
- Ramesh, B., Pugalendi V. Impact of Umbelliferone (7-hydroxycoumarin) on Hepatic Marker Enzymes in Streptozotocin Diabetic Rats. *Indian Journal Pharmacist*, 2006, Vol 38 (3): 209-210.
- Rositasari, D. 2014. *Efek Pemberian Ekstrak Daun Binahong (Anredera cordifolia) Terhadap Kadar MDA Ginjal Pada Tikus Wistar Model DM*

Tipe 2. Tugas Akhir. Tidak Diterbitkan, Fakultas Kedokteran Universitas Brawijaya, Malang.

Shridar, M.G., Vinayagamoorthi R., V Arul S., Bobby Z., N. Selvaraj. Bitter Gourd (*Momordica charantia*) Improves Insulin Sensitivity by Increasing Skeletal Muscle Insulin Stimulated IRS-1 Tyrosine Phosphorylation in High –Fat-Diet Fed Rats. *British Journal of Nutrition*, 2008, Vol. 99: 806-812.

Siegel, E. G., Trimble E. R., Renols A.E., H. R. Berthoud. Importance of Preabsorptive Insulin Release on Oral Glucose Tolerance: Studies in Pancreatic Islet Transplanted Rats. *Gut*. 1980, Vol. 21: 1002-1009.

Srinivasan, K., Viswanad B., Asrat L., Kaul C. L., Ramarao P. Combination of High-Fat Diet Fed and Low-Dose Streptozotocin Treated Rat: A Model for Type 2 Diabetes and Pharmacological Screening. *Pharmacological Research*, 2005, Vol. 52: 313-320.

Stumvoll, Michael, Barry J., Timon W.V.H.. Type 2 Diabetes: Principles of Pathogenesis and Therapy. *Lancet*, 2005, Vol. 365: 1333-1346.

Styer, L. 2009. *Biochemistry-Fourth Edition: Glycogen Metabolism*, (Online), ([http://www.natuurlijkerwijs.com/english/Glycogen metabolism](http://www.natuurlijkerwijs.com/english/Glycogen%20metabolism), diakses tanggal 30 Desember 2013).

Suarsana N, Prioseryanto B.P., Bintang M., T. Wresdiyati. Sintesis Glikogen Hati dan Otot pada Tikus Diabetes yang Diberi Ekstrak Tempe. *Jurnal Veteriner*, 2008, Vol.11 (3):190-195.

Sugiyono. 2006. *Statistik untuk Penelitian*, Penerbit CV. Alfabeta, Bandung, p. 164-182

Sukandar E, Qowiyah A., Larasati L. Effect of Methanol Extract *Hearhleaf* *Medeiravine* (*Anredera cordifolia* (Ten.) Steenis) Leaves on Blood Sugar in Diabetes Mellitus Model Mice. *Jurnal Medika Planta*, 2011, Vol. 1(4): 1-10.

Sumartiningsih, S. The Effect of Binahong to Hematoma. *World Academy of Science, Engineering, and Technology*, 2011, Vol. 78: 743-745.

Susilowati, S. D. 2011. *Efek Ekstrak Daun Pare (Momordica charantia) terhadap Jumlah Sel Beta Pankreas Tikus (Rattus novergicus) Wistar DM Tipe 2 dengan HFD dan STZ*. Tugas Akhir. Tidak Diterbitkan, Fakultas Kedokteran Universitas Brawijaya, Malang.

Szkudelski, T. The Mechanism of Alloxan and Streptozotocin Action in B cells of the Rat Pancreas. *Physiol. Res*, 2001, 50: 536-546.

Triplitt, C.L., Reasner, C.A., Isley, W. L. 2005. DM. In: J. T. Dipiro, R. L. Talbert, G. C. Yee, G. R. Matzke, B. G. Wells, L. M. Posey (Eds.). *Pharmacotherapy, A Pathophysiologic Approach, 6th Ed*, McGraw-Hill Co, USA, p. 1333-1357.

Wang, S. 2008. *Osmotic Polyuria: An Overlooked Mechanism in Diabetic Nephropathy*, Oxford University Press, United Kingdom, p.1051-1053.

Wirasuasty, I., Adeanne W., Wiyono W. Uji Ekstrak Daun Binahong (*Anredera cordifolia* Steen.) terhadap Kadar gula Darah pada Tikus Putih Jantan Galuh Wistar (*Rattus norvegicus*) yang Diinduksi Sukrosa. *Jurnal Ilmiah Farmasi*, 2013, Vol. 2 (1): 28-35.

Zhang, Ming, Xiao-Yan Lu, Zhi-Gang Xu, Li Chen. 2008. The Characterization of High-Fat Diet and Multiple Low-Dose Streptozocin Induced Type-2 Diabetes Rat Model. *Experimental Diabetes Research*, p. 1-9.

