DAFTAR PUSTAKA

Abukhader MM. The Effect of Route of Administration in Thymoquinone Toxicity in Male and Female Rats. *Indian Journal of Pharmaceutical Science*, 2013; 74 (3): 195-200.

Adi P. 2008. *Pengaruh Pemberian Tepung Bekicot Terhadap Kadar Total Protein Darah pada Rattus norvegicus Strain Wistar dengan Diet Non Protein*. Tugas Akhir. Tidak Diterbitkan, Fakultas Kedokteran Universitas Brawijaya, Malang.

Ahmadi R, Saeede P, Fatemeh M, and Mohammad RZM. Comparing the Effects of Ginger and Glibenclamide on Dihydroxybenzoic Metabolites Produced in STZ-Induced Diabetic Rats. *International Journal of Endocrinology and Metabolism*, 2013; 11 (4); 1-5.

Al-Ali A, Alkhawajah AA, Randhawa MA, Shaikh NA. 2008. Oral and Intraperitoneal LD50 of Thymoquinone, An Active Principle of *Nigella sativa*, in Mice and Rats. (Abstract). J Ayub Med Coll Abbottabad, 20 (2): 25-7.

Alimohammadi S, Rahim H, Javad J, Danial K, Reza M, Maryam T, Farshid K, and Hamid A. Protective and Antidiabetic Effects of Extract from *Nigella Sativa* on Blood Glucose Concentrations Against Streptozotocin (STZ)-Induced Diabetic in Rats: An Experimental Study with Histopathological Evaluation. *Diagnostic Pathology*, 2013; 8 (137): 1-7.

Andaloussi A, Louis M, Tri V, Bouchra M, Padma M, Abdellatif S, and Pierre SH. The in Vivo Antidiabetic Activity of Nigella sativa Is Mediated through Activation of the AMPK Pathway and Increased Muscle GLUT4 Content. *Evidence-Based Complementary and Alternative Medicine,* 2011; 1-9.

Andreollo NA, Santos EF, Araujo MR, Lopes LR. Rat's Age Versus Human's Age: What is The Relationship? *ABCD Arq Bras Cir Dig*, 2012; 25 (1): 49-51.

Balcombe JP, Neal D, Barnard, and Chad S. Laboratory Routines Cause Animal Stress. *Contemporary Topics*, 2004; 43 (6): 42-51.

Bamosa AO, Huda K, Fatma ML, Abdul-Muhssen AE, and Ali AS. Effect of Nigella Sativa Seeds on the Glycemic Control of Patients with Type 2 Diabetes Mellitus. *Indian Journal Physiol Pharmacol*, 2010; 54 (4): 344-354.

Cagir B, 2013. *Ileus*. http://emedicine.medscape.com/article/178948-overview#a0104.

Chehl N, Galina C, Qiaoke G, Charles JY, and Hwyda AA. Anti-Inflammatory Effects of the Nigella Sativa Seed Extract, Thymoquinone, in Pancreatic Cancer Cells. *Oxford*, 2009; 11 (5): 373-381.

Depkes RI. 1989. *Materia Medika Indonesia Jilid V.*

El-Salam SAA, Ragab MR, Kandeil EMR, and Mohamed T. Biochemical Changes in Lipid Peroxidation and Anti Oxidative Defense Following Lipoic Acid Administration in Alloxan-Induced Diabetes in Rats. *Vet. Med. J.,* 2007; 17 (1): 61-68.

Erejuwa OO, Siti AS, Mohd SAW, Sirajudeen KNS, Salzihan MS and Sunil G. Comparison of Antioxidant Effects of Honey, Glibenclamide, Metformin, and Their Combinations in the Kidneys of Streptozotocin-Induced Diabetic Rats. *Int. J. Mol. Sci.,* 2011; 12 (1): 829-843.

Federer WT. 1991. *Statistics And Society: Data Collection And Interpretation 2nd ed.*, New York, Marcel Dekker.

Gali-Muhtasib H, Nahed EN, and Regine SS. The Medicinal Potential of Black Seed (*Nigella sativa*) and Its Components. *Lead Molecules from Natural Products*, 2006; 133-153.

Gerige SJ, Mahesh KYG, Muralidhara R, and Ramanjaneyulu. GC-MS Analysis of Nigella sativa Seeds and Antimicrobial Activity of Its Volatil Oil. *Brazilian Archives of Biology and Technology*, 2009; 52 (5): 1189-1192.

Gross JL, Mirela J DA, Sandra PS, Luis HC, Maria L Caramori, and Themis Z. Diabetic Nephropathy: Diagnosis, Prevention, and Treatment. *Diabetes Care*, 2005, 28: 176-188.

IDF. *Diabetes at A Glance*, IDF Western Pacific, 2012, Singapore.

IDF, 2014. *Treatment Algorithm for People with Type 2 Diabetes.* http://www.idf.org/treatment-algorithm-people-type-2-diabetes.

Jatwa R and Anand Kar. Effect of Metformin on Renal Microsomal Proteins, Lipid Peroxidation and Antioxidant Status in Dexamethasone-Induced Type-2 Diabetic Mice. *Indian Journal of Biochem & Biophysics*, 2010; 47: 44-48.

Kanter, Mehmet, Omer C, Ahmet K, and Sukru O. Effects of *Nigella sativa* on Oxidative Stress and β-Cell Damage in Streptozotocin-Induced Diabetic Rats. *The Anatomical Record Part A,* 2004; 685-691.

Karakelides H, Brian AI, Kevin RS, Peter O, and Sreekumaran N. Age, Obesity, and Sex Effects on Insulin Sensitivity and Skeletal Muscle Mitochondrial Function. *DIABETES*, 2010; 59: 89-97.

Kim SK, Louan M. Cuzzort B, and Edward DA. Effects of Age on Diabetes- and Insulin-Induced Changes in Pancreatic Levels of Ol-Amylase and Its m-rna. *Mechanisms of Ageing and Development.* 1991; 58: 151-161.

Kitabchi A, Guillermoe U, Mary BM, Eugene JB, Roberta K, Johni M, and Barrym W. Management of Hyperglycemic Crises in Patients With Diabetes. *Diabetes Care*, 2001; 24 (1): 131-153.

Mansour MA, Mahmoud NN, Aiman SE, and Abdullah MA. Effect of Thymoquinone on Antioxidant Enzyme Activities, Lipid Peroxidation and DT-Diahorase in Different Tissues of Mice: A Possible Mechanism of Action. *Cell Biochem Funct*, 2002; 20: 143-151.

Mathur ML, Jyoti G, Ruchika S, and Haldiya KR. Antidiabetic Properties of Spice Plant *Nigella sativa. J Endocrinol Metab*, 2011; 1 (1): 1-8.

Matthaei S, Bierwirth R, Fritsche A, Gallwitz B, Haring HU, Joost HG, Kellerer M, Kloos C, Kunt T, Nauck M, Schernthaner G, Siegel E and Thiene F. Medical Antihiperglicaemic Treatment of Type 2 Diabetes Mellitus, 2009; 117: 522-557.

Patel DK, Kumar R, Laloo D, and Hemalatha S. Natural Medicines from Plant Source Used for Therapy of Diabetes Mellitus: An Overview of Its Pharmacological Aspects. *Asian Pac J of Trop Disease.*, 2010; 239-250.

Peddolla R, Rondi S, and Venisetty RK. Cardio, Neuro And Renoprotective Activities of Atorvastatin in Streptozotocin-Induced Type2 Diabetic Rats Undergoing Treatment with Metformin and Glimepiride. *RJPBCS*. 2014; 5(1): 545-557.

PERSAGI, 2005. Daftar Komposisi Bahan Makanan, Jakarta.

Qamar Tehmina, Khadija F, Shemaila S. Effect of Thiamine on Glycemic Control in Diabetic Rats. *Ann. Pak. Inst. Med. Sci*. 2011; 7(4): 213-216.

Rains JL and Sushil KJ. Oxidative Stress, Insulin Signaling and Diabetes. *Free Radic Biol Med*, 2010, 50 (5): 567-575.

Rajsekhar S and Bhupendar K. Pharmacognosy and Pharmacology of Nigella Sativa. *International Research Journal of Pharmacy,* 2011; 2 (11): 36-39.

Reddy SG, Rajesh GK, Mrudula KS, Mudigonda S, and Surekha HR. Oxidative Stress and DNA Damage in Diabetic Nephropathy. *Journal of Analytical Bio-Science, 2013;* 36 (2): 175-180.

Salem ML. Immunomodulatory and Therapeuic Properties of the *Nigella sativa* L. Seed. *International Immunopharmacology*, 2005; 5: 1749-1770.

Sigaudo-Roussel D, Berengere F, and Jean LS. Diabetic Neuropathy in Animal Models. *Drug Discovery Today: Disease Models*, 2007; 4 (1): 39-44.

Soehardjono, D. 1993. Percobaan Hewan Laboratorium. Yogyakarta: Gadjah Mada University Press. hal: 207.

Srinivasan K, Viswanad B, Lydia A, Kaul CL, and Ramarao P. Combination of High-Fat Diet-Fed and Low-Dose Streptozotocin-Treated Rat: A Model for Type 2 Diabetes and Pharmacological Screening. *Pharmacological Research*, 2005; 52: 313–320.

Tesfaye S, Andrew JM, Peter JD, Roy F, Michael H, Peter K, Giuseppe L, Rayaz AM, Vincenza S, Aaron V, Luciano B, and Paul V. Diabetic Neuropathies: Update on Definitions, Diagnostic Criteria, Estimation of Severity, and Treatments. *Diabetes Care*, 2010; 33 (10): 2285-2293.

Triplitt CI, Charles AR, and William II. 2008. Diabetes in JT Dipiro, Robert LT, Gary RM, Barbara GW, L Michael P (Eds), *Pharmacotherapy. A Pathophysiologic Approach, 7th Ed.,* Mc Graw Hill, USA, pp. 1209-1210.

Uemura K and Norika M. Influence of Age and Sex on High-Fat Diet-Induced Increase in Blood Pressure. *J Med Sci*, 2006; 68: 109-114.

Wang HJ, Yuan XJ, Wan S, Jing N, Tao W, Yong JL and Zheng WF. Low Dose Streptozotocin (STZ) Combined with High Energy Intake can Effectively Induce Type 2 Diabetes Through Altering the Related Gene Expression. *Asia Pac J Clin Nutr*, 2007; 16 (1): 412-417.

Wang Z, Jeffrey W, and Patrick C. Treating Type 2 Diabetes Mellitus with Traditional Chinese and Indian Medical Herbs. *Evidence Based Complementary and Alternative Medicine: eCAM*, 2013.

WHO. *Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia*, WHO/IDF Consultation, 2006, Geneva.

WHO, 2013. *Diabetes Programme*, Geneva. http://www.who.int/diabetes/en/.

Widad S. Hepatotoxicity and Langerhans Islets Regenerative Effects of Polar and Neutral Lipids of *Nigella sativa* L in Nicotinamide/Streptozotocin Induced Diabetic Rats. *Pteridines*, 2011; 22: 97–104.

Wilson KJ. 2013. Diabetes and Insulin Signaling. *National Center for Case Study Teaching in Science,* USA, pp. 1-8.

Wilson RD and Islam S. Fructose-Fed Stretozotocin-injected Rat An Alternative

Model for Type 2 Diabetes. *Pharmacological Reports,* 2012; 64 (1): 129-139.