

DAFTAR PUSTAKA

- A Tomasi, M. (1987). Free-radical metabolism of carbon tetrachloride in rat liver mitochondria. A study of the mechanism of activation. *Biochemical Journal*, [online] 246(2), p.313. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1148278/> [Accessed 19 Nov. 2013].
- Abe, M., Hiasa, Y. and Onji, M. (2013). T Helper 17 Cells in Autoimmune Liver Diseases. *Clinical and Developmental Immunology*, 2013, pp.1-6.
- Anom, T. and Wibawa, D. (2010). Pendekatan Diagnosis dan Terapi Fibrosis Hati. *Jurnal Penyakit Dalam*, 11(1), pp.57-66.
- Atsdr.cdc.gov, (2014). ATSDR - Toxicological Profile: Carbon Tetrachloride. [online] Available at: <http://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=196&tid=35> [Accessed 13 Dec. 2014].
- Bachri, M. (2011). Efek Hepatoprotektif Ekstrak Metanol Jahe Merah (*Zingiber officinale Roscoe*) Pada Mencit yang Diinduksi CCl₄. *Jurnal Ilmiah Kefarmasian*, 1(2), pp.35-41.
- BÄfIÄfnescu P, e. (2014). *Th17 and IL-17 immunity in chronic hepatitis C infection*. - PubMed - NCBI. [online] Ncbi.nlm.nih.gov. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22788089> [Accessed 14 Oct. 2014].
- Baranova, A., Lal, P., Birerdinc, A. and Younossi, Z. (2011). Non-Invasive markers for hepatic fibrosis. *BMC Gastroenterology*, 11(1), p.91.
- Bataller, R. and Brenner, D. (2005). Liver fibrosis. *Journal of Clinical Investigation*, 115(2), pp.209-218.
- Bhala, N., Angulo, P., van der Poorten, D., Lee, E., Hui, J., Saracco, G., Adams, L., Charatcharoenwitthaya, P., Topping, J., Bugianesi, E., Day, C. and George, J. (2011). The natural history of nonalcoholic fatty liver disease with advanced fibrosis or cirrhosis: An international collaborative study. *Hepatology*, 54(4), pp.1208-1216.
- Chang, S., Park, H. and Dong, C. (2006). Act1 Adaptor Protein Is an Immediate and Essential Signaling Component of Interleukin-17 Receptor. *Journal of Biological Chemistry*, 281(47), pp.35603-35607.
- Delaware.gov, (2009). Carbon Tetrachloride. [online] Available at: <http://dhss.delaware.gov/dph/files/cartetrafaq.pdf> [Accessed 16 Dec. 2013].
- Du, W., Zhen, J., Zeng, Z., Zheng, Z., Xu, Y., Qin, L. and Chen, S. (2013). Expression of Interleukin-17 associated with disease progression and liver fibrosis with hepatitis B virus infection: IL-17 in HBV infection. *Diagnostic Pathology*, 8(1), p.40.



- Friedman, S. (2010). Evolving challenges in hepatic fibrosis. *Nat Rev Gastroenterol Hepatol*, 7(8), pp.425-436.
- Goodman, Z. (2007). Grading and staging systems for inflammation and fibrosis in chronic liver diseases. *Journal of Hepatology*, 47(4), pp.598-607.
- Hammerich, L., Heymann, F. and Tacke, F. (2011). Role of IL-17 and Th17 Cells in Liver Diseases. *Clinical and Developmental Immunology*, 2011, pp.1-12.
- Hidayati, N. 2007. *Efek Protektif Teripang Pasir (Holothuria scabra) Terhadap Hepatotoksitas yang Diinduksi Karbon Tetraklorida (CCl4)*. http://www.fk.unair.ac.id/attachments/527_JURNAL-IKD-090610060M-Nurhidayati.pdf.
- Ismail, M. and Pinzani, M. (2009). Reversal of liver fibrosis. *Saudi Journal of Gastroenterology*, 15(1), p.72.
- Lafdil, F., Miller, A., Ki, S. and Gao, B. (2010). Th17 cells and their associated cytokines in liver diseases. *Cell Mol Immunol*, 7(4), pp.250-254.
- Lemmers, A., Moreno, C., Gustot, T., MarÃ©chal, R., DegrÃ©, D., Demetter, P., de Nadai, P., Geerts, A., Quertinmont, E., Vercruyse, V., Le Moine, O. and DeviÃ“re, J. (2008). The interleukin-17 pathway is involved in human alcoholic liver disease. *Hepatology*, 49(2), pp.646-657.
- Li, L., Hu, Z., Li, W., Hu, M., Ran, J., Chen, P. and Sun, Q. (2012). Establishment of a Standardized Liver Fibrosis Model with Different Pathological Stages in Rats. *Gastroenterology Research and Practice*, 2012, pp.1-6.
- Maggi, L., Santarlasci, V., Capone, M., Peired, A., Frosali, F., Crome, S., Querci, V., Fambrini, M., Liotta, F., Levings, M., Maggi, E., Cosmi, L., Romagnani, S. and Annunziato, F. (2010). CD161 is a marker of all human IL-17-producing T-cell subsets and is induced by RORC. *European Journal of Immunology*, 40(8), pp.2174-2181.
- Meng, F., Wang, K., Aoyama, T., Grivennikov, S., Paik, Y., Scholten, D., Cong, M., Iwaisako, K., Liu, X., Zhang, M., Ã—sterreicher, C., Stickel, F., Ley, K., Brenner, D. and Kisileva, T. (2012). Interleukin-17 Signaling in Inflammatory, Kupffer Cells, and Hepatic Stellate Cells Exacerbates Liver Fibrosis in Mice. *Gastroenterology*, 143(3), pp.765-776.e3.
- Mills, K. (2008). Induction, function and regulation of IL-17-producing T cells. *European Journal of Immunology*, 38(10), pp.2636-2649.
- Moreira, R. (2007). Hepatic Stellate Cells and Liver Fibrosis. *Archives of Pathology and Laboratory Medicine*, 131(11), pp.1728-1734.
- Mormone, E., George, J. and Nieto, N. (2011). Molecular pathogenesis of hepatic fibrosis and current therapeutic approaches. *Chemico-Biological Interactions*, 193(3), pp.225-231.
- Moseley, T., Haudenschild, D., Rose, L. and Reddi, A. (2003). Interleukin-17 family and IL-17 receptors. *Cytokine & Growth Factor Reviews*, 14(2),

pp.155-174.

Musthofiyah, Hidayatul. 2008. *Pengaruh Pemberian Buah Pepaya (Carica papaya) Terhadap Kadar Enzim Transaminase GOT-GPT dan Gambaran Histologi Hepar Mencit (Mus musculus) yang Diinduksi Karbontetraklorida (ccl4)*. Skripsi. Fakultas Sains dan Teknologi. Universitas Islam Negeri Malang. Diakses tanggal 16 desember 2013

Naveau, S., Gaud©, G., Asnacios, A., Agostini, H., Abella, A., Barri-Ova, N., Dauvois, B., Pr©vot, S., Ngo, Y., Munteanu, M., Balian, A., Njik©-Nakseu, M., Perlemuter, G. and Poynard, T. (2008). Diagnostic and prognostic values of noninvasive biomarkers of fibrosis in patients with alcoholic liver disease. *Hepatology*, 49(1), pp.97-105.

Park, H., Li, Z., Yang, X., Chang, S., Nurieva, R., Wang, Y., Wang, Y., Hood, L., Zhu, Z., Tian, Q. and Dong, C. (2005). A distinct lineage of CD4 T cells regulates tissue inflammation by producing interleukin 17. *Nat Immunol*, 6(11), pp.1133-1141.

Rockey, D. (2008). Current and Future Anti-Fibrotic Therapies for Chronic Liver Disease. *Clinics in Liver Disease*, 12(4), pp.939-962.

Romagnani, S. (2008). Human Th17 cells. *Arthritis Research & Therapy*, 10(2), p.206.

Slater, T. (1984). Free-radical mechanisms in tissue injury. *Biochemical Journal*, [online] 222(1), p.1. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1144137/> [Accessed 17 Nov. 2013].

Tan, Z., Qian, X., Jiang, R., Liu, Q., Wang, Y., Chen, C., Wang, X., Ryffel, B. and Sun, B. (2013). IL-17A Plays a Critical Role in the Pathogenesis of Liver Fibrosis through Hepatic Stellate Cell Activation. *The Journal of Immunology*, 191(4), pp.1835-1844.

Thierry Pynard, V. (2011). Prognostic Value of Liver Fibrosis Biomarkers: A Meta-Analysis. *Gastroenterology & Hepatology*, [online] 7(7), p.445. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3264893/> [Accessed 9 Dec. 2013].

United States Environmental Protection Agency. 2000. Carbon Tetrachloride. <http://www.epa.gov/ttn/atw/hlthef/carbon.html>). Diakses 16 desember 2013.

Wang, L., Chen, S. and Xu, K. (2011). IL-17 expression is correlated with hepatitis B-related liver diseases and fibrosis. *International Journal of Molecular Medicine*, [online] 27(3), pp.385-392. Available at: <http://www.spandidos-publications.com/ijmm/27/3/385> [Accessed 20 Oct. 2013].

Witowski, J., Ksiazek, K. and Jirres, A. (2004). Interleukin-17: a mediator of inflammatory responses. *Cellular and Molecular Life Sciences (CMLS)*, 61(5), pp.567-579.

Yang, L., Wang, C., Ye, J. and Li, H. (2011). Hepatoprotective effects of polyprenols from Ginkgo biloba L. leaves on CCl₄-induced hepatotoxicity in rats. *Fitoterapia*, 82(6), pp.834-840.

Zhang, J., Zhang, Z., Lin, F., Zou, Z., Xu, R., Jin, L., Fu, J., Shi, F., Shi, M., Wang, H. and Wang, F. (2009). Interleukin-17-producing CD4+ T cells increase with severity of liver damage in patients with chronic hepatitis B. *Hepatology*, 51(1), pp.81-91.

