

LAMPIRAN

Kruskal-Wallis Test

Ranks			
	Konsentrasi	N	Mean Rank
Pertumbuhan	0%	4	26.50
	1%	4	20.50
	2%	4	20.50
	3%	4	14.50
	4%	4	10.50
	5%	4	4.50
	6%	4	4.50
	Total	28	

Test Statistics ^{a,b}	
	Pertumbuhan
Chi-square	27.000
df	6
Asymp. Sig.	.000

a. Kruskal Wallis Test

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

Ranks				
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	0%	4	6.50	26.00
	1%	4	2.50	10.00
	Total	8		



Test Statistics^b

	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

Ranks

	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	0%	4	6.50	26.00
	2%	4	2.50	10.00
	Total	8		

Test Statistics^b

	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi



Mann-Whitney Test

Ranks				
Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	0%	4	6.50	26.00
	3%	4	2.50	10.00
Total		8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

Ranks				
Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	0%	4	6.50	26.00
	4%	4	2.50	10.00
Total		8		



Test Statistics^b

	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

Ranks

	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	0%	4	6.50	26.00
	5%	4	2.50	10.00
	Total	8		

Test Statistics^b

	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi



Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	0%	4	6.50	26.00
	6%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	1%	4	4.50	18.00
	2%	4	4.50	18.00
	Total	8		



Test Statistics^b

	Pertumbuhan
Mann-Whitney U	8.000
Wilcoxon W	18.000
Z	.000
Asymp. Sig. (2-tailed)	1.000
Exact Sig. [2*(1-tailed Sig.)]	1.000 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

Ranks

	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	1%	4	6.50	26.00
	3%	4	2.50	10.00
	Total	8		

Test Statistics^b

	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi



Mann-Whitney Test

Ranks				
Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	1%	4	6.50	26.00
	4%	4	2.50	10.00
Total		8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

Ranks				
Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	1%	4	6.50	26.00
	5%	4	2.50	10.00
Total		8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi



Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	1%	4	6.50	26.00
	6%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	2%	4	6.50	26.00
	3%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi



Mann-Whitney Test

		Ranks		
Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	2%	4	6.50	26.00
	4%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	2%	4	6.50	26.00
	5%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	2%	4	6.50	26.00
	6%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	3%	4	6.50	26.00
	4%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	3%	4	6.50	26.00
	5%	4	2.50	10.00

Ranks

Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	3%	4	6.50	26.00
	5%	4	2.50	10.00
	Total	8		

Test Statistics^b

	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

Ranks

Konsentrasi		N	Mean Rank	Sum of Ranks
Pertumbuhan	3%	4	6.50	26.00
	6%	4	2.50	10.00
	Total	8		

Test Statistics^b

	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi



Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	4%	4	6.50	26.00
	5%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	4%	4	6.50	26.00
	6%	4	2.50	10.00
	Total	8		

Test Statistics ^b	
	Pertumbuhan
Mann-Whitney U	.000
Wilcoxon W	10.000
Z	-2.646
Asymp. Sig. (2-tailed)	.008
Exact Sig. [2*(1-tailed Sig.)]	.029 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Mann-Whitney Test

		Ranks		
	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	5%	4	4.50	18.00
	6%	4	4.50	18.00



Ranks

	Konsentrasi	N	Mean Rank	Sum of Ranks
Pertumbuhan	5%	4	4.50	18.00
	6%	4	4.50	18.00
	Total	8		

Test Statistics^b

	Pertumbuhan
Mann-Whitney U	8.000
Wilcoxon W	18.000
Z	.000
Asymp. Sig. (2-tailed)	1.000
Exact Sig. [2*(1-tailed Sig.)]	1.000 ^a

a. Not corrected for ties.

b. Grouping Variable: Konsentrasi

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Konsentrasi * Pertumbuhan	28	100.0%	0	.0%	28	100.0%



Konsentrasi * Pertumbuhan Crosstabulation

		Pertumbuhan					Total
		0	1+	2+	3+	4+	
Konsentrasi	0%	0	0	0	0	4	4
	1%	0	0	0	4	0	4
	2%	0	0	0	4	0	4
	3%	0	0	4	0	0	4
	4%	0	4	0	0	0	4
	5%	4	0	0	0	0	4
	6%	4	0	0	0	0	4
Total		8	4	4	8	4	28

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Interval by Interval	Pearson's R	-.981	.004	-25.495	.000 ^c
Ordinal by Ordinal	Spearman Correlation	-.982	.009	-26.495	.000 ^c
N of Valid Cases		28			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.