

DAFTAR PUSTAKA

- Ajith, T. A. dan Janardhanan, K. K.. 2006. Indian Medicinal Mushrooms as a Source of Antioxidant and Antitumor Agents. *Journal of Clinical Biochemistry and Nutrition*. Volume 40: 175-162.
- Arora, S. et al. 2009. Characterisation of Streptozotocin Induced Diabetes Mellitus in Swiss Albino Mice. *Global Journal of Pharmacology*.3 (2): 81-84.
- American Diabetes Association. Position statement: Standards of Medical Care in Diabetes 2010. *Diab Care*,2010;33(Suppl.1)
- Bahorun, T., M A Soobrattee, V Luximon-Ramma, O I Aruoma. 2006. Free Radicals and Antioxidants in Cardiovascular Health and Disease. *Internet Journal of Medical Update* 1 (2): 25-41.
- Barandier C, Montani JP, Yang Z. Mature adipocytes and perivascular adipose tissue stimulate vascular smooth muscle cell proliferation: effects of aging and obesity. *American Journal of Physiology Heart and Circulatory Physiology* 2005 Nov;289(5):H1807e13 [Research Support, Non-U.S. Gov't].
- Boh, B.; Berovic, M.; Zhang, J.; Zhi-Bin, L. Ganoderma lucidum and its pharmaceutically active compounds. *Biotech. Annu. Rev.* 2007, 13, 265–301. Halliwell B, Gutteridge J.M.2010. Free radicals in biology and medicine. Third edition: 268
- Calle MC, Fernandez ML. Inflammation and type 2 diabetes. *Diabetes Metab* 2012;38(3):183–91.
- Chatterjee TK, Stoll LL, Denning GM, Harrelson A, Blomkalns AL, Idelman G, et al. Proinflammatory phenotype of perivascular adipocytes: influence of high-fat feeding. *Circ Res* 2009;104:541–9.
- Chen, Y.K. et al. 2008. An application of virtual microscopy in the teaching of an oral and maxillofacial pathology laboratory course. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 105:342-347.
- Chen, L. et al. 2011. The worldwide epidemiology of type 2 diabetes mellitus—present and future perspectives. *Nat. Rev. Endocrinol.* 8, 228–236.
- Chen, L. Magliano, DJ. Zimmet, PZ. 2012. The Worldwide Epidemiology of Type 2 Diabetes Mellitus-Present and Future Perspective. *Nature Reviews Endocrinology*, 2012, 8(4): 228-236.
- Chevion, S., Moran D.S., Heled Y., Shani Y., Regrev G., Abbou,B.,Berenshtein.,E.,Stadtman,E.R., Epstein, Y. 2003. Plasma

Antioxidants Status and Cell Injury After Severe Physical Exercise. Proc.Nati.Acad.Sci.USA,Vol 100, Issue9: 5119-5123.

Chiara Marchesi, Talin Ebrahimian, Orlando Angulo, Pierre Paradis and Ernesto L. Schiffrin. Endothelial Nitric Oxide Synthase Uncoupling and Perivascular Adipose Oxidative Stress and Inflammation Contribute to Vascular Dysfunction in a Rodent Model of Metabolic Syndrome. *Hypertension*. 2009;54:1384-1392.

Chirag H. Mandavia, Annaya R. Aroor, Vincent G. DeMarco, James R. Sowers. Molecular and metabolic mechanisms of cardiac dysfunction in diabetes. (Abstract) .2013. *Life Sciences* 92,601–608.

Clemmons, DR. 2005. Diabetes Mellitus: An Important Cardiovascular Risk Factor. *Principle of Molecular Cardiology*, 2005: 563-574.

Cyntia, Linda Oktaviana Suci. 2011. Tugas Akhir (Skripsi) : Efek Ekstrak Kulit Manggis (*Garcinia mangostana* L.) Peroral Terhadap Kadar HDL dan LDL Serum pada Tikus Putih (*Rattus Novergicus*) Strain Wistar Model Aterogenik. Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Brawijaya Malang.

De Ciuceis C, Amiri F, Brassard P, Endemann DH, Touyz RM, Schiffrin EL. Reduced vascular remodeling, endothelial dysfunction, and oxidative stress in resistance arteries of angiotensin II-infused macrophage colony-stimulating factor-deficient mice: evidence for a role in inflammation in angiotensin-induced vascular injury. *Arterioscler Thromb Vasc Biol*.2005;25:2106 –2113.

Di WH, Hope S, Du Y, Quinn MT, Cayatte A, Pagano PJ, Cohen RA. Paracrine role of adventitial superoxide anion in mediating spontaneous tone of the isolated rat aorta in angiotensin II-induced hypertension. *Hypertension*. 1999;33:1225–1232.

Eringa, E. C., Bakker W., Van Hinsbergh, V. 2012. Paracrine Regulation of Vascular Tone, Inflammation and Insulin Sensitivity by Perivascular Adipose Tissue. *Vascular Pharmacology* 56: 204–209.

Fenglin Li, Yiming Zhang, Zhijian Zhong. Antihyperglycemic Effect of *Ganoderma Lucidum* Polysaccharides on Streptozotocin-Induced Diabetic Mice. *Int. J. Mol. Sci.* 2011, 12, 6135-6145

Giacco F, Brownlee M. Oxidative stress and diabetic complications. *Circ Res*. 2010;107:1058-70.

Greenstein, A.S., Khavandi, K., Withers, S.B., Sonoyama, K., Clancy, O., Jeziorska, M., Laing, I., Yates, A.P., Pemberton, P.W., Malik, R.A., Heagerty, A.M. Local inflammation and hypoxia abolish the protective anticontractile properties of perivascular fat in obese patients. *Circulation*, 2009;119, 1661–1670.

- Gustafson, Birgit. 2010. Adipose Tissue, Inflammation, and Atherosclerosis. *Journal of Atherosclerosis and Thrombosis* 17:000-000.
- Guyton A. C. dan Hall, J. E.. 2008. *Buku Ajar Ilmu Fisiologi Kedokteran Edisi 11*. Jakarta: Penerbit Buku Kedokteran EGC.
- Haas, L., Maryniuk, M., Beck, J., Cox, C.E., Duker, P., Edwards, L., Fisher, E. B., Hanson, L., Kent, D., Kolb, L., McLaughlin, S., Orzeck, E., Piette, J. D., Rhinehart, A. S., Rothman, R., Sklaroff, S., Tomky, D., Youssef, G.. 2012. National Standards for Diabetes Self-Management Education and Support. *Diabetes Care*. Volume 35: 2393-2401.
- Halliwell B, Gutteridge J.M. 2010. Free radicals in biology and medicine. Third edition: 268
- Hayat et al. Diabetic Cardiomyopathy: Mechanisms, Diagnosis and Treatment. *Clinical Science* 2004; 107, 539–557
- Henrichot E, Juge-Aubry CE, Pernin A, et al. Production of chemokines by perivascular adipose tissue: a role in the pathogenesis of atherosclerosis? *Arteriosclerosis, Thrombosis, and Vascular Biology* 2005 Dec;25(12):2594e9 [Research Support, Non-U.S. Gov't].
- International Diabetes Federation. 2013. Diabetes Atlas. (Online) (<http://www.idf.org/diabetesatlas>, diakses tanggal 8 Januari 2014).
- Jia, J., Zhang, X., Hua, Y. S., Wu, Y., Wang, Q. Z., Li, N., Guo Q., Dong, X. 2008. Evaluation of in Vivo Antioxidant Activities of Ganoderma Lucidum Polysaccharides in STZ-Diabetic Rats. *Food Chemistry* 115: 32–36.
- Johnson, Mary. 2012. Laboratory Mice and Rats. *Mather Methods*. 2 :113.
- Juutlainen A, Lehto S, Oneema T, Laakso M. Type 2 Diabetes as a “Coronary Heart Disease Equivalent”. *Diabetes Care* 28:2901–2907, 2005.
- Kern PA, Gina B Di G, Tong Lu, Rassouli N, and Ranganathan G. 2003. Adiponectin expression from human adipose tissue: relation to obesity, insulin resistance, and tumor necrosis factor- expression. 52:1779-85.
- Koenig, W., Khuseyinova, N., Baumert, J., Meisinger, C., Lowel, H. 2006. Serum Concentrations of Adiponectin and Risk of Type 2 Diabetes Mellitus and Coronary Heart Disease in Apparently Healthy Middle-Aged Men: Results from the 18-Year Follow-Up of a Large Cohort from Southern Germany. *J Am Coll Cardiol* 48 (7):1369-77.
- Kustiyah I, Prasetyo A, Sarjadi. 2003. Pengaruh Berbagai Variasi Dosis Ekstrak Morinda citrifolia terhadap Kadar Lipid Serum dan Perkembangan Lesi Aterosklerotik pada Aorta Abdominalis Tikus Wistar. *Media Medika Indonesia*. Vol. 38 No.4:193-202.



- Lee, H. Y., Després, J. P., Koh, K. K. 2013. Perivascular Adipose Tissue in the Pathogenesis of Cardiovascular Disease. *Atherosclerosis* 230 (2013): 177-184.
- Liang, JH. et al. 2007. The use of High-Fat/Carbohydrate Diet-Fed and Streptozotocin-Treated Mice as a Suitable Animal Model of Type 2 Diabetes Mellitus. *Scand. J. Lab. Anim. Sci.* 34 (1) : 21-29.
- Mansjoer, Arif. 2007. Kapita Selekta Kedokteran. Edisi Ketiga. Jakarta: Media
- Meijer, R.I., Bakker, W., Alta, C., Sipkema, P., Stehouwer, C.D.A., Serne, E.H., Smulders,Y.M., vanHinsbergh, V.W.M., Eringa, E.C., 2010. Altered cross-talk between perivascular adipose tissue and resistance arteries in muscle blunts insulin-mediated vasodilation in db/db mice. *Diabetes* 59 (Suppl. 1A), LB30
- Meijer, Rick I., Serne, Erik H., Smulders, Hinsbergh, Yvo M., Victor W. M. Van, Yudkin, John S.,
- Etto C. Eringa
- McGavock JM, Lingvay I, Zib I, et al. Cardiac steatosis in diabetes mellitus: a1H-magnetic resonance spectroscopy study. *Circulation* 2007 Sep 4;116(10):1170e5 [Comparative Study Research Support, N.I.H., Extramural Research Support, Non-U.S. Gov't].
- Miranville A, Herling AW, Biemer-Daub G, Voss MD. Differential adipose tissue inflammatory state in obese nondiabetic Zucker fatty rats compared to obese diabetic Zucker diabetic fatty rats. *Horm Metab Res* 2012;44(4):273–8.
- Murwani, S., Ali, M., & Muliartha, K. 2013. Diet aterogenik pada tikus putih (*Rattus norvegicus* strain Wistar) sebagai model hewan aterosklerosis. *Jurnal Kedokteran Brawijaya*, 22(1), pp-6.
- Ostenson CG. 2001. The Pathophysiology of Type 2 Diabetes Mellitus: an Overview. *Acta Physiol Scand* 171:241-7 oxidative stability of oils. *J. Am. Oil Chem. Soc.* 75 (10):1393-1398.
- Ouchi, N., Parker, J.L., Lugus, J.J.,Walsh, K., 2011. Adipokines in inflammation and metabolic disease. *Nat. Rev. Immunol.* 2011;11, 85–97.
- Perkumpulan Endokrinologi Indonesia.Konsensus Pengendalian dan Pencegahan Diabetes Mellitus Tipe2 di Indonesia (PERKENI) ,2011.hal 1.
- Prasad et al. 2009. Antidiabetic Activity of Some Herbal Plants in Streptozotocin Induced Diabetic Albino Rats. *Pakistan Journal of Nutrition*, 8: 551-557.
- Price, S.A. and Wilson, L.M. 2006. Patofisiologi : Konsep Klinis Proses-proses Penyakit.2006.(Volume 2 Edisi 6). Jakarta : EGC
- Rijzewijk LJ, van der Meer RW, Smit JW, et al. Myocardial steatosis is an independent predictor of diastolic dysfunction in type 2 diabetes

- mellitus. *Journal of American College Cardiology* 2008 Nov 25;52(22):1793e9 [Comparative Study].
- Robertson R, Zhou H, Zhang T, Harmon JS. Chronic oxidative stress as a mechanism for glucose toxicity of the beta cell in type 2 diabetes. *Cell Biochem Biophy.* 2007;48(2-3):139-46.
- Rother KI. Diabetes treatment – bridging the divide. *N Engl J Med.* 2007;356:1499–501. [PubMed].
- Sacks HS, Fain JN, Cheema P, et al. Inflammatory genes in epicardial fat contiguous with coronary atherosclerosis in the metabolic syndrome and type 2 diabetes: changes associated with pioglitazone. *Diabetes Care* 2011 Mar;34(3):730e3 [Research Support, Non-U.S. Gov't].
- Silva D. *Ganoderma lucidum in cancer treatment. Integrative cancer therapies* 2 (4); 2003:358-364.
- Snel M, Jonker JT, Hammer S, et al. Long-term beneficial effect of a 16-week very low calorie diet on pericardial fat in obese type 2 diabetes mellitus patients. *Obesity (Silver Spring)* 2012 Aug;20(8):1572e6 [Research Support, Non-U.S. Gov't].
- Srinivasan, K. Patole, PS. Kaul, CL. Ramarao, P. 2004. Reversal of Glucose Intolerance by Pioglitazone in High Fat Diet Fed Rats. *Methods Find Exp Clin Pharmacol*, 2004, 26(3): 27-33
- Srinivasan, K. Viswanad, B. Asrat, Lydia. Kaul, CL. Ramarao, P. 2005. Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: A model for type 2 diabetes and pharmacological screening. *Pharmacological Research*, 2005, 52: 313-320.
- Rajsheker ,Srinivas. Manka, David. L Blomkalns, Andra ,Chatterjee, Tapan K. L Stoll, Lynn. L Weintraub, Neal. Crosstalk between perivascular adipose tissue and blood vessels. *Current Opinion in Pharmacology*.2010: 191-196
- Sun et al. 2004. Novel Antioxidant Peptides from Fermented Mushroom Ganoderma lucidum. *J. Agric. Food Chem.*, 2004, 52 (21), pp 6646–6652. (Online) (<http://pubs.acs.org/doi/abs/10.1021/f0495136>, diakses tanggal 15 November 2013)
- Suryanto, Dwi. Andriani, Siskha. Nurtjahja, Kiki. 2005. Keragaman Genetik Ganoderma spp. dari Beberapa Tempat di Sumatera Utara. *Jurnal Ilmiah Pertanian KULTURA*, 2005, 40(2): 70-76.
- Szabo C. Role of nitrosative stress in the pathogenesis of diabetic vascular dysfunction. *Br J Pharmacol.* 2009; 156:713-27.
- Toai., Ban V., Tu L., Hanh N., et all Study on polysccharide (1,3)- β -D-glucan from Ganoderma Lucidum. *Journal of Chemistry*, 2005; 43:258-262



Verhagen, S. N., Visseren, F. 2010. Perivascular Adipose Tissue as a Cause of Atherosclerosis. *Atherosclerosis* 214 (2011): 3–10.

Wang CP, Hsu HL, Hung WC, et al. Increased epicardial adipose tissue (EAT) volume in type 2 diabetes mellitus and association with metabolic syndrome and severity of coronary atherosclerosis. *Clinical Endocrinology* 2009 Jun;70(6):876e82 [Research Support, Non-U.S. Gov't].

Wellen K, Hotamisligil G. Inflammation, stress, and diabetes. *J. Clin. Invest.* 115:1111–1119 (2005)

Widiastuti, Nurina. 2010. *Penggunaan Fraksi Etil Asetat Ekstrak Metanolik Buah Merah (Pandanus conoideus Lam.) sebagai Antioksidan dengan Parameter Aktivitas Glutation S-Transferase Sitosol Hepar Tikus*. Yogyakarta: Fakultas Farmasi Universitas Gajah Mada.

Wild S, Roglic G, Green A, Sicree R, King H. Global Prevalence of Diabetes. *Diabetes Care* 27:1047–1053, 2004

Xu Z., Chen X., Zhong Z., Chen L., et all Ganoderma lucidum polysaccharides : immunomodulation and potential anti-tumor activities. *Am J Chin Med.* 2011;39(1):15-27.

Yanuartono. 2007. Peran Diet Lemak Dan/Atau Kolesterol Tinggi pada Pembentukan Plak Ateroma Aorta Tikus Putih (Sprague-Dawley). *J. Ssin Vet.* Vol. 25 No.I.

Yudkin JS, Eringa E, Stehouwer CD. "Vasocrine" signalling from perivascular fat: a mechanism linking insulin resistance to vascular disease. *Lancet* 2005;365:1817–20.

Yu-Hong, You; Zhi-Bin, Lin. 2002. Protective effects of Ganoderma lucidum polysaccharides peptide on injury of macrophages induced by reactive oxygen species. *Acta Pharmacol Sin* 2002 Sep; 23 (9): 787-791

Zhang, M. et al. 2008. The Characterization of High-Fat Diet andMultiple Low-Dose Streptozotocin Induced Type 2 Diabetes Rat Model. *Experimental Diabetes Research*. Volume 2008, Article ID 704045, 9 pages.

Zhang H, Zhang C. Regulation of microvascular function by adipose tissue in obesity and type 2 diabetes: evidence of an adipose-vascular loop. *American Journal of Biomedical Sciences* 2009 Apr 1;1(2):133.