

DAFTAR PUSTAKA

- Alentorn-Geli E., Verdié L.P. 2012. *Osteoarthritis in Sports and Exercise: Risk Factors and Preventive Strategies, Principles of Osteoarthritis- Its Definition, Character, Derivation and Modality-Related Recognition*. InTech. ISBN: 978-953-51-0063-8.
- Altman R., Asch E., Bloch D., et al. 1986. *The American College of Rheumatology Criteria for The Classification and Reporting of Osteoarthritis of The Knee*. Ann Rheum Dis. 29: 1039-1049.
- Boon N.A., et al. 2007. In : Davidson's Principles & Practice of Medicine, editors. *Muskuloskeletal Disorders : Osteoarthritis*. 20th ed. Elsevier.
- Boxma B.M., 2011. *Females, Overweight and Osteoarthritis: a complex puzzle*. The Department of General Practice of the Erasmus University Medical Center, Rotterdam The Netherlands. Dutch Arthritis Association.
- Braun H.J., Gold G.E. 2011. *Diagnosis of osteoarthritis: Imaging, Bone*. Elsevier. doi:10.1016/j.bone.2011.11.019.
- Conde J., et al. 2012. *Adiponectin and Leptin Induce VCAM-1 Expression in Human and Murine Chondrocytes*. Santiago : PLoS ONE; 7(12): e52533.
- Davidson B., et al. 2007. *TGF- β and Osteoarthritis*. Experimental Rheumatology and Advanced Therapeutics, Radboud University Nijmegen Medical Centre, The Netherlands. Osteoarthritis and Cartilage.15: 597-604.
- Dawson J., et al. 2003. *An Investigation of Risk Factors for Symptomatic Osteoarthritis of The Knee in Women Using a Life Course Approach*. J Epidemiol Community Health. 57: 823-830.
- de Boer T.N., et al. 2012. *Serum Adipokines in Osteoarthritis; Comparison with Controls and Relationship with Local Parameters of Synovial Inflammation and Cartilage Damage*. OA Cartilage. 20(8): 846-53.
- Emrani P.S, et al. 2007. *Joint Space Narrowing and Kellgren-Lawrence Progression in Knee Osteoarthritis: An Analytic Literature Synthesis*. Osteoarthritis Cartilage. 16(8): 873-882.
- Ekenstedt K.J., et al. 2006. *Effects of Chronic Growth Hormone and Insulin-Like Growth Factor 1 Deficiency on Osteoarthritis Severity in Rat Knee Joints*. American College of Rheumatology. 54(12): 3850-3858.
- Felson D.T., et al. 2005. *Osteophytes and Progression of Knee Osteoarthritis*. British Society for Rheumatology. 44: 100-104.

- Gray L.J., Yates T., Davies M.J., Brady E., Webb D.R. 2011. *Defining Obesity Cut-Off Points for Migrant South Asians*. PLoS ONE. 6(10): e26464.
- Hasan M., Shuckett R. 2010. *Clinical Features and Pathogenetic Mechanisms of Osteoarthritis of the Hip and Knee*. BC Medical Journal. 52(8): 393-398.
- Hayeri M. R., et al. 2009. *Proximal Tibial Osteophytes and Their Relationship with The Height of The Tibial Spines of The Intercondylar Eminence: Paleopathological Study*. Skeletal Radiol 39: 877-881.
- Helwi, Dewa PP, Dibyo P. 2009. *Obesitas sebagai Faktor Risiko Osteoarthritis Lutut pada Lanjut Usia di Poliklinik Geriatri Rumah Sakit Umum Pusat dr. Sardjito, Yogyakarta*. Universitas Gajah Mada.
- Hui W., Litherland G.J., Elias M.S., et al. 2011. *Leptin Produced by Joint White Adipose Tissue Induces Cartilage Degradation via Upregulation and Activation of Matrix Metalloproteinases*. Ann Rheum Dis. 71: 455-462.
- Jacobson J.A., et al. 2008. *Radiographic Evaluation of Arthritis: Degenerative Joint Disease and Variations*. Radiology RSNA. 248(3): 737-747.
- Junker S., Krumbholz G., Frommer K.W., et al. 2013. *The Role of Adipocytokines in Osteoarthritis Osteophyte Formation*. Ann Rheum Dis. 72: A63.
- Junker S., Frommer K., Krumbholz G., et al. 2011. *Adipokine Expression in Osteoarthritis Osteophytes*. Arthritis Rheum. 63(10):1825.
- Kaila B., Raman M. 2008. *Obesity: a Review of Pathogenesis and Management Strategies*. Can J Gastroenterol. 22(1): 61-68.
- Kellgren JH, Lawrence JS. 1957. *Radiological Assessment of Osteo-arthritis*. Ann Rheum Dis Dec; 16(4): 494-502.
- Kertia N., Wachid D.N., Krishnan P.N. 2011. *Diagnostic Criteria of Knee Osteoarthritis in Rheumatology Outpatient Clinic, Dr. Sardjito Hospital, Yogyakarta*. Indonesian Journal of Rheumatology. (3): 24-26.
- Kim J.A., Choi C.J., Yum K.S. 2006. *Cut-off Values of Visceral Fat Area and Waist Circumference: Diagnostic Criteria for Abdominal Obesity in a Korean Population*. J Korean Med Sci. 21: 1048-1053.
- Kim K.W., et al. 2011. *Association Between Comorbid Depression and Osteoarthritis Symptom Severity in Patients with Knee Osteoarthritis*. The Journal of Bone & Joint Surgery. 93(6):556-563.
- Krasnokutsky M.D., et al. 2008. *Current Concepts in The Pathogenesis of Osteoarthritis*. Osteoarthritis and Cartilage. 16: S1-S3.
- Kulie T., et al. 2011. *Obesity and Women's Health: An Evidence-Based Review*. J Am Board Fam Med. 24: 75-85.

- Lakdawala M., Bhasker A. 2010. *Report: Asian Consensus Meeting on Metabolic Surgery. Recommendations for the use of Bariatric and Gastrointestinal Metabolic Surgery for Treatment of Obesity and Type II Diabetes Mellitus in the Asian Population*. Springer Science. DOI 10.1007/s11695-010-0162-7.
- Link M.T., et al. 2002. *MR Imaging Findings in Different Stages of Disease and Correlation with Clinical Findings*. Radiology. 226(2): 373-381.
- Liu Y., et al. 2011. *Can Body Mass Index, Waist Circumference, Waist-Hip Ratio and Waist-Height Ratio Predict The Presence of Multiple Metabolic Risk Factors in Chinese Subjects?* BMC Public Health. 11: 35.
- Lukum E.M., dkk. 2011. *Hubungan Derajat Nyeri Berdasarkan Visual Analogue Scale (Vas) Dengan Derajat Radiologik Berdasarkan Kellgren Lawrence Score Pada Foto Konvensional Lutut Pasien Osteoarthritis Sendi Lutut*.
- McCance KL, Huether SE. 2006. *Pathophysiology : The Biologic Basis for Disease In Adults and children*. 5th Ed. Elsevier Mosby. USA.1521-5.
- McCauley T.R., Kornaat P.R., Jee W.H. 2001. *Central Osteophytes in the Knee: Prevalence and Association with Cartilage Defects on MR Imaging*. American-Journal of Roentgenology.176: 359-364.
- Nagaosa Y., et al. 2002. *Characterisation of Size and Direction of Osteophyte in Knee Osteoarthritis: a Radiographic Study*. Ann Rheum Dis. (61):319–324.
- Niu J., et al. 2009. *Is Obesity a Risk Factor for Progressive Radiographic Knee Osteoarthritis?* Arthritis Rheumatology; 61(3): 329-335.
- Richette P., et al. 2010. *Benefits of Massive Weight Loss on Symptoms, Systemic Inflammation and Cartilage Turnover in Obese Patients with Knee Osteoarthritis*. Ann Rheum Dis. 70(3):139-144.
- Samuels J., et al. 2008. In: Kelley's Textbook of Rheumatology, editors. Cartilage, Bone, and Heritable Connective Tissue Disorders: Pathogenesis of Osteoarthritis. 8th e. Saunders.
- Samuels J., Krasnokutsky S., Abramson S.B. 2008. *Osteoarthritis: A Tale of Three Tissues*. Bulletin of the NYU Hospital for Joint Diseases. 66(3): 244-250.
- Sartika R.A.D. 2011. *Faktor Risiko Obesitas pada Anak 5-15 Tahun di Indonesia*. Makara, Kesehatan. 15(1): 37-43.
- Sastroasmoro S., Ismael S. 2011. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi 11. Jakarta: Bina Rupa Aksara.

- Schiphof D., et al. 2008. *Differences in Descriptions of Kellgren and Lawrence Grades of Knee Osteoarthritis*. *Arthritis Rheumatology*; 67: 1034-1036.
- Setiyohadi B. 2003. *Osteoarthritis: Selayang Pandang. Dalam Temu Ilmiah Reumatologi*. Jakarta, 2003: 27-31.
- Shiple M., et al. 2009. In: *Kumar and Clark's Medicine, editors. Rheumatology and Bone Disease*. 7th ed. Elsevier.
- Soeroso J., et al. 2005. *Risk Factors of Symptomatic and Asymptomatic Osteoarthritis of the Knee*. *Folia Medica Indonesiana*. 41(2): 118-129.
- Sumual, Danes, Lintong. 2013. *Pengaruh Berat Badan terhadap Gaya Gesek dan Timbulnya Osteoarthritis pada Orang diatas 45 Tahun di RSUP Prof. Dr. R. D. Kandou Manado*. *Jurnal e-Biomedik* (1):140-146.
- Suryaputra K., Nadhiroh S.R. 2012. *Perbedaan Pola Makan dan Aktivitas Fisik antara Remaja Obesitas dengan Non Obesitas*. *Makara, Kesehatan*. 16(1): 45-50.
- Suseno A. 2006. *Hubungan antara Kejadian Osteoarthritis Dengan Obesitas yang diukur dengan Metode Pengukuran BMI di Unit Rawat Jalan Salah Satu Rumah Sakit Swasta Kota Malang Periode Januari-Desember 2006*. Malang: Universitas Muhammadiyah Malang.
- Sweeting H.N. 2007. *Measurement and Definitions of Obesity In Childhood and Adolescence: A field guide for the uninitiated*. *Nutrition Journal*. 6: 32.
- Teichtahl A.J., et al. 2008. *Imaging of Knee Osteoarthritis*. *Best Practice & Research Clinical Rheumatology*. 22(6): 1061-1074.
- Zgoda M., et al. 2007. *Age-Related Decrease in The Activity of Collagenase in The Femoral Head in Patients With Hip Osteoarthritis*. *Clinical Rheumatology*. 26(2): 240-241.
- Zhang W., et al. 2011. *Nottingham knee osteoarthritis risk prediction models*. *Ann Rheum Dis*. 70: 1599-1604.
- Wahyuningsih NAS. 2009. *Hubungan Obesitas dengan Osteoarthritis Lutut pada Lansia di Kelurahan Puncangsawit Kecamatan Jebres Surakarta*. Surakarta: Universitas Sebelas Maret.
- Widjanantie S.C., et al. 2011. *Knee Function Measured by Timed Up-and-Go Test and Stair-Climbing Test After Isometric Exercise of Quadriceps Femoris Muscles in Female Patients with Knee Osteoarthritis*. *Indonesian Journal of Rheumatology*. (3): 11-15.
- Wilkinson C.E., Carr A.J., Doherty M. 2005. *Does Increasing The Grades of The Knee Osteoarthritis Line Drawing Atlas Alter its Clinimetric Properties?* *Ann Rheum Dis*. 64: 1467-1473.

Wills A.K., et al. 2011. *Life Course Body Mass Index and Risk of Knee Osteoarthritis at The Age of 53 Years: Evidence from The 1946 British Birth Cohort Study*. *Ann Rheum Dis*. (71): 655–660.

World Health Organization. 2000. *The Asia Pacific Perspective: Redefining obesity and its treatment*. http://www.wpro.who.int/pdf/obesity_final.pdf

World Health Organization. 2010. *Global Status Report On Noncommunicable Diseases 2010*. Geneva, 2011.

Yusuf E. 2012. *Metabolic Factors in Osteo-arthritis: Obese People Do Not Walk on Their Hands*. *Arthritis Research & Therapy*. (14): 123.

