

## LAMPIRAN

## LAMPIRAN 1


## Karakteristik Data Dasar Penderita HIV

Karakteristik	Jumlah(n)	Persentase (%)
1) Jenis Kelamin		
Pria	18	69
Wanita	8	31
2) Usia (tahun)		
20-30	8	30.8
31-40	6	23.1
41-50	9	34.6
>50	3	11.5
3) Stadium Klinis HIV		
Stadium I	0	0
Stadium II	5	19.2
Stadium III	8	30.8
Stadium IV	13	50.0
4) Infeksi Oportunistik Lainnya		
Infeksi Menular Seksual (Condyloma Accuminata)	1	3.2
Konjunktivitis	1	3.2
Infeksi Saluran Kemih	2	6.5
Kelainan Kulit (Dermatitis Seboroik, Prurigo Nodularis, Scabies)	3	9.7
Kelainan Sistem Respirasi (ISPA, Pneumonia)	3	9.7
Infeksi Virus (Rubella, CMV, Hepatitis B)	3	9.7
Tidak Terinfeksi	3	9.7
Kelainan Sistem Gastrointestinal (Diarrhea Kronis, <i>Salmonella typhi</i> )	4	12.9
Kandidiasis (Oral & Esofageal)	5	16.1
TB (Paru & Ekstraparu)	6	19.4
Jumlah	31	100%
5) Kadar IgG <i>Toxoplasma gondii</i> (IU/MI)		
≤ 9	2	7.7
10-11	1	3.8
≥12	23	88.5
6) Kadar CD4 (sel/ $\mu$ L)		
>500	0	0
200-499	3	11.5
<200	23	88.5

LAMPIRAN 2

Data Sampel Berdasarkan Rerata Kadar CD4


Stadium Klinis HIV (Mengikuti Kriteria WHO 2005)	Rerata Kadar CD4 (sel/ $\mu$ L) Mean $\pm$ SD
Stadium I	-
Stadium II	127.6 $\pm$ 89.807
Stadium III	139.5 $\pm$ 115.343
Stadium IV	66.11 $\pm$ 72.814



**LAMPIRAN 3.**

**Data Sampel Berdasarkan Rerata Kadar IgG**

<b>Stadium Klinis HIV (Mengikuti Kriteria WHO 2005)</b>	<b>Rerata Kadar IgG (IU/MI) Mean ±SD</b>
Stadium I	-
Stadium II	475.5±255.978
Stadium III	208.1±240.797
Stadium IV	483.7±251.394



**LAMPIRAN 4**

**Hubungan Kadar CD4 dengan Kadar IgG *Toxoplasma gondii***

Uji Asumsi Normalitas Data Kadar IgG *Toxoplasma gondii*

**One-Sample Kolmogorov-Smirnov Test**

		IgG
N		26
Normal Parameters <sup>a,b</sup>	Mean	397.3175
	Std. Deviation	271.33029
Most Extreme Differences	Absolute	.286
	Positive	.150
	Negative	-.286
Kolmogorov-Smirnov Z		1.457
Asymp. Sig. (2-tailed)		.029

a. Test distribution is Normal.

b. Calculated from data.

Uji Asumsi Normalitas Data Kadar CD4

**One-Sample Kolmogorov-Smirnov Test**

		CD4
N		26
Normal Parameters <sup>a,b</sup>	Mean	100.5154
	Std. Deviation	93.85714
Most Extreme Differences	Absolute	.156
	Positive	.156
	Negative	-.152
Kolmogorov-Smirnov Z		.797
Asymp. Sig. (2-tailed)		.549

a. Test distribution is Normal.

b. Calculated from data.





Analisis Korelasi Rank Spearman Kadar CD4 dengan Kadar IgG *Toxoplasma gondii*

**Correlations**

			IgG	CD4
Spearman's rho	IgG	Correlation Coefficient	1.000	.031
		Sig. (2-tailed)	.	.879
		N	26	26
CD4	CD4	Correlation Coefficient	.031	1.000
		Sig. (2-tailed)	.879	.
		N	26	26

