

DAFTAR PUSTAKA

- Al-Khafaji. 2016. *Multiple Organ Dysfunction Syndrome in Sepsis*. Diakses dari <http://emedicine.medscape.com/article/169640-overview>.
- Aletayeb S.M.H., Khosravi A.D., Dehdashtian M., Kompani F., Mortazavi S.M., Aramesh M.R. Identification of Bacterial Agents and Antimicrobial Susceptibility of Neonatal Sepsis : A 54-month study in a Tertiary Hospital. *African Journal of Microbiology Research*, 2011, 5(5): 528-531.
- Andersen W.L., et al. Etiology and Therapeutic Approach To Elevated Lactate. *Mayo Clin Proc*, 2013, 88(10): p. 1127–1140.
- Biron B.M., Ayala A., Lomas-Neira J.L. Biomarkers for Sepsis: What Is and What Might Be?. *Libertas Academica*, 2015, 10(Suppl 4): 7–17.
- Dahlan, M.S., 2011. *Penelitian Prognostik dan Sistem Skoring: Disertai Praktik Dengan SPSS dan Stata*, Seri 8, Alqaprint Jatinangor, Jatinangor, hal.10.
- Dahlan M.S., 2014. *Statistik Untuk Kedokteran dan Kesehatan*, Edisi 6, Epidemiologi Indonesia, Jakarta, p.225-234.
- Dellinger R.P. et al., Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock: 2012. *Crit Care Med*, 2013, 41(2): p.580–637.
- Departemen Kesehatan Republik Indonesia. 2007. *Laporan Hasil Riset Kesehatan Dasar Indonesia (Riskesdas)*. Diakses dari: <https://www.k4health.org/sites/default/files/laporanNasional%20Riskesdas%202007.pdf>
- Depkes. 2007. *Penatalaksanaan Sepsis Neonatorum*, Jakarta.
- Department of Health. 2014. *Sepsis Management National Clinical Guideline No. 6*. National Clinical Effectiveness Committee, Dublin, p.17.
- Dharma A.B., Rosalina I., Sekarwana N. Hubungan Kadar Laktat Plasma dengan Derajat Disfungsi Organ Berdasarkan Skor PELOD pada Anak Sakit Kritis. *Sari Pediatri*, 2008, 10 (4): hal.280-283.
- Doi K., et al. Reduced Production of Creatinine Limits Its Use as Marker of Kidney Injury in Sepsis. *Journal of the American Society of Nephrology*, 2009, 20(6): 1217–1221.
- Effendi S.H. 2013. *Sepsis Neonatal; Penatalaksanaan Terkini Serta Sebagai Masalah Dilematis*. Makalah disajikan dalam Simposium Ilmiah dan Workshop Meet The Professor of Pediatrics. 15-16 Juni 2013: hal. 1-20.

- Gerdes J.S., Diagnosis and Management of Bacterial Infections in the Neonate. *Elsevier Saunders*, 2004, 51: p.939–957.
- Goldstein B., Grior B., Randolph A., *et al.*, International Pediatric Sepsis Consensus Conference. *Pediatric Critical Care Medicine*, 2005, 6(1): p.2-8
- Hernández *et al.* Persistent sepsis-induced hypotension without hyperlactatemia: is it really septic shock?. *Journal of Critical Care*, 2011, 26(4): p.435.e9–435.e14
- Isselbacher K.J., 2014. *Harrison: Prinsip-Prinsip Ilmu Penyakit Dalam Vol. 2*, Edisi 13, Penerbit Buku Kedokteran EGC, Jakarta, p.571-576.
- Jat R.K., Jhamb U., Gupta V.K. Serum lactate levels as the predictor of outcome in pediatric septic shock. *Indian Journal of Critical Care Medicine*, 2011, 15(2): p.102-107.
- Kaban R.K., 2014. *Salah Satu Penanganan Bayi Prematur yang Perlu Diketahui*. Diakses dari: <http://idai.or.id/public-articles/seputar-kesehatan-anak/salah-satu-penanganan-bayi-prematur-yang-perlu-diketahui.html>
- Leifina N., Yuniati T., Kartasmita C.B., 2013. Kadar Laktat Darah Sebagai Faktor Risiko Mortalitas pada Sepsis Neonatorum. *Bandung Medical Journal*, 2013, 45 (4): hal.199-204.
- Lubis S.M., Lubis M. Asidosis Laktat. *Majalah Kedokteran Nusantara*, 2006, 3(1): hal. 53-58.
- Murray R.K., Granner D.K., Rodwell V.W., 2013. *Biokimia Harper*, edisi 27, Penerbit Buku Kedokteran EGC, Jakarta, p.158-161.
- Naher H.S., Khamael A.B. Neonatal Sepsis; the Bacterial Causes and the Risk Factors. *Int Res J Med Sci*, 2013; 1:19– 22.
- NNF Teaching Aids: Newborn Care, Neonatal Sepsis, 2009, dilihat 16 April 2010, diunduh www.newbornwhocc.org/pdf/teaching.aids/neonatalespsis.pdf
- Patriawati K.A., 2013. Kadar Laktat Serial Sebagai Faktor Prognosis Mortalitas Pasien Sepsis (Abstrak). *Universitas Gadjah Mada*.
- Pusponegoro T.S., Sepsis pada Neonatus (Sepsis Neonatal). *Sari Pediatri*, 2000, 2 (2): hal.96-102.
- Roeslani R.D., Idham A., Muhammad H.N., Suryani. Penelitian Awal: Faktor Risiko pada Sepsis Neonatorum Awitan Dini. *Sari Pediatri*, 2013, 14(6): hal.363-367.
- Sarwono J. 2009. *Statistik Itu Mudah: Panduan Lengkap untuk Belajar Komputasi Statistik Menggunakan SPSS 16*, Penerbit Universitas Atma Jaya Yogyakarta, Yogyakarta.

- Shah B.A., Padbury J.F. Neonatal sepsis: An old problem with new insights. *Virulence*, 2014, 5(1): p.170–178.
- Smith C.W., 2006. *Production, Distribution and Fate of Neutrophil*. Williams Hematology, 7th Ed., McGraw-Hill, New York, p. 847-854.
- Sudoyo W.A., et.al., 2007. *Buku Ajar Ilmu Penyakit Dalam Jilid III*, Edisi 4, Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, Jakarta, hal.1840-1843.
- Thaver D., Zaidi A.K.M., Burden of Neonatal Infections in Developing Countries. *The Pediatric Infectious Disease Journal*, 2009, 28(1):S3–S9.
- Watson R.S *et al*. The Epidemiology of Severe Sepsis in Children in the United States. *American Journal of Respiratory and Critical Care Medicine*, 2003, 167: p.695-701.
- WHO. 2002. *Explore Simplified Antimicrobial Regimens for the Treatment of Neonatal Sepsis*. Makalah disajikan dalam *meeting report* WHO di Geneva, Switzerland, 30 September – 1 Oktober 2002.
- Wynn J.R., Wong H.R. Pathophysiology and Treatment of Septic Shock in Neonates. *PMC*, 2011, [37\(2\): 439–479](#).
- Zeichner S.L., Read J.S. 2005. *Textbook of Pediatric HIV Care*. Cambridge University Press. New York