

## DAFTAR PUSTAKA

ADA (American Diabetes Association). 2000. Report of The Committee on diagnosis and Classification of diabetes Mellitus. Clinical Practice Recommendation 2000. Diabetes Care 2000 Mar; 23(3): 381-389.

Agnes W. Boots, Guido R.M.M. Haenen, Aalt Bast. 2008. Health effects of quercetin: From antioxidant to nutraceutical. Department of Pharmacology and Toxicology, Faculty of Medicine Maastricht University, P.O. Box 616, 6200 MD Maastricht, The Netherlands. European Journal of Pharmacology 585 (2008) 325-337.

Arab L, Steck S. 2000. Lycopene and cardiovascular disease. Am J Clin Nutr June 2000 vol. 71 no. 6 1691-1695.

Ascalbiass. 2010. Pemeriksaan Trigliserida. *Buku Panduan Biokimia Kedokteran Blok Hemato-immunologi*. Purwokerto : Laboratorium Biokimia FK Unsoed. Hal 439-449.

Awad, H.M., Boersma, M.G., Boeren, S., van Bladeren, P.J., Vervoort, J., Rietjens, I.M., 2002. The regioselectivity of glutathione adduct formation with flavonoid quinone/ quinone methides is pH-dependent. Chem. Res. Toxicol. 15, 343–351

Bennett, P. 2008. Epidemiology of Type 2 Diabetes Mellitus. 2006;29:1866–1871.

Botham KM dan Mayes PA. 2006. *Lipid Transport & Storage*. Harpers Biochemistry 27<sup>th</sup> ed. Jakarta: EGC; 2006:225-249.

Bourne dan Zastrow. 2001. Reseptor dan Farmakodinamika Obat Dalam Farmakologi Dasar dan Klinik. Editor: Katzung B.G. Penerjemah: Dripa Sjabana. Buku I Edisi 8. Jakarta; Penerbit Salemba Medika. Hal. 23.

Canene-Adams K., Clinton, S. K., King, J. L., Lindshield, B. L., Wharton C., Jeffery, E. & Erdman, J. W. Jr. 2004. The growth of the Dunning R-3327-

H transplantable prostate adenocarcinoma in rats fed diets containing tomato, broccoli, lycopene, or receiving finasteride treatment. Hal 134.

Departemen Kesehatan. 2005. Pharmaceutical Care untuk Penyakit Diabetes Melitus. Jakarta: Direktorat Jenderal Bina Kefarmasian dan Alat Kesehatan. Halaman. 1, 7, 11-12, 25-27, 32.

Diedrich F, Renner A, Rath W, Kuhn W, Wieland E. Lipid hydroperoxides and free radical scavenging enzyme activities in preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: no evidence for circulating primary products of lipid peroxidation. *Am J Obstet Gynecol* 2001; 185:166-72.

Eduardo Fuentes, Reinhold Carle, Luis Astudilo, Luis Guzman, Margaritta Guetierrez, Gilda Carasco, Ivan Palomo. 2013. Antioxidant and Antiplatelet Activities in Extracts from Green and Fully Ripe Tomato Fruits (*Solanum lycopersicum*) and Pomace from Industrial Tomato Processing. Department of Clinical Biochemistry and Immunohematology, Faculty of Health Sciences, Programa de Investigación de Excelencia Interdisciplinaria en Envejecimiento Saludable (PIEIES), Universidad de Talca. Chile. estimates for 2000 and projections for 2030". *Evidence-Based Complementary and Alternative Medicine Volume 2013 (2013)*, pages :9.

Ethical Digest. 2009. *Semi Jurnal Farmasi & Kedokteran No. 59*, Penerbit : ISSN : 1693-5020. Halaman 50-53..

Evans, J. L., Goldfine, I. D., Maddux, B. A., & Grodsky, G. M. 2002. Oxidative stress and stress-activated signaling pathways: a unifying hypothesis of type 2 diabetes. *2002 Oct;23(5):599-622.*

Fidayani Pasaribu, Panal Sitorus, dan Saiful Bahri. 2012. Uji Ekstrak Kulit Buah Manggis (*Garcinia mangostana L*) Terhadap Penurunan Kadar Glukosa Darah. Fakultas Farmasi Universitas Sumatera Utara. *Journal of Pharmaceutical and Pharmacology, 2012 Vol. 1 (1):1-8.*

Friedewald WT, Levy RI, Fredrickson DS. Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge. *Clin Chem.* 1972;18(6):499-502.

Gang Zheng, Jian Ming , Daoqi Long , Hongbin Wu , Hong Wu and Guohua Zhao1. 2013. The effects of dietary supplementation of tomato peel ultrafine powder on glycemic response in streptozotocin-induced diabetic rats and blood lipids in high-fat diet rats. College of Food Science, Southwest University, Chongqing 400715, People's Republic of China. African Journal of Biotechnology. Vol. 12(6), pages 580-587.

Ginsberg HN. 2000. Nonpharmacologic management of low levels of High-density lipoprotein cholesterol. 2000, Vol 86, pages: 46-50.

Gunawan, Adi dan Roeswati. 2014. Tangkas Kimia Kartika:Surabaya. Jilid 2.

Halliwell B, Whiteman M. Measuring reactive species and oxidative damage in vivo and in cell culture: how should you do it and what do the results mean. Br J Pharm 2004; hal. 142-231.

Hubel CA. Oxidative stress in the pathogenesis of preeclampsia. Proc Soc Exp Biol Med 1999; hal. 222.

Indriasari, D. 2009. *100% Sembuh Tanpa Dokter*. Yogyakarta: Pustaka Grahatama (Anggota Ikapi) Gedung Galangpress Center. (ID): Grahatama.

J Piette. 2003. Effectiveness of Self-management Education. Dalam: Gan D, Allgot B, King H, Lefèbvre P, Mbanya JC, Silink M, penyunting. Diabetes Atlas. Edisi ke-2, Vol. 27 No. 2.

Jakus V. The role of free radicals, oxidative stress and antioxidant systems in diabetic vascular disease. Bratisl Lek Listy. 2000;101:541–51.

Johansen JS, Harns AK, Rychly DJ, Ergul A. 2005. Oxidative stress & the use of antioxidants in diabetes. Linking basic science to clinical practice. Cardiovasculer Diabetology. 4(1), hal. 5.

K. Srinivasan, B. Viswanad, L. Asrat, C. L. Kaul, and P. Ramarao, "Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: a model for type 2 diabetes and pharmacological screening, Pharmacological Research, vol.52, no. 4, pp. 313–320, 2005.



Kariadi, SH. 2001. Peranan Radikal Bebas dan Antioksidan pada Penyakit Degeneratif Khususnya Diabetes. Bagian Penyakit Dalam RS Sadikin Bandung. Vol. 2 No. 2 Hal. 65.

Kumalaningsih, Sri, 2006. Antioksidan Alami-Penangkal Radikal Bebas, Sumber, Manfaat, Cara Penyediaan dan Pengolahan. Surabaya: Trubus Agrisarana. Halaman 3-4, 34.

Mahmoud MF, Hassan NA, El Bassossy HM, Fahmy A. 2013. Quercetin protects against diabetes-induced exaggerated vasoconstriction in rats: effect on low grade inflammation. May 22; vol. 5 hal. 8.

Manjulata Kumawat, Tarun Kumar Sharma, Ishwar Singh, Neelima Singh, Veena Singh Ghalaut, Satish Kumar Vardey, and Vijay Shankar. 2013. Antioxidant Enzymes and Lipid Peroxidation in Type 2 Diabetes Mellitus Patients with and without Nephropathy. 5(3): 213–219.

Muhsin Aydin, Sefa Celik. 2012. Effects of lycopene on plasma glucose, insulin levels, oxidative stress, and body weights of streptozotocin-induced diabetic rats. Turk J Med Sci 2012; 42 (Sup.2): 1406-1413.

Murjiah Dinarto. 2000. Nutrisi Pada Penyakit Vaskular Aterosklerotik. Didalam: Pegangan Penatalaksanaan Nutrisi Pasien. Jakarta: PDGMI; 2000; 86-91.

Murray RK, Graaanner DK, Mayes PA, Rodwell VM. 2003. Biokimia Harper. Terjemahan oleh Alexander dan Andry Hartono; Jakarta: EGC. Halaman 270.

Murray, R.K., 2012, *Biokimia Harper*, Buku Kedokteran EGC, Jakarta. Edisi: 27. Jakarta: EGC. Hal 270-281.

Musaddad, D, dan Hartuti, N,. 2003. Produk Olahan Tomat, seri agribisnis, Jakarta : Penebar Swadaya, Hal. 168.

Perkumpulan Endokrinologi Indonesia. 2011. Konsensus pengelolaan dan pencegahan diabetes mellitus tipe 2 di Indonesia 2011.

Priya Shukla and Sunil Kumar. 2015. ACUTE TOXICITY STUDY OF ETHANOLIC EXTRACT OF SOLANUM LYCOPERSICUM (LEAF) IN SWISS ALBINO MICE. Department of Pharmacy, RITM College of Pharmacy, Lucknow-227202 (U.P.), India. Shukla and Kumar, IJPSR, 2015; Vol. 6(1): 361-366.

Rahul C, Ranveer, Samsher N, Patil, Akshya K, Sahoo. 2013. Abstract Effect of different parameters on enzyme-assisted extraction of lycopene from tomato processing waste. Vo. 91, Pages 370-375.

Rini, Sandra. Sindrom Metabolik. *J. Majority*. 2005, 4(4): 88-93.

Ramarao P, Kaul CL.1999. Insulin resistance: Current therapeutic approaches. Dec; 35(12): 895-911.

Robles R, Palomino N, Robles A. Oxidative stress in the neonate. *Early Human Dev* 2001; 65:575-81.

Sari, R. K., 2012. Pengaruh Pemberian Air Seduh Teh Hitam Terhadap Kadar Trigliserida Dan Kolesterol VLDL Pada Tikus Wistar Yang Diberi Diet Tinggi Fruktosa. Universitas Diponegoro. Semarang.

Schafer FQ, Yue Qian S, Buettner GR. Iron and free radical oxidations in cell membranes. *Cell Mol Biol*. 2000; 46(3):657-62.

Slamet S. 2008. Diet pada diabetes Dalam Noer dkk. Buku ajar ilmu penyakit dalam. Edisi III. Jakarta: Balai Penerbit FK. FKUI, 204-206.

Spurr, E. B., Morriss, G. A., Turner, J., O'Connor, C. E., and Fisher, P. (2007). Bait station preferences of ship rats. DOC Research & Development Series No. 271. New Zealand Department of Conservation, Wellington.

Stiphanuk MH. Biochemical and physiological aspects of human nutrition. New York: 2000: p.904-5.

Sudrajat J. 2008. Profil Lemak, Kolesterol Darah, Dan Respon Fisiologi Tikus Wistar Yang Diberi Ransum Mengandung Gulai Daging Sapi Lean [skripsi]. IPB. Bogor. Hal. 41.

Sugondo S. 2006. Farmakoterapi pada pengendalian glikemia diabetes mellitus tipe 2. Dalam : Sudoyo AW, Setyohadi B, Alwi I, Simadibrata M, Setiati

S. Buku Ajar Ilmu Penyakit Dalam. Edisi 4. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI ; 2006. Hal 269.

Sujaya, I Nyoman. 2009. "Pola Konsumsi Makanan Tradisional Bali sebagai Faktor Risiko Diabetes Melitus Tipe 2 di Tabanan." *Jurnal Skala Husada*. Vol. 61, No.1, Hal. 75.

Szkuldelski, T. 2001. The mechanism of alloxan and streptozotocin action in B cells of the rat pancrean. *Scientiarum Bohemoslovaca* 50(6):537-46.

Teixeria L. 2011. Regular physical exercise training assists in preventing type 2 diabetes development: focus on its antioxidant and anti-inflamantory properties. *Biomed Central Cardiovascular Diabetology*. Hal. 10-12.

Trilling JS, Jaber R. Selections from current literature: the role of free radicals and antioxidants in disease. *Fam Pract* 1996;13(3):322-6. 7.

Uchida K, Kanematsu M, Sakai K, Matsuda T, Hattori Dan, Mizuno Y, et al. Protein bound acrolein: potential markers for oxidative stress. *Proc Natl Acad Sci USA* 1998; 95: 4882-7.

Underwood JCE. 1999. Aterosklerosis Didalam: Sarjadi, editor. *Patologi Umum dan Sistemik*. Jakarta:EGC, 1999: pages 326-29.

Unger RH, Orci L. 2010. Paracrinology of islets and the paracrinopathy of diabetes. *Proc Natl Acad Sci U S A*. 2010 Sep 14. 107(37):16009-12.

Uotila JT, Kirkkola AL, Rorarius M, Tuimala RJ, Metsa-Ketela T. The total peroxy radical-trapping ability of plasma and cerebrospinal fluid in normal and preeclamptic parturients. *Free Rad Biol Med* 1994; 16(5):581-90.

Upritchard JE, Sutherland WHF, Mann JI. 2000. Effect of supplementation with tomato juice, vitamin E, and vitamin C on LDL oxidation and products of inflammatory activity in Type 2 diabetes. Vol.23 No.6, Hal:733–738.



Uslu C, Tasyi S, Bakan N. Lipid peroxidation and antioxidant enzyme activities in experimental maxillary sinusitis. *Annals Clin Lab Sci* 2003; 33(1):19-22.

Waspadji S. 2006. Komplikasi kronik diabetes: Mekanisme terjadinya, diagnosis dan strategi pengelolaan. Dalam : Sudoyo AW, Setyohadi B, Alwi I, Simadibrata M, Setiati S. *Buku Ajar Ilmu Penyakit Dalam*. Edisi 4. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI; 2006.hlm.1874-8

Wild s, Roglic G, Green A, Sicree R, King H (May 2004). "Global prevalence of diabetes". *Diabetes Care* 2004 May; 27(5): 1047-1053.

Wiryanta, B., 2002, "Bertanam tomat". Penerbit : *Jakarta: AgroMedia Pustaka*, Jakarta. Hal. 635-642.

Yang Q, Graham TE, Mody N, Preitner F, Peroni OD, Zabolotny JM et al. 2005. Serum retinol binding protein 4 contributes to insulin resistance in lean, obese, and diabetic subjects. 436(7049). Pages:356–362.

Zhang, et al., 2008. *The characterization of high-fat diet and multiple low-dose streptozotocin induced type 2 diabetes rat model*. Experimental diabetes research. Journal of Huazhong University of Science and Technology, vol. 28, no. 3, pp. 261–265, 2008.

Zoppini G, Negri C, Stoico V, Casati S, Pichiri I, Bonora E. 2012. Triglyceride-high-density lipoprotein cholesterol is associated with microvascular complications in type 2 diabetes mellitus. *Metabolism*. 2012 Jan;61(1):22-9.