

## DAFTAR PUSTAKA

- Ahmadpour, P., F. Ahmadpour, T. M. M. Mahmud, Arifin Abdu, M. Soleimani and F. Hosseini Tayefeh. 2012. Review Phytoremediation of Heavy Metals: A Green Technology. African Journal of Biotechnology 11 (78): 14036-14043.
- Artiyani, A. 2011. Penukaran Kadar N-Total dan P-Total pada Limbah Cair Tahu dengan Metode Fitoremediasi Aliran Batch dan Kontinyu Menggunakan Tanaman *Hydrilla Verticillata*. Spectra 9 (18): 9-14.
- Awuah, E., M. Oppong-Peprah, H. J. Lubberding, and H. J. Gijzen. 2004. Comparative Performance Studies of Water Lettuce, Duckweed and Algal-Based Stabilization Ponds Using Low-strength Sewage. Journal of Toxicology and Environment. Health-Part A. 67(20-22): 1727-1739.
- Ayyasamy, P. M., S. Rajakumar, M. Sathishkumar, K. Swaminathan, K. Shanthi, P. Lakshmanaperumalsamy, and S. Lee. 2009. Nitrate Removal from Synthetic Medium and Groundwater with Aquatic Macrophytes. Desalination 242:286-296.
- Center, T. D., T. K. Van, F. A. Dray Jr., S. J. Franks, M. T. Rebelo, P. D. Pratt, and M. B. Rayamajhi. 2005. Herbivory Alters Competitive Interactions between Two Invasive Aquatic Plants. Biological Control 33: 173-185.
- Dar, S. H., D. M. Kumawat, N. Singh, and K. A. Wani. 2011. Sewage Treatment Potential of Water Hyacinth (*Eichhornia crassipes*). Research Journal of Environmental Sciences 5(4): 377-385.
- Deekae, S. N., J. F. N. Abowei, and A. C. Chindah. 2010. Some Physical and Chemical Parameters of Luubara Creek, Ogoni Land, Niger Delta, Nigeria. Research Journal of Environmental and Earth Sciences 2 (4): 199-207.
- Dhir, B. K. 2009. *Salvinia*: an Aquatic Fern with Potential Use in Phytoremediation. Environment and We International Journal of Science and Technology 4 : 427-432
- Dipu, S., A. Anju, V. Kumar, and S. G. Thanga. 2010. Phytoremediation of Dairy Effluent by Constructed Wetland Technology Using Wetland Macrophytes. Global Journal of Environmental Research 4 (2): 90-100.
- Effendi, H. 2003. Telaah Kualitas Air: Bagi Pengelolaan Sumberdaya dan Lingkungan Perairan. Kanisius. Yogyakarta.
- El-Gendy, A.S., N. Biswas, and J. K. Bewtra. 2004. Growth of Water Hyacinth in Municipal Landfill Leachate with Different pH. Environ. Teachnol 25:833-840.
- El-Gendy, A.S., N. Biswas, and J. K. Bewtra. 2005. A Floating Aquatic System Employing Water Hyacinth for Municipal Landfill Leachate Treatment: Effect of Leachate Characteristics on The Plant Growth. Journal of Environmental Engineering and Science 4(4): 227-240.

- Flora, S. J. S., M. Mittal, and A. Mehta. 2008. Heavy Metal Induced Oxidative Stress and Its Possible Reversal by Chelation Therapy. Indian Journal of Medical Research 128: 501-523.
- Fonkou, T., P. Agendia, I. Kengne, A. Akoa, and J. Nya. 2002. Potentials of Water Lettuce (*Pistia stratiotes*) in Domestic Sewage Treatment with Macrophytic Lagoon Systems in Cameroon., In: Proceeding. of International Symposium on Environmental Pollution Control and Waste Management, Tunis, 709-714.
- Giraldo, E and A. Garzon. 2002. The Potential for Water Hyacinth to Improve The Quality of Bogota River Water in The Muna Reservoir:Comparison with The Performance of Waste Stabilization Ponds. Water Science Technology. 42:103-110.
- Happy R., Arief, Masyamsir dan Y. Dhahiyat. 2012. Distribusi Kandungan Logam Berat Pb dan Cd pada Kolam Air dan Sedimen Daerah Aliran Sungai Citarum Hulu. Jurnal Perikanan dan Kelautan 3 (3): 175-182.
- Haryanti, N. 2007. Fitoremediasi Phospat dengan Pemanfaatan Eceng Gondok (*Eichornia crassipes*). Jurnal Presipitasi 2 (1).
- Hasan, M.R. and R. Chakrabarti. 2009. Use of Algae and Aquatic Macrophytes as Feed in Small-scale Aquaculture: A Review. FAO Fisheries and Aquaculture Technical Paper. pp. 531.
- Hidayati, N. 2004. Fitoremediasi dan Potensi Tumbuhan Hiperakumulator. Jurnal Hayati: 35-40.
- Hindarko, S. 2003. Mengolah Air Limbah Supaya Tidak Mencemari Orang Lain. Penerbit ESHA. Jakarta.
- Hutamadi, R., E. Kurnia, Danny Z. H., dan M. P. Pohan. 2008. Penelitian Tindak Lanjut Endapan Lumpur di Daerah Porong Kabupaten Sidoarjo Provinsi Jawa Timur. *Dalam:* Prociding Pemaparan Hasil-Hasil Kegiatan Lapangan dan Non Lapangan Tahun 2008. Pusat Sumber Daya Geologi. index.html (Verified 10 April 2013).
- Juhaeti, T dan F. Syarif. 2003. Studi Potensi Beberapa Jenis Tumbuhan Air untuk Fitoremediasi. *Dalam:* Laporan Teknik Proyek Pengkajian dan Pemanfaatan Sumberdaya Hayati. Pusat Penelitian Bogor. LIPI. Bogor.
- Juhaeti, T, N. Hidayati, F. Syarif dan S. Hidayat. 2009. Uji Potensi Tumbuhan Akumulator Merkuri untuk Fitoremediasi Lingkungan Tercemar Akibat Kegiatan Penambangan Emas Tanpa Izin (PETI) di Kampung Leuwi Bolang, Desa Bantar Karet, Kecamatan Nanggung, Bogor. Jurnal Biologi Indonesia 6 (1): 1-11.
- Khiji, S and F.E Bareen. 2008. Rhizofiltration of Heavy Metals from the Tannery Sludge by the Anchored Hydrophyte, *Hydrocotyle umbellata* L. African Journal of Biotechnology. 7 (20) : 3711-3717.
- Liao, S.W. and W. L. Chang. 2004. Heavy Metal Phytoremediation by Water Hyacinth at Constructed Wetlands in Taiwan. Journal Aquatic Plant Manage. 42: 60-68.

- Lissy, A. M. P. N and B. Dr. G. Madhu. 2010. Removal of Heavy Metals from Waste Water Using Water Hyacinth, In: Prociding of The International Conference on Advances in Civil Engineering 42-47.
- Lu, Q., Z. L. He, D. A. Graetz, P. J. Stoffella, and X. Yang. 2010. Phytoremediation to Remove Nutrients and Improve Eutrophic Stormwaters Using Water Lettuce (*Pistia stratiotes* L.). Environmental Science and Pollution Research 17: 84-96.
- Lu, Q., Z. L. He, D. A. Graetz, P. J. Stoffella, and X. Yang. 2011. Uptake and Distribution of Metals by Water Lettuce (*Pistia stratiotes* L.). Environmental Science and Pollution Research 18: 978-986.
- Mahmood, Q., P. Zheng, E. Islam, Y. Hayat, M. J. Hassan, G. Jilani, and R. C. Jin. 2005. Lab Scale Studies on Water Hyacinth (*Eichhornia crassipes* Marts Solms) for Biotreatment of Textile Wastewater. Caspian Journal of Environmental Science 3(2): 83-88.
- Maine, M. A., M. V. Duarte., and N. L. Sune. 2001. Cadmium Uptake by Floating Macrophytes. Water Research. 35 (11): 2629-2634.
- Misrah, V. K., A. R. Upadhyaya, S. K. Pandey, and B. D. Tripathi. 2008. Heavy Metal Pollution Induced due to Coal Mining Effluent on Surrounding Aquatic Ecosystem and Its Management Through Naturally Occurring Aquatic Macrophytes. Bioresource Technology 99 (5): 930-936.
- Oosterhout, E. V. 2006. *Salvinia Control Manual: Management and Control Options for Salvinia (Salvinia molesta)* in Australia. NSW Department of Primary Industries. New South Wales.
- Patil, J. H., M. L. A. Raj, Bhargav S., and Sowmya S. R. 2011. Anaerobic Co-digestion of Water Hyacinth with Primary Sludge. Research Journal of Chemical Sciences 1 (3): 72-77.
- Patrick, L. 2003. Toxiz Metals and Antioxidants Part II The Role of Antioxidant in Arsenic and Cadmium Toxicity-Toxic Metals Part II. Alternativer Medicine Review.
- Rochyatun, E dan Rozak A. 2007. Pemantauan Kadar Logam Berat dalam Sedimen di Perairan Teluk Jakarta. Makara Sains 11 (1).
- Salmin. 2000. Kadar Oksigen Terlarut di Perairan Sungai Dadap, Goba, Muara Karang dan Teluk Banten. *Dalam* Foraminifera sebagai Bioindikator Pencemaran, Hasil Studi di Pengairan Estuarin Sungai Dadap, Tangerang (Djoko P. Praseno, Ricky Rositasari dan S. Hadi Riyono, eds.) P3O-LIPI. Hal 42-46.
- Salmin. 2005. Oksigen Terlarut (DO) dan Kebutuhan Oksigen Biologi (BOD) sebagai Salah Satu Indikator untuk Menentukan Kualitas Perairan. *Oseana* 30 (3): 21-26.
- Sandy, N. J., T. Nurhidayati, dan K. I. Purwani. 2012. Profil Protein Tanaman Kiambang (*Salvinia molesta*) yang Dikulturkan pada Media Modifikasi Air Lumpur Sidoarjo. Institut Teknologi Sepuluh Nopember. Surabaya.

- Schnoor, J.L. 2002. Phytoremediation of Soil and Groundwater. Graoundwater Remediation Technologies Analysis Center. Technology Evaluation Report. TE-02-01: 1-45.
- Sekara, A., M. Poniedzialek, J. Ciura, and E. Jedrszczyk. 2005. Cadmium and Lead Accumulation and Distribution in the Organ of Nine Crops: implication for phytoremediation. Polish Journal of Environmental Studies 14 (4): 509-516.
- Setiawati, E. 2004. Kajian Eceng Gondok (*Eichornia crassipes*) sebagai Fitoremedia  $^{134}\text{Cs}$ . Berkala Fisika. 7 (1): 11-15.
- Siswoyo, E. 2006. Fitoremidiasi Logam Berat Khrom (Cr) Menggunakan Tanaman Air Kiapu (*Pistia stratiotes*). Jurnal Teknik Lingkungan Edisi Khusus 1 : 291-300.
- So, L.M., Chu L.M., and Wong P.K. 2003. Microbial Enhancement of  $\text{Cu}^{2+}$  Removal Capacity of *Eichhornia crassipes* (Mart.). Chemosphere 52:1499-1503.
- Sooknah, R.D. and A. C. Wilkie. 2004. Nutrient Removal by Floating Aquatic Macrophytes Cultured in Anaerobically Digested Flushed Dairy Manure Wastewater. Ecological Engineering 22: 27-42.
- Sunarto. 2011. Karakteristik Pola Pita Protein *Anodonta woodiana* Lea Akibat Terpapar Logam Berat Kadmium (Cd). Jurnal Ekosains 3 (1): 41-46.
- Suryati, T dan B. Priyanto. 2003. Eliminasi Logam Berat Kadmium dalam Air Limbah Menggunakan Tanaman Air. Jurnal Teknologi Lingkungan 2 (3): 143-147.
- Syahputra, R. 2005. Fitoremediasi Logam Cu dan Zn dengan Tanaman Eceng Gondok (*Eichornia crassipes* Mart. Solms). Logika 2 (2): 57-67.
- Ulfin, I dan Widya W. 2005. Study Penyerapan Kromium dengan Kayu Apu (*Pistia stratiotes* L). Akta Kimindo. 1 (1): 41-48.
- Yon, S., S. S. Han, and S. V. S Rana. 2008. Molecular Markers of Keavy Metal Toxicity – A New Paradigma for Health Risk Assessment. Journal of Environmental Biology 29 (1): 1-14.
- Yusuf, G. 2008. Bioremediasi Limbah Rumah Tangga dengan Sistem Simulasi Tanaman Air. Jurnal Bumi Lestari. 8 (2): 136-144.
- Zhao, Y. Q., Lu J. B., Zhu L. and Fu Z. H. 2006. Effects of Nutrient Levels on Growth Characteristic and Competitive Ability of Water Hyacinth (*Eichhornia crassipes*), an Aquatic Invasive Plant. Biodiversity Science 14:159-164.