

DAFTAR PUSTAKA

- Abu, H. B. dan S. S. J. Buah. 2011. Characterization of Bambara Groundnut Landraces and Their Evaluation by Farmers in the Upper West Region of Ghana. *Journal of Developments in Sustainable Agriculture* 6: 64-74.
- Acquaah, G. 2007. *Principles of Plant Genetic and Breeding*. Blackwell Publishing. Oxford. p.127-128.
- Akpalu, M. M., I. A. Atubilla dan D. Opong-Sekyere. 2013. Assessing The Level Of Cultivation And Utilization Of Bambara Groundnut (*Vigna Subterranea* (L.) Verdc.) In The Sumbrungu Community Of Bolgatanga, Upper East Region, Ghana. *International Journal of Plant, Animal and Environmental Sciences* 3 (3): 68-75.
- Alhassan, G. A. dan M. O. Egbe. 2013. Participatory Rural Appraisal of Bambara Groundnut (*Vigna subterranea* (L.) Verdc.) Production in Southern Guinea Savanna of Nigeria. *Agricultural Science* 1 (2): 18-31.
- Alshareef, I. 2010. The Effect Of Temperature And Drought Stress On Bambara Groundnut (*Vigna Subterranea* (L.) Verdc) Landraces. Thesis. University of Nottingham. Leicestershire. p.88.
- Ambede, J. G., G. W. Netondo, G. N. Mwai dan D. M. Musyimi. 2012. NaCl salinity affects germination, growth, physiology, and biochemistry of bambara groundnut. *Brazilian Journal of Plant Physiology* 24 (3): 151-160.
- Andika, D. O., M. O. Abukusta-Onyango, J. C. Onyango dan H. Stutzel. 2010. ROOTS Spatial Distribution And Growth In Bambara Groundnuts (*Vigna subterranea*) And Nerica Rice (*Oryza sativa*) Intercrop System. *Journal of Agricultural and Biological Science* 5 (2): 39-50.
- Anonymous. 2005. Descriptors for bambara groundnut (*Vigna subterranea*). International Plant Genetic Resources Institute. Roma. p.27-28.
- Anonymous. 2011. Production Guideline for Bambara Groundnut. Directorate Agricultural Information Services, Department of Agriculture, Forestry and Fisheries. Pretoria. p.1.
- Ariestin, Y., Kuswanto dan S. Ashari. 2015. Keragaman Jenis Salak Bangkalan (*Salacca Zalacca* (Gaertner) Voss) Menggunakan Penanda Morfologi Dan Analisis Isozim. *Jurnal Produksi Tanaman* 3 (1): 35-42.
- Aryana, M. 2010. Uji Keseragaman, Heritabilitas dan Kemajuan Genetik Galur Beras Merah Hasil Seleksi Silang Balik di Lingkungan Gogo. Skripsi Fakultas Pertanian Universitas Mataram. Mataram.
- Austi, I. R. 2014. Keragaman dan Kekerabatan Pada Proses Penggaluran kacang bogor (*Vigna subterranea* (L.) Verdc) Jenis Lokal. Skripsi Fakultas Pertanian Universitas Brawijaya. Malang. p.19-20, p.53.
- Austi, I. R., Damanhuri dan Kuswanto. 2014. Keragaman dan kekerabatan Pada Proses Penggaluran Kacang Bogor (*Vigna subterranea* L. Verdcourt) Jenis Lokal. *Jurnal Produksi Tanaman* 2 (1): 73 – 79.

- Bamshaiye, O. M., J. A. Adegbola dan E. I. Bamishaiye. 2011. Bambara groundnut: an Under-Utilized Nut in Africa. *Advances in Agricultural Biotechnology* 1: 67-72.
- Berchie, J. N., G. Amelie, S. Mc Clymont, M. Raizada, H. Adu-Dapaah dan J. Sarkodie-Addo. 2013. Performance of 13 Bambara Groundnut (*Vigna subterranean* (L.) Verdc.) Landraces under 12 H and 14 H Photoperiod. *Journal of Agronomy*: 1-9.
- Chijioke, O. B., U. M. Ifeanyi dan A. C. Blessing. 2010. Pollen behaviour and fertilization impairment in Bambara groundnut (*Vigna subterrenea* (L.) Verdc.). *Journal of Plant Breeding and Crop Science* 2(1): 12-23.
- Gonne, S., W. Felix-Alain dan K. B. Benoit. 2013. Assessment of Twenty Bambara Groundnut (*Vigna subterranea* (L.) Verdcourt) Landraces using Quantitative Morphological Traits. *International Journal of Plant Research* 3(3): 39-45.
- Gueye, M., E. K. James, M. Klerans dan J. I. Sprent. 1998. The development and structure of root nodules on bambara groundnut (*Voandzeia* (*Vigna*) *subterranea*). *World Journal of Microbiology & Biotechnology* 14: 177-184.
- Hardiyanto, E. Mujiarto dan E. S. Sulasmi. 2007. Kekerabatan Genetik Beberapa Spesies Jeruk Berdasarkan Taksonometri. *Jurnal Hortikultura* 17 (3): 203 – 216.
- Hartmond, U., J. H. Williams dan F. Lenz. 1996. Sources of Variation in Shelling Percentage in Peanut Germplasm and Crop Improvement for Calcium Deficiency Prone Soils. *Peanut Science* 23:76-81
- Heller, J., F. Begemann and J. Mushonga. 1997. Bambara groundnut (*Vigna subterranea* (L.) Verdc.), Promoting the conservation and use of underutilized and neglected crops. 9. Proceedings of the workshop on Conservation and Improvement of Bambara Groundnut (*Vigna subterranea* (L.) Verdc.). Institute of Plant Genetics and Crop Plant Research. p.4.
- Hilloks, R. J., C. Bennett dan O. M. Mponda. 2012. Bambara Nut: A Review Of Utilisation, Market Potential And Crop Improvement. *African Crop Science Journal* 20 (1): 1 – 16.
- Jideani, V. A. dan C. F. Diedericks. 2014. Nutritional, Therapeutic and Prophylactic Properties of *Vigna subterranea* and *Moringa oleifera*. Intech. Bellville. p.194-195.
- Jonah, P. M., B. Aliyu, A. M. Kadams dan G. G. Jibung. 2012. Variation in Pod Yield Characters and Heritability Estimates in Some Accessions of Bambara Groundnut (*Vigna subterranea* (L.) Verdc). *Global Research Journal of Agricultural and Biological Sciences* 3 (4): 360 –369.
- Jonah, P. M., B. Aliyu, T. O. Adeniji dan D. Bello. 2012. Seasonal Variation in Yield and Yield Component in Bambara Groundnut. *World Journal of Agricultural Sciences* 8 (1): 26-32.

- Julisaniah, N. I., L. Sulistyowati dan A. N. Sugiharto. 2008. Analisis Kekerabatan Mentimun (*Cucumis sativus* L.) Menggunakan Metode RAPD – PCR dan Isozim. *Biodiversitas* 9 (2): 99 – 102.
- Kumar, U., P. Singh dan K. J. Boote. 2012. Effect of Climate Change Factor on Processes of Crop Growth and Development and Yield of Groundnut (*Arachis hypogaea* L.). *International Crops Research Institute for Semi-Arid Tropics* 16: 41 – 66.
- Kuswanto, B. Waluyo, R. A. Pramantasari, S. Canda. 2012. Koleksi dan Evaluasi Galur-galur Lokal Kacang bogor (*Vigna subterranea*). Seminar Nasional Perhimpunan Ilmu Pemuliaan Indonesia (PERIPI) Fakultas Pertanian Universitas Brawijaya.
- Mabhaudhi, T., A. T. Modi dan Y. G. Beletse. Growth, phenological and yield responses of a bambara groundnut (*Vigna subterranea* L. Verdc) landrace to imposed water stress (II) Rain shelter conditions. *Water S A* 39 (2): 191-198.
- Makki, M. A. M. 2012. Cytogenetic Study In Bambara Groundnut (*Vigna Subterranea* L.). Graduation Project Faculty of Science University of Khartoum. p.12.
- Manshardt, R. 2004. Crop Improvement by Conventional Breeding or Genetic Engineering: How Different Are They. University of Hawaii at Manoa. p.1-2.
- Meena, H. P. dan Kumar, J. 2012. Realitve Different Breeding Methods for Improvement of Yield and Yield Component in Chickpea (*Cicer arietinum* L.). *Journal of Food Legumes* 25 (3): 165-170.
- Miftakhurrohmah. 2013. Evaluasi Potensi Genetik 8 Galur Introduksi Kacang bogor (*Vigna Subterranea* (L.) Verdcourt). Skripsi. Fakultas Pertanian Universitas Brawijaya. Malang.
- Miladinovic, J., J. W. burton, S. B. Tubic, D. Miladinovic, V. Djordjevic dan V. Djukic. 2011. Soybean Breeding: Comparison of The Efficiency of Different Selection Method. *Turk Journal of Agriculture Foreshty* 35: 469-480.
- Miladinovic, J., V. Dordevic, M. Vidic, S. Balesevic-Tubic dan V. Dukic. 2013. Soybean breeding at The Institue of Field and Vegetable Crops. *The Journal of International Legume Society* 1: 28-30.
- Moreira, S. O., R. Rodrigues, H. S. Oliveira, A. M. Medeiros, C. P. Sudre dan L. S. A. Goncalves. 2013. Phenotypic and Genotypic Variation Among *Capsicum Annuum* Recombinant Inbred Line Resistant To Bacterial Spot. *Genetic and Molecular Research* 12 (2): 1232 – 1242.
- Mune, M. A. M., S. R. Minka, I. L. Mbome dan F. X. Etoa. 2011. Nutritional Potential of Bambara Bean Protein Concentrate. *Pakistan Journal of Nutrition* 10 (2); 112-119.

- Mustofa, Z., I. M. Budiarsa dan G. B. Non Samdas. 2013. Variasi Genetik Jagung (*Zea mays* L.) Berdasarkan Karakter Fenotipik Tingkol Jagung yang Dibudidayakan di Desa Jono Oge. e-Jipbiol 1: 33-41.
- Nakano, H. 2002. Bambara Groundnut, A traditional Crops Take On a New Importance. National Agricultur research Centre. Hokaido. p.5.
- Ngawako, S., T. V. Balole dan G. Malambane. 2013. The effect of irrigation and planting date on the growth and yield of Bambara groundnut landraces. International Journal of Agriculture and Crop Sciences 6 (3): 116-120.
- Nuryati, A. Soegianto dan Kuswanto. 2014. Genetic Relationship and Variability Among Indonesia Purified Local Line of Bambara Groundnut (*Vigna subterranea* (L.) Verdc.) Based On Morphological Charahcters. African Journal of Science and Research 5 (3): 18-24.
- Nuryati. 2014. Uji Keragaman dan Kekerabatan Galur-Galur Lokal Kacang bogor (*Vigna subterranea* (L.) Verdc.) Hasil Purifikasi Karakter Biji dan Implikasinya Dalam Seleksi. Thesis. Fakultas Pertanian universitas Brawijaya.
- Ouedraogo, M., B. Zagre M'bi, S. T. Jorgensen dan F. Liu. 2012. Effect Of Mounding Times On Yield Of Bambara Groundnut (*Vigna subterranea* (L.) Verdc.) Landraces In Sahel-Burkina Faso. African Journal of Agricultural Research 7(32): 4505-4511.
- Ouedraogo, M., J. T. Ouedraogo, J. B. Tignere, D. Balma, C. B. Dabire dan G. Konate. 2008. Characterization and Evaluation of Accesions of Bambara Groundnut (*Vigna subterranea* (L.) Verdcourt) From Burkina Faso. Sciences and Nature 5 (2): 191-197.
- Oyiga B. C., M. I. Oguru dan C. B. Aruah. 2010. Studies On Floral Traits And Their Implication On Pod And Seed Yield In Bambara Groundnut (*Vigna subterranea* (L.) Verdc.). Australian Journal of Crop Science 4 (2): 91 – 97.
- Oyiga, B. C. dan M. I. Oguru. 2011. Genetic variation and Controbutions of Some Floral Traits to Pod Yield in Bambara Groundnut (*Viga subterranea* L. Verdc.) uunder Two Cropping Seasons in the Derived Savanna of the South-East Nigeria. International Journal of Plant Breeding 5 (1): 58 – 63.
- Pandin, D. S. 2010. Keragaman Genetik Kelapa Dalam Bali (DBI) dan Dalam Sawarna (DSA) berdasarkan penanda Random Amplified Polymorphic DNA. Jurnal Littri 16 (2) : 83 – 89.
- Putri, I. D., S. H. Sutjahjo, E. Jambormias. 2014. Evaluasi Karakter Agronomi dan Analisis kekerabatan 10 Genotipe Lokal Kacang Hijau (*Vigna radiata* L. Wilczek). Buletin Agrohorti 2 (1): 11-21.
- Rachmawati, R. Y., Kuswanto dan S. L. Purnamaningsih. 2014. Uji Keseragaman Dan Analisis Sidik Lintas Antara Karakter Agronomis Dengan Hasil Pada Tujuh Genotip Padi Hibrida Japonica. Jurnal Produksi Tanaman 2 (4): 292-300.

- Redjeki, E. S. 2003. Pengaruh Populasi Dan Pemupukan NPK Terhadap Pertumbuhan dan Hasil Kacang bogor (*Vigna Subterranea L.*). *Agrofisih* 2 (1): 114-118.
- Redjeki, E. S. 2007. Pertumbuhan Dan Hasil Tanaman Kacang bogor (*Vigna subterranea* (L.) Verdcourt) Galur Gresik Dan Bogor Pada Berbagai Warna Biji. *Prosiding Seminar Nasional Hasil Penelitian Hibah Kompetitif Bogor*: 114-118.
- Redjeki, E. S., S. Mayes dan S. Azam-ali. 2011. Evaluating the stability and adaptability of Bambara groundnut (*Vigna subterranea* (L.) Verd.) landraces in different agroecologies. *International Symposium on Underutilised Plant Species held in Kuala Lumpur, Malaysia*: 1-11.
- Shimelis, H. dan M. Liang. 2012. Timelines in conventional crop improvement: pre-breeding and breeding procedures. *Australian Journal of Crop Science* 6 (11): 1542-1549.
- Sianturi, W. O. 2008. Uji Keragaman Genetik Pada Beberapa Ekotipe Kacang Tanah (*Arachis hypogaea L.*) Dari Berbagai Lokasi Dari Daerah Tarutung. Skripsi. Fakultas Pertanian Universitas Sumatra Utara.
- Stephens, J. M. 2012. Bambara Groundnut - *Voandzeia subterranea* (L.) Thouars. University of Florida. Gainesville. p.1-2.
- Swanevelde, C.J. 1998. Bambara - Food for Afrika. National Department of Agriculture. Pretoria. p.6-10.
- Syukur, M., S. Sujiprihati dan R. Yuniarti. 2012. Teknik Pemuliaan Tanaman. Penebar Swadaya. Jakarta. p.64-66.
- Szilagyi, L., S. Tayyar dan M. Ciuca, 2011. Evaluation of Genetic Diversity in Common Bean (*Phaseolus vulgaris L.*) Using RAPD Markers and Morpho-agronomic Traits. *Romanian Biotechnological Letters* 16 (1): 98 – 105.
- Tresniawati C. dan E. Randriani. 2008. Uji kekerabatan Koleksi Plasma Nutfah Makadamia (*Macadamia integrifolia* Maiden & Betche) Di Kebun Percobaan Manoko, Lembang, Jawa Barat. *Buletin RISTRI* 1 (1): 25-31.
- Vurayai, R., V. Emongor dan B. Moseki. 2011. Physiological Responses of Bambara Groundnut (*Vigna subterranea L. Verdc*) to Short Periods of Water Stress During Different Developmental Stages. *Asian Journal of Agricultural Sciences* 3(1): 37-43.
- Wamba, O. F., V. D. Taffouo, E. Youmbi, B. Ngwene dan A. Amougou. 2012. Effect of Organic and Nutrient Sources on the Growth, Total Chlorophyll and Yield of The Bambara Groundnut Landrace in The Coastal Region of Cameroon. *Journal of Agronomy* 11 (2): 31-42.
- Wicaksana, N., Hindun, B. Waluyo, M. Rachmadi, A. Kurniawan dan H. Kurniawan. 2013. Karakterisasi Morfo-Agronomis Kacang bogor (*Vigna subterranea L. Verdc.*) Asal Jawa Barat. *Prosiding Seminar Nasional 3 in 1 Peran Nyata Produk Hortikultura dan Agronomi Serta Program Pemuliaan*

Tanaman Terhadap Kontinuitas Ketahanan Pangan. Fakultas Pertanian Universitas Brawijaya.

Wirawan, S. R. S. 2000. Keragaman Kedelai (*Glycine max* (L.) Merr.) di Jawa Berdasarkan Lokasi Penanamannya. Biodiversitas 1 (1): 21-24.

Yugi, A. dan Darjanto. 2010. Upaya Pemurnian Varietas Kedelai dengan Seleksi Massa Berdasarkan Karakter Morfologi dan Analisis Isoenzim. Agrosains 12 (1): 14-18.

Zenabou, N., B. J. Martin, F. P. Ernest, O. Bassiaka, S. Claude dan D. B. Siegfriend. 2014. Agro-morphological Variability in Twelve Bambara Groundnut (*Vigna subterranea* (L.) Verdc.) Accessions in Cameroon. Science, Technologies et Development 16: 28 – 45.

