

DAFTAR PUSTAKA

- Aiuchi, D., Baba, Y., Inami, K., Shinya, R., Tani, M., Kuramochi, K., Horie, S. dan Koike, M. 2007. Screening of *Verticillium lecanii* (*Lecanicillium* spp.) hybrid strains based on evaluation of pathogenicity against cotton aphid and greenhouse whitefly, and viability on the leaf surface. *Japanese J. of Applied Entomol. & Zool.* 51: 205–212.
- Anderson, C.M.T., McGee P. A., Nehli D. B., dan Mensah R. K., 2007. The fungus *Lecanicillium lecanii* colonies the plant *Gossypium hirsutum* and aphid *Aphis gossypii*. *Australian Mycopathol.* 26(2-3): 65-70.
- Anonim, 2015. Gambar haemositometer. Diunduh dari <http://www.peqqlab.de>. Tanggal 2 Mei 2015.
- Asi. M. R., Bashir, M. H., Afzal, M., Zia, K., Akram, M. 2013. Potential of entomopathogenic fungi for biocontrol of *spodoptera litura* Fabricius (Lepidoptera: Noctuidae). *J. Of Animal & Plant Sci.* 23(3): 913-918.
- Brodeur, J., Cory, J., Harwood J. D., Hoffmann J. H., Jacobsen, B., Lewis, E. E., Ode, P., TeBeest, D. O., Vinson, S. B., 2013. Biol. Contr. Editorial Board. Elsevier J. website.
- Cuthbertson, A.G.A., Walters, K.F.A., 2005. Pathogenicity of the entomopathogenic fungus *Lecanicillium muscarium* against sweet potato whitefly *Bemisia tabaci* under laboratory and glasshouse conditions. *Mycopathol.* 160(4): 315-319.
- Charnley, K. 2006. Fungal pathogens of insects: from mechanisms of pathogenicity to host defense. Depart. of Biologi and Biochemistry. www.bath.ac.uk/biosci/charn2.htm-19Mei07files\charn2.htm. Tanggal 20 Januari 2016.
- Direktorat Perlindungan Hortikultura. 2013. Ulat Buah. Diunduh dari http://ditlin.hortikultura.pertanian.go.id/index.php?option=com_content&view=article&id=93&Itemid=235. Tanggal 20 Januari 2016.
- Departemen Pertanian. 2008. Panduan Pelaksanaan Sekolah Lapang Pengelolaan Tanaman Terpadu (SL-PTT) Kedelai. Departemen Pertanian. Jakarta.
- Del-Prado, E.N., Lannacone, J., Gomez, H., 2008. Effect two entomopathogenic fungi in controlling *Aleurodicus cocois* (Curtis, 1846) (Homoptera: Aleyrodidae). *Chilean J. Agric. Res.* 68(1):21-30.
- Direktorat Perlindungan Tanaman. 2008. Laporan luas dan serangan hama dan penyakit tanaman pangan di Indonesia. Direktorat Perlindungan Tanaman Pangan. Jakarta.

- Dreistadt, S. H. 2007. Biological control and natural enemies. UC Statewide IPM Program. University of California. Davis.
- Fadlilah. Rakhmah, A.N. 2012. Pengaruh ekstrak daun tembelean (*Lantana camara*) terhadap pertumbuhan dan mortalitas ulat grayak (*Spodoptera litura*) pada kedelai. Tugas Akhir. Fakultas Matematika dan Ilmu Pengetahuan Alam. Jurusan Biologi. Institut Teknologi Sepuluh Nopember. Surabaya.
- Fatiha, L., Ali, S., Ren. S.X., Afzal, M., 2007. Biological characteristic and pathogenicity of *Verticillium* (= *Lecanicillium*) *lecanii* against *Bemisia tabaci* (Homoptera: Aleyrodidae) on egg plant. Pakistan Entomol. 29:63-71.
- Fournier, V., Brodeur. J., 2000. Dose-response susceptibility of pest aphids (Homoptera: Aphididae) and their control on hydroponically grown lettuce with the entomopathogenic fungi *Verticillium lecanii*, *Azadiracthin* and insecticidal soap. Environ. Entomol. 29(3): 568-578.
- Gindin, G., Gesehtovt, N.U., Raccach, B., Barash, I., 2006. Pathogenicity of *Verticillium* to different developmental stages of the silverleaf whitefly *Bemisia argentifolii*. Phytoper. 28: 231-242.
- Gilbert, L. I. dan Gill, S. S. 2010. Insect. Contr. Biological and Synthetic Agents Academic Press.
- Hajek, A. E., McManus, M. L. dan Delalibera J. I. 2007. A review of introductions of pathogens and nematodes for classical biological control of insects and mites. Biol. Contr. 41: 1-13
- Herlinda, S. 2010. Spore density and viability of entomopathogenic fungal isolates from Indonesia, and their virulence against *Aphis gossypii* Glover (Homoptera: Aphididae). J. Tropic. Life Sci. Res. 21(1):13-21.
- Jarrold, S. L., Moore, D., Potter, U., Charnley, A.K. 2007. The contribution of surface waxes to pre- penetration growth of an entomopathogenic fungus on host cuticle. Mycol. Res. 111: 240-249.
- Jhonneri, 2012. Pengaruh konsentrasi konidia cendawan entomopatogen *Beauveria bassiana* (Bals.) Vuill. terhadap laju konsumsi dan biologi hama *Crocidolomia pavonana* F. (Lepidoptera: Pyralidae). Skripsi. Fakultas Pertanian. Universitas Andalas. Padang.
- Koike, M., Sugimoto, M., Aiuchi, D., Nagao, H., Shinya, R., Tani, M., Kuramochi, K., 2007a. Reclassification of japanese isolate of *Verticillium lecanii* to *Lecanicillium* spp. Japanese J. of Applied Entomol. and Zool. 51: 234-237 (in Japanese with English summary).

- Lacey, L.A., Wraight, S.P., Kirk, A.A. 2008. Entomopathogenic fungi for control of *Bemisia tabaci* Biotype B: Foreign Exploration Research and Implementation. Biol. Contr. 4: 33-69.
- Marwoto dan Suharsono. 2008. Strategi dan komponen teknologi pengendalian ulat grayak (*Spodoptera litura*F.) pada tanaman kedelai. Balai Penelitian Tanaman Aneka Kacang dan Umbi. Jurnal Litbang Pertanian 27(4): 131-136.
- Mahmoud, M.F. 2009. Pathogenicity of three commercial products of entomopathogenic fungi *Beauveria bassiana*, *Metarhizium anisopliae*, and *Lecanicillium lecanii* against adults of olive fly (*Bactrocera oleae*) (Gmelin) (Diptera: Tephritidae) in the laboratory. Plant Protect. Sci. 45(3): 98-102.
- Manjula, K. dan Murthy, K. V. M. K. 2005. Efficacy of *Nomuraea rileyi* against different instars of *Spodoptera litura* and *Helicoverpa armigera*. Annals. of Plant Protect. Sci. 13(2): 25-32.
- Monteiro, L. B., Souza, A. dan Belli, E. L. 2004. Parasitism on *Eriosoma lanigerum* (Homoptera: Aphididae) by *Aphelinus mali* (Hymenoptera: Encyrtidae) on apple orchards. Fraiburgo County. State of Santa Catarina. Brazil. Revista Brasileira de Fruticultura 26: 550-551.
- Pedrini, N., Crespo, R. dan Juárez, M. P. 2007. Biochemistry of insect epicuticle degradation by entomopathogenic fungi. Comparative Biochemistry and Physiology-Part C. Toxicol. & Pharmacol. 146: 124-137.
- Prayogo, Y., Tengkano, W., dan Marwoto. 2005. Prospek cendawan entomopatogen *Metarhizium anisopliae* untuk mengendalikan ulat grayak *Spodoptera litura* pada kedelai. J. Litbang Pertanian 24 (1): 19-26.
- Prayogo, Y. 2005. Cendawan entomopatogen *Verticillium lecanii* dan *Paecilomyces fumosoroseus* sebagai salah satu alternative untuk mengendalikan telur hama pengisap polong kedelai. Berita Puslitbang Pertanian (32): 10.
- Prayogo, Y. 2006. Upaya mempertahankan keefektifan cendawan entomopatogen untuk mengendalikan hama tanaman pangan. Balai Penelitian Tanaman Aneka Kacang dan Umbi. Malang. J. Litbang Pertanian 25(2):47-54.
- Prayogo, Y. 2009. Kajian cendawan entomopatogen *Lecanicillium lecanii* (Zimm.) (Viegas) Zare & Gams untuk menekan perkembangan telur hama pengisap polong kedelai *Riptortus linearis* (F.) (Hemiptera: Alydidae). Disertasi. Institut Pertanian Bogor.
- Prayogo, Y. dan Suharsono. 2005. Optimalisasi pengendalian hama pengisap polong kedelai (*Riptortus linearis*) dengan cendawan entomopatogen *Verticillium lecanii*. J. Litbang Pertanian 24(2): 123-130.

- Prayogo, Y. 2011. Biopestisida ramah lingkungan dari *Lecanicillium lecanii*. Sinar Tani Edisi: 22–28 Juni 2011. Balai Penelitian Tanaman Aneka Kacang dan Umbi. Malang.
- Safavi, S.A., Farooq A.S., Aziz, K.P., Rasoulia, G.R., Bandani, A.R., Tariq, M.B. 2007. Effect of nutrition on growth and virulence of the entomopathogenic fungus *Beauveria bassiana*. FEM microbiol letters 270(1):116-123.
- Sugimoto, M., Koike, M., Hiyama, N., Nagao, H., 2003. Genetic, morphological, and virulence characterization of the entomopathogenic fungus *Verticillium lecanii*. J. of Invert. Pathol. 82: 176–187.
- Susanti, U., Salbiah, D., Loah, J. H. 2013. Uji beberapa konsentrasi *Metarhizium anisopliae* (Metsch) sorokin untuk mengendalikan hama kepik hijau (*Nezara viridula* L.) pada kacang panjang (*Vigna sinensis* L.). J. Univ. Riau.
- Sonai, R. T., dan Muthukrishnan, N. 2009. Pathogenicity of *Nomuraea rileyi* (Farlow) Samson isolates against *Spodoptera litura* (Fabricius). J. of Biol. Control. 23(1): 17-20.
- Shinya, R., Aiuchi, D., Kushida, A., Tani, M., Kuramochi, K., Koike, M. 2007. Effects of fungal culture filtrates of *Verticillium lecanii* (= *Lecanicillium lecanii*) hybrid strains on *Heterodera glycines* eggs and juveniles. J. Invert. Pathol. 72:181-183.
- Shinya, R., Aiuchi, D., Kushida, A., Tani, M., Kuramochi, K., Koike, M. 2008a. Effects of fungal culture filtrates of *Verticillium lecanii* (= *Lecanicillium lecanii*) hybrid strains on *Heterodera glycines* eggs and juveniles. Biol. Contr. 16(5):245-251.
- Shinya, R., Aiuchi, D., Kushida, A., Tani, M., Kuramochi, K., Koike, M. 2008b. Pathogenicity and its mode of action in different sedentary stages of *Heterodera glycines* (Tylenchida: Heteroderidae) by *Verticillium lecanii* (= *Lecanicillium lecanii*) hybrid strains. J. Apply. Entomol. Zool. 43(2):227-233.
- Tafoya, F., Zuniga-Delgado, M., Alatorre, R., Cibbrian Tovar, J., Stanley, D., 2004. Pathogenicity of *Beauveria bassiana* (Deuteromycota: Hyphomycetes) against the cactus weevil, *Metamasius spinolae* (Coleoptera: Curculionidae) under laboratory conditions. J. Florida Entomol. 87(4):533-536.
- Trizelia. 2005. Cendawan entomopatogen *Beauveria bassiana* (Bals.) Vuill. (Deuteromycotina: Hyphomycetes): keragaman genetik, karakterisasi fisiologi, dan virulensinya terhadap *Crocidolomia pavonana* F. (Lepidoptera: Pyralidae). Disertasi. Institut Pertanian Bogor. Bogor.

Thungrabeab, M., Blaeser, P., dan Sengonca, C. 2006. Possibilities for biocontrol of the Onion Thrips *Thrips tabaci* Lindeman (Thysanoptera: Thripidae) using different entomopathogenic fungi from Thailand. Mitt. Dtsch. Ges. Allg. Angew. Entomol. 15: 299-304.

Umiati, S.P., Nuryanti, S.P. 2015. Beberapa pestisida nabati yang dapat digunakan untuk mengendalikan ulat grayak (*Spodoptera litura*) pada tanaman tembakau. Diunduh dari <http://ditjenbun.pertanian.go.id/bbpptpsurabaya/tinymcpuk/gambar/file/BEBERAPA%20JENIS%20PESTISIDA%20NABATI%20YANG%20DPT%20DIGUNAKAN%20UNTUK%20MENGENDALIKAN%20ULAT%20GRAYAK%20Spodoptera%20litura%20F.pdf>. Tanggal 20 Januari 2016.

Untung. 2010. Diktat Dasar-Dasar Ilmu Hama Tanaman. Universitas Gadjah Mada. Yogyakarta.

Utami, S. 2011. Bioaktivitas insektisida nabati bintaro (*Cerbera odollam* Gaertn.) sebagai pengendali hama *Pteroma plagiophleps* Hampson dan *Spodoptera litura*. Tesis. Institut Pertanian Bogor.

Yunita, E., Suprapti, N., Hidayat, J. 2009. Pengaruh ekstrak daun teklan (*Eupatorium riparium*) terhadap mortalitas dan perkembangan larva *Aedes aegypti*. Bioma. 11: 11-17.

