

DAFTAR PUSTAKA

- Adachi, A., T. Komura., A. Andoh and T. Okano. 2007. Effect of Spherosomes on degradation of petrilachlor and Esprocarp in soil. *J. Health Sci.* 53 (5) : 600-603.
- Adam, F.P., J. Moenandir dan M. Santoso. 2008. Pengaruh pencampuran herbisida dan persiapan lahan terhadap pertumbuhan dan hasil padi sawah. *J. Agritek* 16 (9) : 1601-1615.
- Alam, S.M., S.A. Ala, A.R. Azmi, M.A. Khan and R. Ansari. 2001. Allelopathy and its role in agriculture. *J. Biol. Sci.* 1 (5) : 308-315.
- Anonymous. 2015. Data Strategis BPS Produksi Tanaman Sayuran. Produksi Cabai Besar, Cabai Rawit, dan Bawang Merah. Berita Resmi Statistik 3 Agustus 2015. <http://jatim.bps.go.id>. Diakses 22 Mei 2016.
- Aristy, J. D. 1987. Chemical weed control in an irrigated onion (*Allium cepa* L.) crop. *J. Hort.* 57 : 35-36
- Ashrafuzzaman, M., M.N. Millat, M.R. Ismail and S.M. Shahidullah. 2009. Influence of paclobutrazol and bulb sizes on seed yield and yield attributing traits of onion (*Allium cepa* L.) cv Taherpuri. *Arch. of Agron Soil Sci.* 55 (6) : 609-621.
- Ashton, F.M. and T. J. Monaco. 1991. *Weed Science: Principles and Practices*. 3rd ed. New York. J. Wiley. p. 466
- Babiker, A.G.T. and M.K. Ahmed. 1986. Chemical weed control in transplanted onion (*Allium cepa* L.) in Sudan Gezira. *J. Weed Res.* 26 (2) : 133-138
- Bell, C.E. and B.E. Boutwell. 2001. Combining Bensulide and Pendimethalin Controls Weeds in Onions. *California Agric*, January-February. 55 (1) : 35-38.
- Brewster, J. L. 1994. *Onions and Other Vegetable Alliums*. CAB International. Wallingford (GB). p. 131-132
- Bryson, C.T. and D.A. Skojac. 2011. An annotated checklist of the vascular flora of Washington County, Mississippi. *J. Bot. Res. Institute of Texas.* 5 (2) : 855-866.
- Channappagoudar, B.B. and N.R. Biradar. 2007. Physiological studies on weed control efficiency in direct sown onion. *Karnataka J. Agric Sci.* 20 : 375-376.
- Chattha, A.A., M. Afzal and M.U. Chattha. 2004. Sustainable Cultivation of Sugarcane for Revival of Sugar Industry in Pakistan. *Proc. 39th Ann. Conv. Pak. Soc. Sugar Tech* : 36-49
- Dharumarajan, S., R. Sankar, A. Bhaskar and K. Kumar. 2008. Persistence of Pretilachlor in Coastal rice ecosystem. *J. Pesticide Res.* 20 (2) : 273-274.
- Duncar, J.T. and B.J. Brecke. 2002. *Weed Management in Soybeans*. Institute of Food and Agric. Sci. Univ of Florida. 59 (2) : 9-10.

- Fillols, E.F.J. and B.G. Callow. 2010. Efficacy of pre-emergent herbicides on fresh trash blankets – results on late-harvested ratoons. Proc. of the Aust. Soc. of Sugarcane Technologist. 32 : 460-473
- Ghosheh, H. Z. 2004. Single herbicide treatments for control of broadleaved weeds in onion (*Allium cepa*). Crop Protec. 23 : 539-542
- Guranto, T. T. Sumarni dan J. Moenandir. 1998. Selektifitas Herbisida Oksifluorfen (GOAL 2E) terhadap Tanaman Bawang Merah (*Allium ascalonicum* L.) dan Krokot (*Portulaca oleracea* L.) dengan GR50 Teknik. Agrivita. 11 (2) : 1-6.
- Hanafie, R. 2010. Pengantar Ekonomi Pertanian. Cetakan ke-1. Penerbit: CV. Andi. Yogyakarta. Hal. 156
- Hidayati, M. 2010. Produksi bawang merah (*Allium ascalonicum* L.) akibat pemberian herbisida Oxyfluorfen dan pupuk kandang. J. Agroland. ISSN 0854-641X (2006) v. 13 (2) : 145-150
- Hunsigi, G. 2001. Sugarcane in Agriculture and Industry. India at Eastren Press Pvt Ltd. Bangalore. p 45.
- Hussain, Z., Kh.B. Marwat, S.I. Ali Shah, Sh.A. Arifullah and N.M. Khan. 2008. Evaluation of different herbicides for weed control in onion. Sarhad. J. Agric. 24 : 453-456.
- Ibrahim, U., O.J. Oluwatosin, B.T. Ayinde and B.A Mahmoud. 2011. Evaluation of herbicides on weed control, performance and profitability of onion (*Allium cepa*) in the forest zone of Nigeria. Middle-East J. Sci. Res. 9 : 611-615.
- ISSG. 2013. Global Invasive Species Database [Online]. Available at <http://www.issg.org>. (Verified 7 March 2013)
- Jatmiko, S.Y., S. Harsanti, Sarwoto dan A.N. Ardiwinata. 2002. Apakah herbisida yang digunakan cukup aman?. Dalam Prosiding Seminar Nasional Membangun Sistem Produksi Tanaman Pangan Berwawasan Lingkungan. Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor. (3) : 337-348.
- Kalhapure, A.H. and B.T. Shete. 2012. Integrated weed management in onion (*Allium cepa* L.). Indian J. of Agron. 44 (2) : 88-91
- Kalhapure, A.H., B.T. Shete and P.S. Bodake. 2013. Integrated weed management in onion (*Allium cepa*). Indian J. of Agron. 58 (3) : 122-125
- Keeling, J.W., D.A. Bender and J.R. Abernathy. 1990. Yellow nutsedge (*Cyperuse sculentus*) management in transplanted onion (*Allium cepa* L.). Weed Technol. 4 : 68-70.
- Khokhar, K.M., T. Mahmood, M. Shakeel and M.F. Chaudhry. 2006. Evaluation of integrated weed management practices for onion in Pakistan. Crop Protec. 25 : 968-972.
- Kizilkaya, A., H. Onen and Z. Ozer. 2001. Researches on the effects of weed competition on onion yield. Turkiye Herboloji Dergisi. 4 : 58-65.

- Kumar, N., I.B. Morya and S.K. Intodia. 2002. Integrated weed management in onion (*Allium cepa* L.) seed crop in vertisols of south Rajasthan. *Veg. Sci.* 29 (2) : 191-192.
- Kumar, U. 2014. Weed management studies in onion (*Allium cepa* L.). *Asian J. Hort.* 9 (2) : 426-430.
- Maghfoer, M.D., E. Widaryanto dan Febriana. 1990. Pengaruh Herbisida Oksifluorfen (Goal 2E) dan Waktu Penyiangan terhadap Pertumbuhan dan Hasil Bawang Merah (*Allium ascalonicum* L.) Var. Bali Hijau. *Pros. Konferensi X HIGI. Malang.* Hal. 385
- Mahmood, T., S.I. Hussain, K.M. Khokhar, G. Jeelani and Hidayatullah. 2002. Weed control in garlic drop in relation to weedicides. *Asian J. Plant Sci.* 1 (4) : 412-413.
- Marwat, K.B., B. Gul, I.A. Khan and Z. Hussain. 2003. Efficacy of different herbicides for controlling weeds in onion. *Pak. J. Weed Sci. Res.* 9 (3-4) : 223-228
- Meister, T. Richard and C. Sine. 2010. *MeisterPro Crop Protection Handbook*. Vol. 96. Willoughby, OH: Meister Media Worldwide.
- Moenandir, J. dan P. Kurniawati. 1990. Toleransi tanaman kedelai varietas wilis dan grinting pada oksifluorfen (Goal 2E). *Agrivita.* 14 (1) : 24-29
- Moenandir, J. dan C. Rai. 1999. Penetapan GR50 herbisida oksifluorfen (Goal 2E) pada biji dari seed bank dengan kedalaman tanah berbeda di pertanaman kedelai (*Glycine max.* L). *Agrivita.* 21 (1) : 46-53
- Moenandir, J. 2010. *Ilmu Gulma*. Universitas Brawijaya Press. Malang.
- Morrica, P., F. Barbato, R. Dello-Iacovo, S. Seccia and F.A. Ungaro. 2001. Kinetics and mechanism of imazosulfuron hydrolysis. *J. Agric. Food Chem.* 49 (8) : 3816–3820.
- Muliyadi. 2005. *Pengendalian Gulma Secara Kimiawi*. IPB Press. Bogor.
- Noor, E.S. dan H. Pane. 2002. Pengelolaan Gulma pada Sistem Usaha Tani Berbasis Padi di Lahan Sawah Tadah Hujan. *Dalam: J. Soejitno, I. Johari Sasa dan Hermanto (eds). Prosiding Seminar Nasional Membangun Sistem Produksi Tanaman Pangan Berwawasan Lingkungan*. Pusat Penelitian dan Pengembangan Tanaman Pangan. Badan Litbang Pertanian. Hal. 321
- Parka, S.J. and O.F. Soper. 1977. The physiology and mode of action of the dinitroaniline herbicides. *J. Weed Sci.* 25 (1) : 79-87.
- Patel, C.L., Z.G. Patel and R.B. Patel. 1986. Efficiency and economics of some new herbicides for weed control in onion. *Gujarat Agric. Univ. Res. J.* 12 : 14–17.
- Prakash, V., A.K. Pandey, A.D. Singh and V.P. Mani. 2000. Integrated Weed Management in winter onion under mid-hill conditions of North-Western Himalaya. *Indian J. Agron.* 45 (4) : 816-821.

- Prostko, E.P., A.S. Culpepper, T.M. Webster, and J.T. Flanders. 2005. Tropical spiderwort identification and control in Georgia field crops Tifton. GA Univ of Georgia Coop Extens Serv Bull. 8 pp
- Purba, E. 2009. Pengujian Lapangan Efikasi Herbisida Ristop 240 AS Terhadap Gulma Pada Budidaya Karet Menghasilkan. Fakultas Pertanian. USU Press.
- Qasem, J. R. 2005. Chemical control of weeds in onion (*Allium cepa* L.). J. Hortic. Sci. Biotechnol. 80 (6) : 721–726.
- Rabinowitch, H.D. and R. Kamenetsky. 2002. Shallot (*Allium cepa*, Aggregatum Group). In: Rabinowitch H.D. and Currah L, editors. Allium Crop Science: Recent Advances. CABN International, Wallingford, UK. p. 409-430.
- Rahayu, E. dan N.V.A. Berlian. 2004. Bawang Merah. Penebar Swadaya. Jakarta.
- Rahman, H.U., K. Ullah, M. Sadiq, M. Zubair, S. Javaria, M.A. Khan and A.M. Khattak. 2011. Relative efficacy of different weed control methods in onion (*Allium cepa* L.) crop . Pak. J. Weed Sci. Res. 17 (4) : 343-350
- Ramalingam, S.P., Ch. Chinnagounder, M. Perumal and M.A. Palanisamy. 2013. Evaluation of new formulation of oxyfluorfen (23.5% EC) for weed control efficacy and bulb yield in onion. Amer. J. Plant Sci. 4 : 890-895.
- Rapparini, G. 1994. The development of mechanical methods and chemical products in the control of infestations. Inf. Agrar. 50 : 111–112.
- Rao, V.S. 1983. Principles of Weed Science. Oxford Publ. Co. New Delhi. p 483
- Rodrigues, B. N. and F.S. Almeida. 2011. Guia de herbicidas. 6. ed. Londrina: IAPAR. p 697
- Rolenzah, I. P. 2013. Keefektivan Herbisida Pendimethalin Untuk Pengendalian Gulma pada Budidaya Tanaman Bawang Merah. Skripsi. Fakultas Pertanian Institut Pertanian. Bogor.
- Sastroutomo, S. S. 1990. Ekologi Gulma. Gramedia Pustaka Utama. Jakarta.
- Sembodo, D. R. J. 2010. Gulma dan Pengelolaannya. Graha Ilmu. Yogyakarta.
- Shaner D. L. 2012. Field dissipation of sulfentrazone and pendimethalin in Colorado. Weed Tech. 26 (4) : 633-637.
- Shelton, D.R. and T.B. Parkin. 1991. Effect of moisture on sorption and biodegradation of carbofuran in soil. J. Agric. Food Chem. 39 (11) : 2063–2068.
- Shinde, K.G., M.N. Bhalekar and B.T. Patil. 2013. Effect of herbicides on weed intensity, weed control efficiency and yield in Kharif onion cv. Phule Samarth. Veg. Sci. 40 (1) : 93-9
- Singh, S. J., K. K. Sinha, S. S. Mishra, S. S. Thakur and N. K. Choudhary. 1992. Studies on weed management in onion. Indian J. Weed Sci. 24 : 6-10
- Singh, A., T.R. Nandal and U.K. Kohli. 1998. Efficacy and economics of some herbicides for weed control in onion (*Allium cepa* L.). Annals Agril. Res. 19 (2) : 153-157

- Singh, N.B., B.N. Pandey and A. Singh. 2009. Allelopathic effect of *Cyperus rotundus* extract in vitro and ex vitro on banana. *Acta Physiol. Plant.* 31 (3) : 633-638
- Shrefler, J., S. Upson and S. McClure. 2004. First year experience with hoop-house grown onion transplants. *Proc. Oklahoma-Arkansas Hort Industries Show.* 23 : 142-143
- Soekartawi. 2002. *Prinsip Dasar Manajemen Pemasaran Hasil-Hasil Pertanian Teori dan Aplikasinya.* Raja Grafindo Persada, Jakarta.
- Sondhia, S. 2005. Phytotoxicity and persistence of metribuzin residues in black soil. *Toxicol and Environ Chem.* 87 (3) : 387-389.
- Sondhia, S. and A. Dixit. 2006. Persistence of flumioxazin residues in soybean crop and soil. *Indian. J. Agric. Sci.* 78 (8) : 716-718
- Sondhia, S. and A. Dixit. 2007. Determination of terminal residues of oxyfluorfen in onion. *Annals of Plant Protection Sci.* 15 (1) : 232-234.
- Sondhia, S. and B. Singhai. 2008. Persistence of sulfosulfuron under wheat cropping system. *Bull Environ Contam and Toxicol.* 80 (5) : 423-427.
- Sukman, Y. dan Yakup. 2002. *Gulma Dan Teknik Pengendaliannya.* PT. Raja Grafindo Persada. Jakarta. Hal. 159
- Sumarni, E., Sumiati dan Suwandi. 2005. Pengaruh kerapatan tanaman dan aplikasi zat pengatur tumbuh terhadap produksi umbi bibit bawang merah asal biji kultivar bima. *J. Hort.* 15 (1) : 208-214.
- Sunarjono, H. 2001. *Budidaya Bawang Merah (Allium ascalonicum L.)* Cetakan ke-3. Sinar baru Algensindo. Bandung. Hal. 18-19
- Suriani, N. 2011. *Bawang Bawa Untung, Budidaya Bawang Merah dan Bawang Merah.* Cahaya Atma Pustaka. Yogyakarta.
- United States Department of Agriculture. 2013. *Natural Resources Cons Service* [Online]. Available at <http://www.plants.usda.gov>. (verified 7 March 2013)
- USEPA. 1992. *Pesticide environmental fate one liner summaries: oxyfluorfen.* Environmental fate and effects division. Washington, DC. p. 10-111.
- USEPA. 2002. *Registration eligibility decision (Red) oxyfluorfen.* Washington, DC. Available at http://www.epa.gov/oppsrrdl/REDS/oxyfluorfen_red.pdf (verified 7 March 2013)
- Uygur, S., R. Gurbuz and F.N. Uygur. 2010. Weeds on onion fields and effects of some herbicides on weeds in Cukurova region, Turkey. *Afr. J. Biotechnol.* 9 : 7037-7042.
- Vashi J.M., N.K. Patel and D.T. Desai. 2011. Evaluation of different herbicides for controlling weeds in onion (*Allium cepa* L.) *Veg. Sci.* 38 (1) : 119-120.
- Verma, S.K. and T. Singh. 1997. Effect of weed control measures and fertility on growth and productivity of rainy season shallot (*Allium cepa*). *Indian J. Agron.* 42 (3) : 540-543.

- Violic, A.D. 2000. Integrated crop management. In: R.L. Paliwal, G. Granados, H.R. Lafitte, A.D. Violic, and J.P. Marathe (Eds.). Tropical Maize Improvement and Production. FOA Plant Production and Protect Series, Food and Agric Organization of The United Nations. Rome. 28 : 237-282
- Wahyudi, Y. I. 1993. Pengaruh Dosis Herbisida Pra Tumbuh Oksifluorfen (Goal 2E) dan Kepadatan Populasi Kacang Tanah (*Arachis hypogaea* L.) Terhadap Penekanan Gulma serta Pertumbuhan dan Hasil Tanaman Kacang Tanah di Lahan Kering. Skripsi. Fakultas Pertanian Univ Brawijaya. Malang.
- Walker, S.R. and J.P. Evenson. 1985. Biology of *Commelina benghalensis* L. in south-eastern Queensland: growth, development, and seed production. J. Weed Res. 25 (4) : 239-244.
- Walker, A. and W. Bond. 1977. Persistence of the herbicide AC-92, 553, N-(1-ethylpropyl)-2,6 dinitro-3,4-xylidine in soils. Pestic. Sci. 8 : 359-365.
- Webster, T.M., M.G. Burton, A.S. Culpepper, A.C. York and E.P. Prostko. 2005. Tropical spiderwort (*Commelina benghalensis* L.): A tropical invader threatens agroecosystems of the Southern United States. Weed Tech. 19 : 501-508.
- Wibowo, S. 2007. Budidaya Bawang Putih, Bawang Putih, Bawang Bombay. Jakarta (ID): Penebar Swadaya. Hal. 88-90
- Widaryanto, E. 1994. Pengaruh herbisida oksifluorfen (Goal 2E) dan kepadatan populasi kacang tanah di lahan kering. Agrivita. 17 (2) : 65-68
- Yadav, D.S. and S.B. Singh. 1988. Efficacy of chemical and mechanical weed control in chickpea (*Cicer arietinum*). Ann. Agric. Res. 9 : 56-58.
- Zimdahl, R L. 2007. Fundamentals of Weed Science. Burlington, MA, USA: Academic Press. p. 130-132
- Zubair, M., H.U. Rahman and M.S. Jilani. 2009. Comparison of different weed management practices in onion (*Allium cepa* L.) under agro-climatic conditions of Dera Ismail Khan. Pak J. Weed Sci. Res. 15 (1) : 45-51
- Zulkifli dan Harnanto. 2003. Manajemen Biaya. Penerbit: UPP AMP YKPN, Yogyakarta. Hal. 34