

DAFTAR PUSTAKA

- Allard, R.W. 1960. Principle of Plant Breeding. John Wiley & Sons, Inc. New York. 485 p.
- Ameriana, M. 2000. Penilaian Konsumen Rumah Tangga Terhadap Kualitas Cabai. Jurnal Hortikultura 10 (1) : 61-69.
- Arif, M.B. 2010. Pendugaan Parameter Genetik Beberapa Karakter Kualitatif dan Kuantitatif pada Tiga Kelompok Cabai (*Capsicum annum* L.). Jurnal Hortikultura. 19(2): 124-128
- Aryana, M. 2011. Uji Keseragaman, Heritabilitas dan Kemajuan Genetik Galur Padi Beras Merah Hasil Seleksi Silang Balik di Lingkungan Gogo. J. Agroteksos. 12(4): 56-63
- Ayu, D.K. 2015. Pendugaan Variabilitas Dan Heritabilitas 18 Famili F₅ Cabai Merah Besar. Skripsi. Universitas Brawijaya. Malang
- Badan Standarisasi Nasional. 1998. SNI No. 01-4480-1998: Cabai Merah Segar. Badan Standarisasi Nasional. <http://agribisnis.deptan.go.id/MUTU-STANDARISASI.htm>.
- Basuki, N. 2005. Genetika Kuantitatif. Unit Penerbitan Fakultas Pertanian Universitas Brawijaya. Malang. p 122
- Bosland, P.W. dan E.J. Votava. 2000. Pepper: Vegetable and Spice *Capsicum*. Departemen of Agriculture. NMSU. Cabi Publishing. New York. 204 p.
- BPS. 2015. Distribusi Perdagangan Komoditi Cabai Merah di Indonesia Tahun 2015. <http://www.bps.go.id>.
- Burn, G.W. 1980. The Science Of Genetic. Chapter 14. Population Genetic. Macmillan Publishing Co. Inc. New York.
- Canto, E. 2002. Genetic Variability S1 Maize Cultivar Bisma Lines in a Low Population Environment. J. Agronomi. 8(2):87-93
- Collard, B.C.Y. dan D.J. Mackill. 2007. Marker-assisted Selection: Approach for Precision Plant Breeding in The Twenty-First Century. J. Biol Sci. 1491 : 557-572.
- Departemen Pertanian Republik Indonesia. 2006. Panduan Pengujian Individual Kebaruan, Keunikan, Keseragaman dan Kestabilan. PVT/PPI/13/1
- Donald, C.M. 1938. The Breeding of Crop Ideotypes. Euphytica 17:385 - 403
- Geleta, L.F., M.T. Labuschagne, C.D. Viljoen. 2005. Genetic variability in pepper (*Capsicum annum* L.) estimated by morphological data and amplified fragment length polymorphism markers. Biodivers. Conserv. Vol 14. 2361–2375 p.
- George, R.A.T. 1999. Vegetable Seed Production 2nd edition. CABI Publishing. New York. (231-235p.).
- Gomes, K.A and A.A. Gomes. 1984. Statistical Procedures for Agricultural Research. John Wiley & Sons, Inc. United States Of America. 698 hal



- Greenleaf, W.H. 1986. Peper Breeding. In M.J. Basset (eds). Breeding Vegetable Crop. The AVI Publishing Co., Inc. Connectitut. p.67-134
- Handler, P. 1976. Annual Report. National Academy of Engineering and Institute of Medicine. Washington, D. C. Pp. 52-61
- Hartiningsih, E.T. 2016. Keragaman Genetik Famili Pada Famili Generasi F₄ Cabai Besar. Skripsi. Universitas Brawijaya. Malang
- Hartuti, N., A. Asgar. 1992. Kualitas Bahan Baku Dan Hasil Olahan Cabai di Tingkat Industri Komersial dan Rumah Tangga di Bandung. Bul. Penel. Hort. 26:142-150.
- Hastuti, N.M.D. 2015. Heritabilitas dan Kemajuan Genetik Harapan 14 Famili Famili F₃ hasil Persilangan Cabai Besar. Skripsi. Universitas Brawijaya. Malang
- Huang, C., L. Duan, Q. Liu, dan W. Yang. 2003. Development of a whole-feeding and automatic rice thresher for single plant. Mathematical and Computer Modelling. 58 (3): 684–690.
- IPGRI, 1995. Descriptor For Capsicum International Plant Genetic Resources Institute Rome. 47p.
- Jameel, M. A., M. J. Shri dan V. J. Dennis. 2016. Advances in Plant Breeding Strategies: Agronomic, Abiotic and Biotic Stress Traits. Springer International Publishing Switzerland.
- Janaki, M., V. C. Ramana, N. L. Naidu dan P. M. Rao. 2016. Genetic Interrelationship Among Qualitative Traits and Yield In Chilli (*Capsicum annuum* L.) Genotypes. I.J.S.N., 7 (2): 310-315.
- Kadwey, S., Dadiga A. dan S. Prajapati. 2016. Genotypes performance and genetic variability studies in Hot Chilli (*Capsicum annum* L.). Indian J. Agric. Res. 50 (1): 56-60.
- Kirana, R. dan E. Sofiari. 2007. Heterosis dan Heterobeltiosis pada Persilangan Lima Genotipe Cabai Dengan Metode Diallel. Jurnal Hortikultura, Volume 17 (2): 11-17.
- Kuswanto, A. Kasno, L. Soetopo dan T. Hadiasto. 2005. Seleksi Galur-Galur Harapan Kacang Panjang (*Vigna sesquipedalis* L. Fruwirth) Unibraw. Habitat 16 (4) : 258-269
- Lestari, A., B. Abdullah, A. Junaedi dan H. Aswidinnoor. 2012. Estimation of Genetic Parameter in New Plant Type Aromatic Rice Lines. Penelitian Pertanian. 31(1): 1-5
- Maflahah, I. 2010. Studi Kelayakan Industri Cabe Bubuk di Kabupaten Cianjur. Jurnal Embryo 7 (2): 90-96.
- Mangoendijojo, W. 2008. Pengantar Pemuliaan Tanaman. Kanisius. Yogyakarta.
- Marame, F. L. Desalegne, Hajrit-Singh, C. Fininsia and R. Sigvald. 2008. Genetic Components And Heritability Of Yield And Yield Related Traits In Hot Pepper. Res. J. Agric & Biol. Sci. 4960:803-809



- Meena, M. L., N. Kumar, J. K. Meena, and T. Rai. 2016. Genetic variability, heritability and genetic advances in chilli, *Capsicum annuum*. Biosci. Biotech. Res. Comm. 9(2): 258-262
- Paje, M. M. and M. Var der Vossen. 1994. *Citrullus lanatus* (Thunberg) Matsumi & Nakai. In :Siemonsma, Y. S. and P. Kasem (Eds.). Plant Resources of South East Asia 8 Vegetables. Pudoc Scientific Publisher. Wageningen. pp 144-148.
- Poehlman, J. M. dan D. A. Sleeper. 1995. Breeding Field Crops. Iowa State University Press. USA
- Poespadarsono, S. 1988. Dasar-dasar Ilmu Pemuliaan Tanaman. PAU. Institut Pertanian Bogor. Bogor. p. 169
- Poulos, J. 1994. Pepper breeding (*Capsicum* spp.): achievements, challenges and possibilities. Plant Breeding Abstracts 64: 143–155.
- Rahman, M. A. and H. Abdullah. 1997. Susceptibility of *Capsicum* Species and Cultivars to *Ralstonia solanacearum*: Anatomical Differences and Bacterial Multiplication in Resistant and Susceptible Cultivars. J. Trop. Agric. Sci. 20 (1): 1-11.
- Robert, E. D., and F. W. Went. 1947. Plant Growth Under Controlled Conditions. VIII. Growth and Fruiting of the Chili Pepper(*Capsicum annuum*). American Journal of Botany. 34 (8): 393 - 401.
- Rubatzky, V. E. dan M. Yamaguchi. 1997. World Vegetable: Principles, Production and Nutritive Values. USA. p. 843
- Sayaka, B., I. W. Yusastraa, R. Sajuti, Supriyati., W. K. Sejati., A. Agustian., Y. Supriyatna., I. S. Anugrah., R. Elizabeth., Ashari., dan J. Sitomorang. 2008. Pengembangan Kelembagaan Partnership dalam Pemasaran Komoditas Pertanian. Ringkasan Eksekutif Laporan Akhir Penelitian. Pusat Analisis Sosial Ekonomi dan Kebijakan Pertanian, Departemen Pertanian.
- Setiawan, A. B., S. Purwanti, dan Toekidjo. 2012. Pertumbuhan Dan Hasil Lima Varietas Cabai Merah Di Dataran Menengah. Jurnal Hortikultura. 123-128p
- Sholeh, A. 2015. Penampilan Sifat Ketahanan Penyakit Layu Bakteri Dan Produktivitas Tinggi Tanaman Cabai Merah Pada 24 Famili F₅. Skripsi. Universitas Brawijaya. Malang
- Smitha, R. P. and N. Basvaraja. 2007. Variability And Selection Strategy For Yield Improvement In Chilli. Karnataka J. Agric. Sci. 20(1):109-111
- Stanfield, W.D. 1991. Theory of Genetic. 2nd Edition. CABI. Publishing. New York
- Steel, R. G. dan J. H. Torrie. 1989. Principles and Procedures of Statistics (Terjemahan). PT. Gramedia Pustaka Utama. Jakarta

- Stephen, S., L. Sergio, H. Dermot, A. Julian, and C. Eloy. 2016. Elements of Intellectual Property Protection in Plant Breeding and Biotechnology: Interactions and Outcomes. Journal Science Society of America, Inc. Vol 56 (4): 1401 – 1411.
- Suratman, D. Priyanto, dan A. D. Setyawan. 2000. Analisis Keragaman Genus *Ipomoea* Berdasarkan Karakter Morfologi. Jurnal Biodiversitas. 1 (2): 72-79.
- Susiana, E. 2006. Pendugaan Nilai Heritabilitas, Variabilitas dan Evaluasi Kemajuan Genetik Beberapa Karakter Agronomi Genotipe Cabai (*Capsicum annuum* L.) F4. Jurnal Hortikultura. 115-121 p.
- Syukur, M., S. Sujiprihati, R. Yunianti, dan K. Nida. 2010. Pendugaan Komponen Ragam, Heritabilitas dan Korelasi untuk Menentukan Kriteria Seleksi Cabai (*Capsicum annuum* L.) Populasi F5. J. Hort. Indonesia 1(3): 74-80
- Syukur, M., S. Sujiprihati, R. Yunianti, dan D. A. Kusumah. 2011. Pendugaan Ragam Genetik Dan Heritabilitas Karakter Komponen Hasil Beberapa Genotip Cabai. Jurnal Agivigor 10 (2): 148-156.
- Syukur, M., R. Yunianti, dan R. Dermawan. 2013. Sukses Panen Cabai Tiap Hari. Penebar Swadaya. Jakarta
- Torskangerpoll, K. and M. Andersen. 2005. Colour stability of anthocyanins in aqueous solutions at various pH values. Journal Food Chemistry. 89 : 427–440.
- Vear, F dan J. Miller. 1993. Traditional Breeding Practice : an Historical Review to Serve As a Bestline for Assessing The Role of Modern Biotechnology : Sunflower. Organization for Economic Co-Operation and Development. P. 95-111.
- Walpole, R. E. 1982. Introduction to Statistic, 3 rd (Terjemahan). PT. Gramedia Pustaka Utama. Jakarta
- Wels, J. R. 1991. Fundamentals Of Plant Genetic And Breeding. Colorado University. John Wiley & Sons. United States Of America
- White, J. W., S.P. Andrade, Gore M.A., *et al.* 2012. Field-based phenomics for plant genetics research. Field Crops Res. Vol 133 pp. 101–112
- Widyawati, Z. 2014. Heritabilitas dan Kemajuan Genetik Harapan Empat Famili F₂ Tanaman Cabai Besar (*Capsicum annum* L.). Skripsi. Universitas Brawijaya. Malang
- Yulianah, I. dan N. Kendarini. 2011. Perakitan Varietas Cabai Hibrida Tahan Layu Bakteri dan Berdaya Hasil Tinggi. Laporan Penelitian Hibah Bersaing Tahun Anggaran 2011. Universitas Brawijaya. Malang.

