Lampiran 2

Output SPSS Regresi Kecamatan Bongomeme

Warnings

For models with dependent variable Y, the following variables are constants or have missing correlations: X1, X3. They will be deleted from the analysis.

Variables Entered/Removed[b]

Model	Variables Entered	Variables Removed	Method
1	X9, X8, X7, X4, X2, X6, X5[a]	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.950[a]	.902	.891	.746

a. Predictors: (Constant), X9, X8, X7, X4, X2, X6, X5

b. Dependent Variable: Y

ANOVA[b]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	298.687	7	42.670	76.626	.000[a]
	Residual	32.298	58	.557		
	Total	330.985	65			

a. Predictors: (Constant), X9, X8, X7, X4, X2, X6, X5

b. Dependent Variable: Y

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.087	.442		.197	.844		
	X2	.165	.077	.153	2.162	.035	.335	2.987
	X4	-.008	.071	-.005	-.115	.909	.760	1.316
	X5	.515	.103	.416	4.998	.000	.243	4.122
	X6	.278	.051	.362	5.475	.000	.386	2.592
	X7	-.072	.050	-.063	-1.439	.156	.884	1.131
	X8	.029	.039	.032	.743	.461	.895	1.117
	X9	.166	.067	.147	2.477	.016	.480	2.084

a. Dependent Variable: Y

Charts



One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		66
Normal Parameters[a]	Mean	.0000000
	Std. Deviation	.70490258
Most Extreme Differences	Absolute	.153
	Positive	.153
	Negative	-.082
Kolmogorov-Smirnov Z		1.245
Asymp. Sig. (2-tailed)		.090

a. Test distribution is Normal.

Correlations

			X1	X2	X3	X4	X5	X6	X7	X8	X9	ABS_RES
Spearman's rho	X1	Correlation Coefficient	.	.	.	.	.	.	.	.	.	.
		Sig. (2-tailed)	.	.	.	.	.	.	.	.	.	.
		N	66	66	66	66	66	66	66	66	66	66
	X2	Correlation Coefficient	.	1.000	.	.208	.796**	.711**	.114	.220	.566**	.024
		Sig. (2-tailed)	.	.	.	.093	.000	.000	.364	.076	.000	.847
		N	66	66	66	66	66	66	66	66	66	66
	X3	Correlation Coefficient	.	.	.	.	.	.	.	.	.	.
		Sig. (2-tailed)	.	.	.	.	.	.	.	.	.	.
		N	66	66	66	66	66	66	66	66	66	66
	X4	Correlation Coefficient	.	.208	.	1.000	.318**	.338**	.015	-.094	.343**	-.220
		Sig. (2-tailed)	.	.093	.	.	.009	.006	.906	.453	.005	.075
		N	66	66	66	66	66	66	66	66	66	66
	X5	Correlation Coefficient	.	.796**	.	.318**	1.000	.739**	.224	.146	.670**	-.108
		Sig. (2-tailed)	.	.000	.	.009	.	.000	.070	.242	.000	.387
		N	66	66	66	66	66	66	66	66	66	66
	X6	Correlation Coefficient	.	.711**	.	.338**	.739**	1.000	.090	.246*	.577**	-.196
		Sig. (2-tailed)	.	.000	.	.006	.000	.	.472	.047	.000	.115
		N	66	66	66	66	66	66	66	66	66	66
	X7	Correlation Coefficient	.	.114	.	.015	.224	.090	1.000	-.078	.235	.125
		Sig. (2-tailed)	.	.364	.	.906	.070	.472	.	.532	.058	.318
		N	66	66	66	66	66	66	66	66	66	66
	X8	Correlation Coefficient	.	.220	.	-.094	.146	.246*	-.078	1.000	.139	-.031
		Sig. (2-tailed)	.	.076	.	.453	.242	.047	.532	.	.264	.805
		N	66	66	66	66	66	66	66	66	66	66
	X9	Correlation Coefficient	.	.566**	.	.343**	.670**	.577**	.235	.139	1.000	-.080
		Sig. (2-tailed)	.	.000	.	.005	.000	.000	.058	.264	.	.522
		N	66	66	66	66	66	66	66	66	66	66
	ABS_RES	Correlation Coefficient	.	.024	.	-.220	-.108	-.196	.125	-.031	-.080	1.000
		Sig. (2-tailed)	.	.847	.	.075	.387	.115	.318	.805	.522	.
		N	66	66	66	66	66	66	66	66	66	66

**. Correlation is significant at the 0.01 level (2-tailed).

Output SPSS Regresi Kecamatan Paguyaman

Warnings

For models with dependent variable Y, the following variables are constants or have missing correlations: X1, X3. They will be deleted from the analysis.

Variables Entered/Removed[b]

Model	Variables Entered	Variables Removed	Method
1	X11, X4, X7, X8, X9, X6, X2, X10, X5[a]	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

Model Summary[b]

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.942[a]	.887	.875	.693

a. Predictors: (Constant), X11, X4, X7, X8, X9, X6, X2, X10, X5

b. Dependent Variable: Y

ANOVA[b]

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	309.583	9	34.398	71.717	.000[a]
	Residual	39.330	82	.480		
	Total	348.913	91			

a. Predictors: (Constant), X11, X4, X7, X8, X9, X6, X2, X10, X5

b. Dependent Variable: Y

Coefficients[a]

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.386	.377		1.025	.308		
	X2	.225	.081	.155	2.773	.007	.438	2.285
	X4	-.080	.058	-.065	-1.383	.171	.622	1.609
	X5	.750	.071	.687	10.493	.000	.320	3.121
	X6	.018	.052	.017	.357	.722	.609	1.642
	X7	.074	.040	.071	1.840	.069	.922	1.084
	X8	-.091	.042	-.085	-2.175	.033	.890	1.124
	X9	-.058	.028	-.082	-2.068	.042	.877	1.141
	X10	.152	.053	.166	2.857	.005	.406	2.463
	X11	-.103	.030	-.136	-3.458	.001	.887	1.128

a. Dependent Variable: Y

repository.ub.ac.id
UNIVERSITAS BRAWIJAYA

Charts



One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		92
Normal Parameters[a]	Mean	.0000000
	Std. Deviation	.65741782
Most Extreme Differences	Absolute	.072
	Positive	.072
	Negative	-.055
Kolmogorov-Smirnov Z		.695
Asymp. Sig. (2-tailed)		.720

a. Test distribution is Normal.

repository.ub.ac.id
UNIVERSITAS BRAWIJAYA

Correlations

			X1	X2	X3	X4	X5	X6	X7	X8	X9	X10	X11	ABS_RES
Spearman's rho	X1	Correlation Coefficient	.	.	.	.	.	.	.	.	.	.	.	.
		Sig. (2-tailed)	.	.	.	.	.	.	.	.	.	.	.	.
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X2	Correlation Coefficient	.	1.000	.	.402**	.732**	.343**	.009	-.101	-.213*	.503**	-.019	.137
		Sig. (2-tailed)	.	.	.	.000	.000	.001	.934	.340	.042	.000	.855	.194
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X3	Correlation Coefficient	.	.	.	.	.	.	.	.	.	.	.	.
		Sig. (2-tailed)	.	.	.	.	.	.	.	.	.	.	.	.
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X4	Correlation Coefficient	.	.402**	.	1.000	.513**	.459**	-.064	.066	-.119	.547**	.059	-.050
		Sig. (2-tailed)	.	.000	.	.	.000	.000	.543	.531	.257	.000	.579	.637
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X5	Correlation Coefficient	.	.732**	.	.513**	1.000	.474**	.009	-.098	-.208*	.665**	.060	-.062
		Sig. (2-tailed)	.	.000	.	.000	.	.000	.933	.354	.046	.000	.572	.559
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X6	Correlation Coefficient	.	.343**	.	.459**	.474**	1.000	-.025	.100	-.072	.585**	.043	-.141
		Sig. (2-tailed)	.	.001	.	.000	.000	.	.815	.341	.494	.000	.687	.181
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X7	Correlation Coefficient	.	.009	.	-.064	.009	-.025	1.000	-.019	.141	-.203	.085	-.133
		Sig. (2-tailed)	.	.934	.	.543	.933	.815	.	.859	.180	.052	.422	.206
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X8	Correlation Coefficient	.	-.101	.	.066	-.098	.100	-.019	1.000	.118	-.116	-.200	-.114
		Sig. (2-tailed)	.	.340	.	.531	.354	.341	.859	.	.262	.273	.055	.281
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X9	Correlation Coefficient	.	-.213*	.	-.119	-.208*	-.072	.141	.118	1.000	-.187	-.197	.121
		Sig. (2-tailed)	.	.042	.	.257	.046	.494	.180	.262	.	.075	.059	.252
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X10	Correlation Coefficient	.	.503**	.	.547**	.665**	.585**	-.203	-.116	-.187	1.000	.144	-.050
		Sig. (2-tailed)	.	.000	.	.000	.000	.000	.052	.273	.075	.	.171	.639
		N	92	92	92	92	92	92	92	92	92	92	92	92
	X11	Correlation Coefficient	.	-.019	.	.059	.060	.043	.085	-.200	-.197	.144	1.000	.034
		Sig. (2-tailed)	.	.855	.	.579	.572	.687	.422	.055	.059	.171	.	.746
		N	92	92	92	92	92	92	92	92	92	92	92	92

repository.ub.ac.id

UNIVERSITAS BRAWIJAYA