

Lampiran 1. Hasil Analisis Tabulasi Silang (Crosstabs) dan Korelasi Spearman (Spearman Correlation)

Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum * Peningkatan Jumlah Tenaga Kerja
Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			
			Turun	Tetap	Naik	Total
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	4 66.7%	2 33.3%	0 0.0%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	1 50.0%	1 50.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.600 ^a	4	.231
Likelihood Ratio	5.453	4	.168
Linear-by-Linear Association	3.162	1	.075
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .51.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.619			.231
Interval by Interval	Pearson's R	.629	.205	2.139	.070 ^c
Ordinal by Ordinal	Spearman Correlation	.552	.291	1.578	.159 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum * Peningkatan Jumlah Penduduk Miskin
Cross-tabulation

			Peningkatan Jumlah Penduduk Miskin			
			Turun	Tetap	Naik	Total
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	3 50.0%	2 33.3%	1 16.7%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.400 ^a	4	.844
Likelihood Ratio	1.905	4	.744
Linear-by-Linear Association	.184	1	.668
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.367			.844
Interval by Interval	Pearson's R	-.152	.269	-.406	.693 ^a
Ordinal by Ordinal	Spearman Correlation	-.156	.306	-.418	.689 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkat PDR Lapangan Usaha Akomodasi, dan Makan Minum * Peringkat Jumlah Pengangguran
Cross-tabulation

			Peringkat Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peringkat PDR Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peringkat PDR Lapangan Usaha Akomodasi, dan Makan Minum	1 16.7%	3 50.0%	2 33.3%	6 100.0%
	Tetap	Count % within Peringkat PDR Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringkat PDR Lapangan Usaha Akomodasi, dan Makan Minum	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total		Count % within Peringkat PDR Lapangan Usaha Akomodasi, dan Makan Minum	2 22.2%	5 55.6%	2 22.2%	9 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.400 ^a	4	.643
Likelihood Ratio	3.001	4	.598
Linear-by-Linear Association	1.286	1	.267
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.459			.643
Interval by Interval	Pearson's R	-.401	.263	-1.158	.261 ^c
Ordinal by Ordinal	Spearman Correlation	-.386	.267	-1.106	.301 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum ~ Peningkatan Jumlah PDRB per Kapita
Cross-tabulation

			Peningkatan Jumlah PDRB per Kapita			
			Turun	Tetap	Naik	Total
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	4 66.7%	2 33.3%	0 0.0%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	1 50.0%	1 50.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	4 44.4%	4 44.4%	1 11.1%	9 100.0%

Chi Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.375 ^a	4	.173
Likelihood Ratio	6.959	4	.138
Linear-by-Linear Association	4.321	1	.038
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.644			.173
Interval by Interval	Pearson's R	.735	.148	2.868	.024 ^a
Ordinal by Ordinal	Spearman Correlation	.715	.153	2.703	.030 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum * Peningkatan Jumlah Pengeluaran per Kapita
Crosstabulation

			Peningkatan Jumlah Pengeluaran per Kapita			
			Turun	Tetap	Naik	Total
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	2 33.3%	3 50.0%	1 16.7%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	0 0.0%	2 100.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	2 22.2%	4 44.4%	3 33.3%	9 100.0%

Chi Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.125 ^a	4	.190
Likelihood Ratio	6.959	4	.138
Linear-by-Linear Association	3.120	1	.077
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.636			.190
Interval by Interval	Pearson's R	.625	.190	2.116	.072 ^c
Ordinal by Ordinal	Spearman Correlation	.602	.226	1.993	.067 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum * Peningkatan-Garis Kemiskinan per Kapita Cross-tabulation

			Peningkatan Garis Kemiskinan per Kapita		
			Turun	Naik	Total
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	6 100.0%	0 0.0%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	2 100.0%	2 100.0%
Total	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	7 77.8%	2 22.2%	9 100.0%	

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.000 ^a	2	.011
Likelihood Ratio	8.535	2	.009
Linear-by-Linear Association	8.898	1	.009
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.787			.011
Interval by Interval	Pearson's R	.929	.071	8.819	.000 ^a
Ordinal by Ordinal	Spearman Correlation	.866	.135	4.583	.003 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkatn PDRB Lapangan Usaha Akomodasi, dan Makan Minum * Peringkatn Indeks Gini
Cross-tabulation

			Peringkatn Indeks Gini			Total
			Turun	Tetap	Naik	
Peringkatn PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peringkatn PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	2 33.3%	4 66.7%	6 100.0%
	Tetap	Count % within Peringkatn PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peringkatn PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total		Count % within Peringkatn PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 11.1%	3 33.3%	5 55.6%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.600 ^a	4	.231
Likelihood Ratio	6.453	4	.168
Linear-by-Linear Association	3.162	1	.075
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.419			.231
Interval by Interval Pearson's R	-.629	.205	-2.139	.075 ^a
Ordinal by Ordinal Spearman Correlation	-.512	.291	-1.578	.169 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum * Peningkatan Indeks Kedalaman Kemiskinan (PI)
 Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (PI)			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	2 33.3%	1 16.7%	3 50.0%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	4 44.4%	2 22.2%	3 33.3%	9 100.0%	

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.375 ^a	4	.497
Likelihood Ratio	4.186	4	.381
Linear-by-Linear Association	1.115	1	.291
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.522			.497
Interval by Interval	Pearson's R	-.373	.228	-1.665	.322 ^c
Ordinal by Ordinal	Spearman Correlation	-.399	.262	-1.162	.287 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum * Peningkatan Indeks Kepuasan Kemiskinan (P2)
Cross-tabulation

			Peningkatan Indeks Kepuasan Kemiskinan (P2)			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	3 50.0%	2 33.3%	1 16.7%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.400 ^a	4	.844
Likelihood Ratio	1.355	4	.744
Linear-by-Linear Association	.184	1	.668
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.367			.844
Interval by Interval Pearson's R	-.152	.269	-.406	.693 ^a
Ordinal by Ordinal Spearman Correlation	-.156	.306	-.418	.689 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



**Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum - Peningkatan Jumlah Rumah Sehat
Crosstabulation**

			Peningkatan Jumlah Rumah Sehat			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	4 66.7%	2 33.3%	0 0.0%	6 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	1 50.0%	0 0.0%	1 50.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Akomodasi, dan Makan Minum	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.200 ^a	4	.185
Likelihood Ratio	6.453	4	.168
Linear-by-Linear Association	1.504	1	.228
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.639			.185
Interval by Interval	Pearson's R	.434	.305	1.273	.244 ^a
Ordinal by Ordinal	Spearman Correlation	.379	.363	1.042	.315 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



BRAWIJAYA

Peningkatan PORB Lapangan Usaha Akomodasi, dan Makan Minum * Peningkatan Jumlah Rumah Tidak Sehat
Crosstabulation

			Peningkatan Jumlah Rumah Tidak Sehat			
			Turun	Tetap	Naik	Total
Peningkatan PORB Lapangan Usaha Akomodasi, dan Makan Minum	Turun	Count % within Peningkatan PORB Lapangan Usaha Akomodasi, dan Makan Minum	4 66.7%	1 16.7%	1 16.7%	6 100.0%
	Tetap	Count % within Peningkatan PORB Lapangan Usaha Akomodasi, dan Makan Minum	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Akomodasi, dan Makan Minum	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total		Count % within Peningkatan PORB Lapangan Usaha Akomodasi, dan Makan Minum	5 55.6%	2 22.2%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.950 ^a	4	.292
Likelihood Ratio	4.727	4	.318
Linear-by-Linear Association	.095	1	.768
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.



Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.596			.292
Interval by Interval Pearson's R	.109	.273	.290	.768 ^c
Ordinal by Ordinal Spearman Correlation	.215	.318	.582	.579 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Jumlah Tenaga Kerja
Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			
			Turun	Tetap	Naik	Total
Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	5 62.5%	2 25.0%	1 12.5%	8 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.250 ^a	2	.325
Likelihood Ratio	2.460	2	.292
Linear-by-Linear Association	.421	1	.518
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.447			.325
Interval by Interval Pearson's R	.229	.184	.824	.553 ^c
Ordinal by Ordinal Spearman Correlation	.306	.201	.851	.423 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

**Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Jumlah Penduduk Miskin
Crosstabulation**

		Peningkatan Jumlah Penduduk Miskin			Total
		Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count 4 50.0%	Count 3 37.5%	Count 1 12.5%	Count 8 100.0%
	% within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan				
	Naik	Count 1 100.0%	Count 0 0.0%	Count 0 0.0%	Count 1 100.0%
	% within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan				
Total		Count 5 55.6%	Count 3 33.3%	Count 1 11.1%	Count 9 100.0%
		% within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan			

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.300 ^a	2	.838
Likelihood Ratio	1.275	2	.529
Linear-by-Linear Association	.658	1	.417
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.302			.838
Interval by Interval Pearson's R	-.287	.150	-.792	.454 ^c
Ordinal by Ordinal Spearman Correlation	-.306	.160	-.851	.423 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Jumlah Pengangguran
Crosstabulation

			Peningkatan Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	1 12.5%	5 62.5%	2 25.0%	8 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	2 22.2%	5 55.6%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.936 ^a	2	.148
Likelihood Ratio	3.506	2	.173
Linear-by-Linear Association	2.150	1	.134
N of Valid Cases	9		

a. 8 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.552			.148
Interval by Interval	Pearson's R	-.530	.214	-1.655	.142 ^c
Ordinal by Ordinal	Spearman Correlation	-.530	.224	-1.655	.142 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Jumlah PDRB per Kapita
Crosstabulation

			Peningkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	4 50.0%	4 50.0%	0 0.0%	8 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	4 44.4%	4 44.4%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.000 ^a	2	.011
Likelihood Ratio	6.279	2	.043
Linear-by-Linear Association	4.000	1	.048
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.787			.011
Interval by Interval Pearson's R	.787	.172	2.848	.033 ^c
Ordinal by Ordinal Spearman Correlation	.600	.226	1.984	.088 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

**Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan *Peningkatan Jumlah Pengeluaran per Kapita
Contingentation**

		Peningkatan Jumlah Pengeluaran per Kapita			Total
		Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count 2 25.0%	Count 4 50.0%	Count 2 25.0%	Count 8 100.0%
	Naik	Count 0 0.0%	Count 0 0.0%	Count 1 100.0%	Count 1 100.0%
Total		Count 2 22.2%	Count 4 44.4%	Count 3 33.3%	Count 9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.250 ^a	2	.325
Likelihood Ratio	2.460	2	.292
Linear-by-Linear Association	1.455	1	.228
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.447			.325
Interval by Interval Pearson's R	.428	.196	1.247	.252 ^c
Ordinal by Ordinal Spearman Correlation	.439	.202	1.293	.237 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Garis Kemiskinan per Kapita Cross-tabulation

			Peningkatan Dari Kemiskinan per Kapita		Total
			Turun	Naik	
Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	7 87.5%	1 12.5%	8 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	7 77.8%	2 22.2%	9 100.0%

Chi Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.936 ^a	1	.047		
Continuity Correction ^b	.502	1	.479		
Likelihood Ratio	3.506	1	.061		
Fisher's Exact Test				.222	.222
Linear-by-Linear Association	3.500	1	.061		
N of Valid Cases	9				

- a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .22.
- b. Computed only for a 2x2 table

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.552			.047
Interval by Interval	Pearson's R	.661	.265	2.333	.062 ^c
Ordinal by Ordinal	Spearman Correlation	.661	.265	2.333	.062 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Indeks Gini Cross-tabulation

			Peningkatan Indeks Gini			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	1 12.5%	2 25.0%	5 62.5%	8 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Transportasi dan Pergudangan	1 11.1%	3 33.3%	5 55.6%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.250 ^a	2	.325
Likelihood Ratio	2.460	2	.292
Linear-by-Linear Association	.421	1	.518
N of Valid Cases	9		

a. 6 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.447			.325
Interval by Interval Pearson's R	-.229	.184	-.824	.553 ^c
Ordinal by Ordinal Spearman Correlation	-.306	.201	-.851	.423 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PORB Lapangan Usaha Transportasi dan Perputangan * Peningkatan Indeks Kedalaman Kemiskinan (PI)
Crosstabs

			Peningkatan Indeks Kedalaman Kemiskinan (PI)			Total
			Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Transportasi dan Perputangan	Turun	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Perputangan	3 37.5%	2 25.0%	3 37.5%	8 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Perputangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Perputangan	4 44.4%	2 22.2%	3 33.3%	9 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.406 ^a	2	.495
Likelihood Ratio	1.790	2	.411
Linear-by-Linear Association	1.032	1	.318
N of Valid Cases	9		

a. 6 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.368			.495
Interval by Interval Pearson's R	-.309	.179	-1.018	.343 ^c
Ordinal by Ordinal Spearman Correlation	-.366	.180	-1.040	.333 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Indeks Keparahatan Kemiskinan (P2)
Crosstabulation

			Peningkatan Indeks Keparahatan Kemiskinan (P2)			Total
			Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	4 50.0%	3 37.5%	1 12.5%	8 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	5 55.6%	3 33.3%	1 11.1%	9 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.900 ^a	2	.838
Likelihood Ratio	1.275	2	.529
Linear-by-Linear Association	.658	1	.417
N of Valid Cases	9		

a. 8 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.362			.838
Interval by Interval	Pearson's R	-.287	.150	-.792	.454 ^c
Ordinal by Ordinal	Spearman Correlation	-.306	.160	-.851	.423 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan * Peningkatan Jumlah Rumah Sehat
Crosstabulation

			Peningkatan Jumlah Rumah Sehat			Total
			Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	Turun	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	4 50.0%	3 37.5%	1 12.5%	8 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total	Count % within Peningkatan PORB Lapangan Usaha Transportasi dan Pergudangan	5 55.6%	3 33.3%	1 11.1%	9 100.0%	



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.300 ^a	2	.838
Likelihood Ratio	1.275	2	.529
Linear-by-Linear Association	.658	1	.417
N of Valid Cases	9		

a. 8 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.302			.838
Interval by Interval Pearson's R	-.287	.150	-.792	.454 ^c
Ordinal by Ordinal Spearman Correlation	-.306	.160	-.851	.423 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

**Peningkatan POB Lapangan Usaha Transportasi dan Perputangan * Peningkatan Jumlah Rumah Tidak Sehat
Crosstabulation**

			Peningkatan Jumlah Rumah Tidak Sehat			Total
			Turun	Tetap	Naik	
Peningkatan POB Lapangan Usaha Transportasi dan Perputangan	Turun	Count	4	2	2	8
		% within Peningkatan POB Lapangan Usaha Transportasi dan Perputangan	50.0%	25.0%	25.0%	100.0%
	Naik	Count	1	0	0	1
		% within Peningkatan POB Lapangan Usaha Transportasi dan Perputangan	100.0%	0.0%	0.0%	100.0%
Total	Count	5	2	2	9	
	% within Peningkatan POB Lapangan Usaha Transportasi dan Perputangan	55.6%	22.2%	22.2%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.300 ^a	2	.838
Likelihood Ratio	1.275	2	.529
Linear-by-Linear Association	.667	1	.414
N of Valid Cases	9		

a. 8 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.302			.838
Interval by Interval Pearson's R	-.289	.151	-.798	.451 ^c
Ordinal by Ordinal Spearman Correlation	-.303	.157	-.841	.428 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi * Peningkatan Jumlah Tenaga Kerja
Contingentation

			Peningkatan Jumlah Tenaga Kerja			Total
			Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	2 50.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	1 25.0%	1 25.0%	4 100.0%
Total		Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.400 ^a	4	.643
Likelihood Ratio	3.001	4	.558
Linear-by-Linear Association	.237	1	.626
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.



Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.459			.643
Interval by Interval Pearson's R	.172	.310	.462	.658 ^c
Ordinal by Ordinal Spearman Correlation	.182	.344	.271	.794 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi * Peningkatan Jumlah Penduduk Miskin
Crosstabulation

		Peningkatan Jumlah Penduduk Miskin			
		Turun	Tetap	Naik	Total
Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	Turun	Count 75.0%	Count 25.0%	Count 0.0%	Count 100.0%
	Tetap	Count 0.0%	Count 100.0%	Count 0.0%	Count 100.0%
	Naik	Count 50.0%	Count 25.0%	Count 25.0%	Count 100.0%
Total		Count 55.0%	Count 33.3%	Count 11.1%	Count 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.600 ^a	4	.463
Likelihood Ratio	4.048	4	.400
Linear-by-Linear Association	.947	1	.330
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.535			.463
Interval by Interval	Pearson's R	.344	.280	.970	.365 ^a
Ordinal by Ordinal	Spearman Correlation	.306	.314	.851	.423 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkatan PORB Lapangan Usaha Informasi dan Komunikasi * Peringkatan Jumlah Pengangguran
Cross-tabulation

			Peringkatan Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peringkatan PORB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peringkatan PORB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	2 50.0%	2 50.0%	4 100.0%
	Tetap	Count % within Peringkatan PORB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringkatan PORB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	2 50.0%	0 0.0%	4 100.0%
Total		Count % within Peringkatan PORB Lapangan Usaha Informasi dan Komunikasi	2 22.2%	5 55.6%	2 22.2%	9 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.400 ^a	4	.249
Likelihood Ratio	6.920	4	.148
Linear-by-Linear Association	4.000	1	.046
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.812			.249
Interval by Interval	Pearson's R	-.787	.126	-2.646	.037 ^a
Ordinal by Ordinal	Spearman Correlation	-.787	.126	-2.646	.037 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi * Peningkatan Jumlah PDRB per Kapita
Cross-tabulation

		Peningkatan Jumlah PDRB per Kapita				
		Turun	Tetap	Naik	Total	
Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	4 100.0%	0 0.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	3 75.0%	1 25.0%	4 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	4 44.4%	4 44.4%	1 11.1%	9 100.0%

Chi Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.563 ^a	4	.048
Likelihood Ratio	12.871	4	.012
Linear-by-Linear Association	6.250	1	.012
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.718			.048
Interval by Interval	Pearson's R	.884	.037	5.000	.002 ^a
Ordinal by Ordinal	Spearman Correlation	.925	.066	6.841	.000 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi ~ Peningkatan Jumlah Pengeluaran per Kapita
Cross-tabulation

			Peningkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	2 50.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	1 25.0%	3 75.0%	4 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	2 22.2%	4 44.4%	3 33.3%	9 100.0%

Chi Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.313 ^a	4	.120
Likelihood Ratio	9.052	4	.060
Linear-by-Linear Association	5.114	1	.024
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.670			.120
Interval by Interval	Pearson's R	.900	.100	3.522	.010 ^c
Ordinal by Ordinal	Spearman Correlation	.905	.108	3.591	.009 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi - Peningkatan Garis Kemiskinan per Kapita
Cross-tabulation

			Peningkatan Garis Kemiskinan per Kapita		
			Turun	Naik	Total
Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	4 100.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	2 50.0%	4 100.0%
Total	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	7 77.8%	2 22.2%	9 100.0%	

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.214 ^a	2	.200
Likelihood Ratio	3.990	2	.138
Linear-by-Linear Association	2.571	1	.109
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.513			.200
Interval by Interval	Pearson's R	.567	.189	1.821	.115 ^a
Ordinal by Ordinal	Spearman Correlation	.567	.185	1.821	.115 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkatn PDRB Lapangan Usaha Informasi dan Komunikasi * Peringkatn Indeks Gini Cross-tabulation

			Peringkatn Indeks Gini			
			Turun	Tetap	Naik	Total
Peringkatn PDRB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peringkatn PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	2 50.0%	2 50.0%	4 100.0%
	Tetap	Count % within Peringkatn PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peringkatn PDRB Lapangan Usaha Informasi dan Komunikasi	1 25.0%	1 25.0%	2 50.0%	4 100.0%
Total		Count % within Peringkatn PDRB Lapangan Usaha Informasi dan Komunikasi	1 11.1%	3 33.3%	5 55.6%	9 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.400 ^a	4	.663
Likelihood Ratio	3.001	4	.598
Linear-by-Linear Association	.237	1	.626
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .51.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.459			.663
Interval by Interval	Pearson's R	-.172	.310	-.462	.658 ^c
Ordinal by Ordinal	Spearman Correlation	-.182	.344	-.271	.794 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi * Peningkatan Indeks Kedalaman Kemiskinan (PIK)
Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (PIK)			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	1 25.0%	1 25.0%	4 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	1 25.0%	1 25.0%	4 100.0%
Total	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	4 44.4%	2 22.2%	3 33.3%	9 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.250 ^a	4	.698
Likelihood Ratio	2.460	4	.672
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.


Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.447			.698
Interval by Interval	Pearson's R	.000	.328	.000	1.000 ^c
Ordinal by Ordinal	Spearman Correlation	.000	.331	.000	1.000 ^c
N of Valid Cases		9			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi * Peningkatan Indeks Kepuasan Kemiskinan (PZ)
Crosstabulation

			Peningkatan Indeks Kepuasan Kemiskinan (PZ)			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	3 75.0%	1 25.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	2 50.0%	0 0.0%	4 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Informasi dan Komunikasi	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.600 ^a	4	.048
Likelihood Ratio	8.920	4	.148
Linear-by-Linear Association	.237	1	.626
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.718			.048
Interval by Interval	Pearson's R	.172	.248	.462	.658 ^c
Ordinal by Ordinal	Spearman Correlation	.204	.303	.552	.598 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



**Peringkatan PORB Lapangan Usaha Informasi dan Komunikasi * Peningkatan Jumlah Rumah Sehat
Crosstabulation**

			Peningkatan Jumlah Rumah Sehat			Total
			Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	3 75.0%	1 25.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	1 25.0%	1 25.0%	4 100.0%
Total			5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.600 ^a	4	.463
Likelihood Ratio	4.048	4	.400
Linear-by-Linear Association	.947	1	.330
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.535			.463
Interval by Interval	Pearson's R	.344	.280	.970	.365 ^a
Ordinal by Ordinal	Spearman Correlation	.306	.264	.851	.423 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



WIJAYA

Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi * Peningkatan Jumlah Rumah Tidak Sehat Crosstabulation

			Peningkatan Jumlah Rumah Tidak Sehat			
			Turun	Tetap	Naik	Total
Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	Turun	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	1 25.0%	1 25.0%	4 100.0%
	Tetap	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	2 50.0%	1 25.0%	1 25.0%	4 100.0%
Total		Count % within Peningkatan PORB Lapangan Usaha Informasi dan Komunikasi	5 55.6%	2 22.2%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.900 ^a	4	.925
Likelihood Ratio	1.275	4	.988
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.



Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.302			.925
Interval by Interval Pearson's R	.000	.340	.000	1.000 ^c
Ordinal by Ordinal Spearman Correlation	.000	.343	.000	1.000 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PORB Lapangan Usaha Industri Pengolahan * Peningkatan Jumlah Tenaga Kerja Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			Total
			Turun	Tetap	Naik	
Peningkatan PORB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan PORB Lapangan Usaha Industri Pengolahan	3 60.0%	2 40.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan PORB Lapangan Usaha Industri Pengolahan	1 50.0%	1 50.0%	0 0.0%	2 100.0%
	Naik	Count % within Peningkatan PORB Lapangan Usaha Industri Pengolahan	1 50.0%	0 0.0%	1 50.0%	2 100.0%
Total		Count % within Peningkatan PORB Lapangan Usaha Industri Pengolahan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.640 ^a	4	.350
Likelihood Ratio	4.589	4	.332
Linear-by-Linear Association	.877	1	.349
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.575			.350
Interval by Interval Pearson's R	.331	.360	.928	.364 ^c
Ordinal by Ordinal Spearman Correlation	.327	.368	.816	.517 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PDRB Lapangan Usaha Industri Pengolahan * Peningkatan Jumlah Penduduk Miskin Ceresabulation

			Peningkatan Jumlah Penduduk Miskin			
			Turun	Tetap	Naik	Total
Peningkatan PDRB Lapangan Usaha Industri Pengolahan	Turun	Count	3	2	0	5
		% within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	60.0%	40.0%	0.0%	100.0%
	Tetap	Count	1	0	1	2
	% within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	50.0%	0.0%	50.0%	100.0%	
	Naik	Count	1	1	0	2
	% within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	50.0%	50.0%	0.0%	100.0%	
Total	Count		5	3	1	9
	% within Peningkatan PDRB Lapangan Usaha Industri Pengolahan		55.6%	33.3%	11.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.640 ^a	4	.350
Likelihood Ratio	4.589	4	.332
Linear-by-Linear Association	.140	1	.708
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.575			.350
Interval by Interval Pearson's R	.132	.258	.354	.734 ^c
Ordinal by Ordinal Spearman Correlation	.144	.305	.386	.711 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan POB Lapangan Usaha Industri Pengolahan * Peningkatan Jumlah Pengangguran Cerecstabulation

			Peningkatan Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peningkatan POB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	0 0.0%	3 60.0%	2 40.0%	5 100.0%
	Tetap	Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	2 100.0%	0 0.0%	0 0.0%	2 100.0%
	Naik	Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	0 0.0%	2 100.0%	0 0.0%	2 100.0%
Total		Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	2 22.2%	5 55.6%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.643 ^a	4	.034
Likelihood Ratio	11.180	4	.025
Linear-by-Linear Association	1.333	1	.248
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.733			.034
Interval by Interval	Pearson's R	-.408	.135	-1.183	.219 ^c
Ordinal by Ordinal	Spearman Correlation	-.500	.185	-1.628	.119 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan POB Lapangan Usaha Industri Pengolahan * Peningkatan Jumlah POB per Kapita Cerecstabulation

			Peningkatan Jumlah POB per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan POB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	4 80.0%	1 20.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	0 0.0%	1 50.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	0 0.0%	2 100.0%	0 0.0%	2 100.0%
Total		Count % within Peningkatan POB Lapangan Usaha Industri Pengolahan	4 44.4%	4 44.4%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.775 ^a	4	.067
Likelihood Ratio	9.593	4	.048
Linear-by-Linear Association	3.000	1	.083
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.789			.067
Interval by Interval Pearson's R	.812	.115	2.049	.062 ^a
Ordinal by Ordinal Spearman Correlation	.722	.146	2.763	.028 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkatan PDRB Lapangan Usaha Industri Pengolahan * Peringkatan Jumlah Pengeluaran per Kapita (Residentialization)

			Peringkatan Jumlah Pengeluaran per Kapita				
			Turun	Tetap	Riak	Total	
Peningkatan PDRB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	2 40.0%	3 60.0%	0 0.0%	5 100.0%	
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	0 0.0%	0 0.0%	2 100.0%	2 100.0%	
	Riak	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	0 0.0%	1 50.0%	1 50.0%	2 100.0%	
Total			Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	2 22.2%	4 44.4%	3 33.3%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.275 ^a	4	.122
Likelihood Ratio	9.593	4	.048
Linear-by-Linear Association	3.000	1	.082
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.669			.122
Interval by Interval Pearson's R	.815	.152	2.066	.076 ^a
Ordinal by Ordinal Spearman Correlation	.685	.163	2.489	.042 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Industri Pengolahan * Peningkatan Garis Kemiskinan per Kapita
Contingentablation

			Peningkatan Dari Kemiskinan per Kapita		
			Turun	Naik	Total
Peningkatan PDRB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	5 100.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 50.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 50.0%	1 50.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	7 77.8%	2 22.2%	9 100.0%

Chi Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.214 ^a	2	.200
Likelihood Ratio	3.990	2	.136
Linear-by-Linear Association	2.381	1	.123
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.553			.200
Interval by Interval	Pearson's R	.546	.249	1.722	.129 ^c
Ordinal by Ordinal	Spearman Correlation	.573	.231	1.848	.107 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Industri Pengolahan * Peningkatan Indeks Gini Contingentablation

			Peningkatan Indeks Gini			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	0 0.0%	2 40.0%	3 60.0%	5 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	0 0.0%	1 50.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 50.0%	0 0.0%	1 50.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 11.1%	3 33.3%	5 55.6%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.640 ^a	4	.350
Likelihood Ratio	4.589	4	.332
Linear-by-Linear Association	.807	1	.349
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.575			.350
Interval by Interval Pearson's R	-.331	.360	-.928	.364 ^c
Ordinal by Ordinal Spearman Correlation	-.227	.368	-.616	.557 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PDRB Lapangan Usaha Industri Pengolahan * Peningkatan Indeks Kedalaman Kemiskinan (PI) Cross-tabulation

			Peningkatan Indeks Kedalaman Kemiskinan (PI)			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	2 40.0%	1 20.0%	2 40.0%	5 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 50.0%	0 0.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	4 44.4%	2 22.2%	3 33.3%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.100 ^a	4	.717
Likelihood Ratio	3.001	4	.598
Linear-by-Linear Association	.344	1	.557
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.435			.717
Interval by Interval Pearson's R	-.307	.366	-.841	.432 ^c
Ordinal by Ordinal Spearman Correlation	-.182	.395	-.451	.659 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan PDRB Lapangan Usaha Industri Pengolahan * Peningkatan Indeks Kepuasan Konsumen (PKZ) Crosstabulation

			Peningkatan Indeks Kepuasan Konsumen (PKZ)			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	3 60.0%	1 20.0%	1 20.0%	5 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 50.0%	1 50.0%	0 0.0%	2 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	1 50.0%	1 50.0%	0 0.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.642 ^a	4	.837
Likelihood Ratio	1.816	4	.779
Linear-by-Linear Association	.035	1	.851
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.371			.837
Interval by Interval	Pearson's R	-.066	.297	-.176	.868 ^c
Ordinal by Ordinal	Spearman Correlation	.000	.332	.000	1.000 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PDRB Lapangan Usaha Industri Pengolahan * Peningkatan Jumlah Rumah Sehat Crosstabulation

			Peningkatan Jumlah Rumah Sehat			Total
			Turun	Tetap	Naik	
Peningkatan PDRB Lapangan Usaha Industri Pengolahan	Turun	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	3 60.0%	2 40.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	2 100.0%	0 0.0%	0 0.0%	2 100.0%
	Naik	Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	0 0.0%	1 50.0%	1 50.0%	2 100.0%
Total		Count % within Peningkatan PDRB Lapangan Usaha Industri Pengolahan	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.240 ^a	4	.182
Likelihood Ratio	7.361	4	.118
Linear-by-Linear Association	2.246	1	.134
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.440			.182
Interval by Interval Pearson's R	.530	.241	1.853	.142 ^a
Ordinal by Ordinal Spearman Correlation	.392	.306	1.127	.293 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan PORB Lapangan Usaha Industri Pengolahan * Peningkatan Jumlah Rumah Tidak Sehat Ordestabilisasi

			Peningkatan Jumlah Rumah Tidak Sehat			
			Turun	Tetap	Naik	Total
Peningkatan PORB Lapangan Usaha Industri Pengolahan	Turun	Count	3	1	1	5
		% within Peningkatan PORB Lapangan Usaha Industri Pengolahan	60.0%	20.0%	20.0%	100.0%
	Tetap	Count	2	0	0	2
		% within Peningkatan PORB Lapangan Usaha Industri Pengolahan	100.0%	0.0%	0.0%	100.0%
	Naik	Count	0	1	1	2
		% within Peningkatan PORB Lapangan Usaha Industri Pengolahan	0.0%	50.0%	50.0%	100.0%
Total		Count	5	2	2	9
		% within Peningkatan PORB Lapangan Usaha Industri Pengolahan	55.6%	22.2%	22.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.140 ^a	4	.387
Likelihood Ratio	5.635	4	.228
Linear-by-Linear Association	.889	1	.346
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.561			.387
Interval by Interval Pearson's R	.333	.315	.835	.401 ^a
Ordinal by Ordinal Spearman Correlation	.276	.347	.758	.473 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Jumlah Tenaga Kerja Cross-tabulation

			Peningkatan Jumlah Tenaga Kerja			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count % within Peningkatan Jumlah Kunjungan Wisatawan	4 57.1%	3 42.9%	0 0.0%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Kunjungan Wisatawan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Kunjungan Wisatawan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.771 ^a	4	.044
Likelihood Ratio	7.303	4	.121
Linear-by-Linear Association	2.579	1	.108
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.721			.044
Interval by Interval	Pearson's R	.568	.305	1.825	.111 ^c
Ordinal by Ordinal	Spearman Correlation	.306	.418	.851	.423 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Jumlah Pembujuk Mision Cross-tabulation

			Peningkatan Jumlah Pembujuk Mision			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count % within Peningkatan Jumlah Kunjungan Wisatawan	4 57.1%	2 28.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Kunjungan Wisatawan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Kunjungan Wisatawan	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.914 ^a	4	.572
Likelihood Ratio	3.484	4	.480
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.495			.572
Interval by Interval Pearson's R	.081	.247	.215	.836 ^c
Ordinal by Ordinal Spearman Correlation	.051	.302	.135	.895 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Jumlah Pengangguran Crosstabulation

			Peningkatan Jumlah Pengangguran			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count	2	3	2	7
		% within Peningkatan Jumlah Kunjungan Wisatawan	28.6%	42.9%	28.6%	100.0%
Tetap	Count	0	1	0	1	
		% within Peningkatan Jumlah Kunjungan Wisatawan	0.0%	100.0%	0.0%	100.0%
Naik	Count	0	1	0	1	
		% within Peningkatan Jumlah Kunjungan Wisatawan	0.0%	100.0%	0.0%	100.0%
Total		Count	2	5	2	9
		% within Peningkatan Jumlah Kunjungan Wisatawan	22.2%	55.6%	22.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.431			.725
Interval by Interval Pearson's R	.000	.167	.000	1.000 ^c
Ordinal by Ordinal Spearman Correlation	.000	.207	.000	1.000 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Jumlah PDRB per Kapita Crosstabulation

			Peningkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count % within Peningkatan Jumlah Kunjungan Wisatawan	4 57.1%	2 28.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Kunjungan Wisatawan	4 44.4%	4 44.4%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.214 ^a	4	.523
Likelihood Ratio	3.900	4	.407
Linear-by-Linear Association	.500	1	.480
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.513			.523
Interval by Interval	Pearson's R	.250	.263	.883	.518 ^c
Ordinal by Ordinal	Spearman Correlation	.308	.238	.949	.374 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Jumlah Pengeluaran per Kapita Crosstabulation

			Peningkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count % within Peningkatan Jumlah Kunjungan Wisatawan	2 28.6%	3 42.9%	2 28.6%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Kunjungan Wisatawan	2 22.2%	4 44.4%	3 33.3%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.629 ^a	4	.469
Likelihood Ratio	3.990	4	.407
Linear-by-Linear Association	1.136	1	.286
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.525			.469
Interval by Interval Pearson's R	.307	.234	1.077	.317 ^c
Ordinal by Ordinal Spearman Correlation	.357	.202	.885	.406 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Garis Kemiskinan per Kapita Crosstabulation

			Peningkatan Garis Kemiskinan per Kapita		
			Turun	Naik	Total
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count 8 % within Peningkatan Jumlah Kunjungan Wisatawan 88.9%	Count 1 % within Peningkatan Jumlah Kunjungan Wisatawan 11.1%	Count 9 % within Peningkatan Jumlah Kunjungan Wisatawan 100.0%	
	Tetap	Count 1 % within Peningkatan Jumlah Kunjungan Wisatawan 11.1%	Count 0 % within Peningkatan Jumlah Kunjungan Wisatawan 0.0%	Count 1 % within Peningkatan Jumlah Kunjungan Wisatawan 11.1%	
	Naik	Count 0 % within Peningkatan Jumlah Kunjungan Wisatawan 0.0%	Count 1 % within Peningkatan Jumlah Kunjungan Wisatawan 11.1%	Count 1 % within Peningkatan Jumlah Kunjungan Wisatawan 11.1%	
Total		Count 9 % within Peningkatan Jumlah Kunjungan Wisatawan 100.0%	Count 2 % within Peningkatan Jumlah Kunjungan Wisatawan 22.2%	Count 11 % within Peningkatan Jumlah Kunjungan Wisatawan 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.041 ^a	2	.133
Likelihood Ratio	3.793	2	.150
Linear-by-Linear Association	2.286	1	.131
N of Valid Cases	9		

a. 5 cells (83.3%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.557			.133
Interval by Interval Pearson's R	.535	.332	1.673	.136 ^c
Ordinal by Ordinal Spearman Correlation	.425	.306	1.243	.254 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Indeks Gini Crosstabulation

			Peningkatan Indeks Gini			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	3 42.9%	4 57.1%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Kunjungan Wisatawan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Kunjungan Wisatawan	1 11.1%	3 33.3%	5 55.6%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.771 ^a	4	.044
Likelihood Ratio	7.303	4	.121
Linear-by-Linear Association	2.579	1	.108
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.721			.044
Interval by Interval	Pearson's R	-.568	.305	-1.825	.111 ^c
Ordinal by Ordinal	Spearman Correlation	-.306	.418	-.851	.423 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Kunjungan Wisatawan * Peningkatan Indeks Kedalaman Kemiskinan (P1) Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (P1)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count % within Peningkatan Jumlah Kunjungan Wisatawan	3 42.9%	1 14.3%	3 42.9%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Kunjungan Wisatawan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Kunjungan Wisatawan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Kunjungan Wisatawan	4 44.4%	2 22.2%	3 33.3%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.036	4	.284
Linear-by-Linear Association	.129	1	.719
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.603			.273
Interval by Interval Pearson's R	-.127	.187	-.339	.745 ^c
Ordinal by Ordinal Spearman Correlation	-.183	.261	-.492	.630 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Kunjungan Wisatawan *Peningkatan Indeks Kepuasan Kemiskinan (F2) Crosstabulation

			Peningkatan Indeks Kepuasan Kemiskinan (F2)			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Kunjungan Wisatawan	Turun	Count	4	2	1	7
		% within Peningkatan Jumlah Kunjungan Wisatawan	57.1%	28.6%	14.3%	100.0%
Tetap	Count	1	0	0	1	
		% within Peningkatan Jumlah Kunjungan Wisatawan	100.0%	0.0%	0.0%	100.0%
Naik	Count	0	1	0	1	
		% within Peningkatan Jumlah Kunjungan Wisatawan	0.0%	100.0%	0.0%	100.0%
Total	Count	5	3	1	9	
	% within Peningkatan Jumlah Kunjungan Wisatawan	55.6%	33.3%	11.1%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.914 ^a	4	.572
Likelihood Ratio	3.484	4	.480
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.495			.572
Interval by Interval Pearson's R	.081	.247	.215	.836 ^c
Ordinal by Ordinal Spearman Correlation	.051	.312	-.135	.894 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkat: Jumlah Kunjungan Wisatawan * Peringkat: Jumlah Rumah Sehat Crosstabulation

			Peringkat: Jumlah Rumah Sehat			
			Turun	Tetap	Naik	Total
Peringkat: Jumlah Kunjungan Wisatawan	Turun	Count % within Peringkat: Jumlah Kunjungan Wisatawan	5 71.4%	2 28.6%	0 0.0%	7 100.0%
	Tetap	Count % within Peringkat: Jumlah Kunjungan Wisatawan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringkat: Jumlah Kunjungan Wisatawan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peringkat: Jumlah Kunjungan Wisatawan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.143 ^a	4	.025
Likelihood Ratio	8.488	4	.075
Linear-by-Linear Association	5.263	1	.022
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.744			.025
Interval by Interval	Pearson's R	.811	.140	3.669	.008 ^c
Ordinal by Ordinal	Spearman Correlation	.714	.185	2.701	.031 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkat: Jumlah Kunjungan Wisatawan * Peringkat: Jumlah Rumah Tidak Sehat Crosstabulation

			Peringkat: Jumlah Rumah Tidak Sehat			Total
			Turun	Tetap	Naik	
Peringkat: Jumlah Kunjungan Wisatawan	Turun	Count % within Peringkat: Jumlah Kunjungan Wisatawan	5 71.4%	1 14.3%	1 14.3%	7 100.0%
	Tetap	Count % within Peringkat: Jumlah Kunjungan Wisatawan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peringkat: Jumlah Kunjungan Wisatawan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peringkat: Jumlah Kunjungan Wisatawan	5 55.6%	2 22.2%	2 22.2%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.714 ^a	4	.103
Likelihood Ratio	6.762	4	.149
Linear-by-Linear Association	1.333	1	.248
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.679			.103
Interval by Interval Pearson's R	.408	.198	1.183	.276 ^c
Ordinal by Ordinal Spearman Correlation	.543	.221	1.711	.131 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkatan Jumlah Daya Tarik Wisata * Peringkatan Jumlah Tenaga Kerja - Crosstabulation

		Peringkatan Jumlah Tenaga Kerja			Total
		Turun	Tetap	Naik	
Peringkatan Jumlah Daya Tarik Wisata	Turun	Count 5 % within Peringkatan Jumlah Daya Tarik Wisata 71.4%	Count 1 % within Peringkatan Jumlah Daya Tarik Wisata 14.3%	Count 1 % within Peringkatan Jumlah Daya Tarik Wisata 14.3%	Count 7 % within Peringkatan Jumlah Daya Tarik Wisata 100.0%
	Tetap	Count 0 % within Peringkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peringkatan Jumlah Daya Tarik Wisata 100.0%	Count 0 % within Peringkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peringkatan Jumlah Daya Tarik Wisata 100.0%
	Naik	Count 0 % within Peringkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peringkatan Jumlah Daya Tarik Wisata 100.0%	Count 0 % within Peringkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peringkatan Jumlah Daya Tarik Wisata 100.0%
Total		Count 5 % within Peringkatan Jumlah Daya Tarik Wisata 55.6%	Count 3 % within Peringkatan Jumlah Daya Tarik Wisata 33.3%	Count 1 % within Peringkatan Jumlah Daya Tarik Wisata 11.1%	Count 9 % within Peringkatan Jumlah Daya Tarik Wisata 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.716	4	.221
Linear-by-Linear Association	.842	1	.359
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.683			.273
Interval by Interval Pearson's R	.324	.230	.907	.394 ^c
Ordinal by Ordinal Spearman Correlation	.459	.263	1.268	.214 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Jumlah Penduduk Miskin Crosstabulation

			Peningkatan Jumlah Penduduk Miskin			Total
			Turun	Tetap	Misk	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count % within Peningkatan Jumlah Daya Tarik Wisata	3 42.9%	3 42.9%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Misk	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Daya Tarik Wisata	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.017 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.316	1	.251
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.431			.725
Interval by Interval	Pearson's R	-.406	.148	-1.174	.279 ^c
Ordinal by Ordinal	Spearman Correlation	-.459	.166	-1.268	.214 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Jumlah Pengangguran Crosstabulation

			Peningkatan Jumlah Pengangguran			Total
			Turun	Tetap	Misk	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 14.3%	4 57.1%	2 28.6%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Misk	Count % within Peningkatan Jumlah Daya Tarik Wisata	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Daya Tarik Wisata	2 22.2%	5 55.6%	2 22.2%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.629 ^a	4	.328
Likelihood Ratio	4.531	4	.328
Linear-by-Linear Association	.500	1	.480
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.583			.328
Interval by Interval Pearson's R	-.250	.203	-.883	.518 ^c
Ordinal by Ordinal Spearman Correlation	-.354	.240	-1.000	.351 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Jumlah PDRB per Kapita Crosstabulation

		Peningkatan Jumlah PDRB per Kapita			
		Turun	Tetap	Naik	Total
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count 3 42.9%	Count 4 57.1%	Count 0 0.0%	Count 7 100.0%
	Tetap	Count 0 0.0%	Count 0 0.0%	Count 1 100.0%	Count 1 100.0%
	Naik	Count 1 100.0%	Count 0 0.0%	Count 0 0.0%	Count 1 100.0%
Total		Count 4 44.4%	Count 4 44.4%	Count 1 11.1%	Count 9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.286 ^a	4	.036
Likelihood Ratio	7.809	4	.099
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.730			.036
Interval by Interval Pearson's R	.000	.373	.000	1.000 ^c
Ordinal by Ordinal Spearman Correlation	.088	.445	-.232	.823 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Jumlah Pengeluaran per Kapita Crosstabulation

			Peningkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 14.3%	4 57.1%	2 28.6%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Daya Tarik Wisata	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Daya Tarik Wisata	2 22.2%	4 44.4%	3 33.3%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.000 ^a	4	.199
Likelihood Ratio	5.716	4	.221
Linear-by-Linear Association	.727	1	.394
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.632			.199
Interval by Interval	Pearson's R	-.302	.365	-.837	.430 ^c
Ordinal by Ordinal	Spearman Correlation	-.134	.444	-.308	.731 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Garis Kemiskinan per Kapita Crosstabulation

			Peningkatan Garis Kemiskinan per Kapita		Total
			Turun	Naik	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count % within Peningkatan Jumlah Daya Tarik Wisata	6 85.7%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Daya Tarik Wisata	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Daya Tarik Wisata	7 77.8%	2 22.2%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.041 ^a	2	.133
Likelihood Ratio	3.793	2	.150
Linear-by-Linear Association	.143	1	.705
N of Valid Cases	9		

a. 5 cells (83.3%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.557			.133
Interval by Interval Pearson's R	.134	.301	.367	.732 ^c
Ordinal by Ordinal Spearman Correlation	.283	.362	-.792	.462 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Indeks Gini Coresablation

		Peningkatan Indeks Gini			
		Turun	Tetap	Risak	Total
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count 1 % within Peningkatan Jumlah Daya Tarik Wisata 14.3%	Count 1 % within Peningkatan Jumlah Daya Tarik Wisata 14.3%	Count 5 % within Peningkatan Jumlah Daya Tarik Wisata 55.6%	Count 7 % within Peningkatan Jumlah Daya Tarik Wisata 100.0%
	Tetap	Count 0 % within Peningkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peningkatan Jumlah Daya Tarik Wisata 100.0%	Count 0 % within Peningkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peningkatan Jumlah Daya Tarik Wisata 100.0%
	Risak	Count 0 % within Peningkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peningkatan Jumlah Daya Tarik Wisata 100.0%	Count 0 % within Peningkatan Jumlah Daya Tarik Wisata 0.0%	Count 1 % within Peningkatan Jumlah Daya Tarik Wisata 100.0%
Total		Count 1 % within Peningkatan Jumlah Daya Tarik Wisata 11.1%	Count 3 % within Peningkatan Jumlah Daya Tarik Wisata 33.3%	Count 5 % within Peningkatan Jumlah Daya Tarik Wisata 55.6%	Count 9 % within Peningkatan Jumlah Daya Tarik Wisata 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.716	4	.221
Linear-by-Linear Association	.842	1	.359
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.683			.273
Interval by Interval Pearson's R	-.324	.230	-.907	.394 ^c
Ordinal by Ordinal Spearman Correlation	-.459	.263	-1.368	.214 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Indeks Kedalaman Kemiskinan (P1) Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (P1)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count % within Peningkatan Jumlah Daya Tarik Wisata	3 42.9%	1 14.3%	3 42.9%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Daya Tarik Wisata	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Daya Tarik Wisata	4 44.4%	2 22.2%	3 33.3%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.036	4	.284
Linear-by-Linear Association	.129	1	.719
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.


Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.603			.273
Interval by Interval	Pearson's R	-.127	.197	-.339	.740 ^c
Ordinal by Ordinal	Spearman Correlation	-.183	.261	-.492	.637 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Indeks Kemiskinan (P2) Crosstabulation

			Peningkatan Indeks Kemiskinan (P2)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count % within Peningkatan Jumlah Daya Tarik Wisata	3 42.9%	3 42.9%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Daya Tarik Wisata	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.316	1	.251
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.431			.725
Interval by Interval Pearson's R	-.406	.148	-5.174	.279 ^c
Ordinal by Ordinal Spearman Correlation	-.459	.166	-5.368	.214 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Jumlah Rumah Sehat Crosstabulation

		Peningkatan Jumlah Rumah Sehat			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count 3	Count 3	Count 1	Count 7
		% within Peningkatan Jumlah Daya Tarik Wisata 42.9%	% within Peningkatan Jumlah Daya Tarik Wisata 42.9%	% within Peningkatan Jumlah Daya Tarik Wisata 14.3%	% within Peningkatan Jumlah Daya Tarik Wisata 100.0%
Tetap	Count	1	0	0	1
		% within Peningkatan Jumlah Daya Tarik Wisata 100.0%	% within Peningkatan Jumlah Daya Tarik Wisata 0.0%	% within Peningkatan Jumlah Daya Tarik Wisata 0.0%	% within Peningkatan Jumlah Daya Tarik Wisata 100.0%
Naik	Count	1	0	0	1
		% within Peningkatan Jumlah Daya Tarik Wisata 100.0%	% within Peningkatan Jumlah Daya Tarik Wisata 0.0%	% within Peningkatan Jumlah Daya Tarik Wisata 0.0%	% within Peningkatan Jumlah Daya Tarik Wisata 100.0%
Total	Count	5	3	1	9
	% within Peningkatan Jumlah Daya Tarik Wisata	55.6%	33.3%	11.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.316	1	.251
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.431			.725
Interval by Interval Pearson's R	-.406	.148	-5.174	.279 ^c
Ordinal by Ordinal Spearman Correlation	-.459	.166	-5.368	.214 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Daya Tarik Wisata * Peningkatan Jumlah Rumah Tidak Sehat Crosstabulation

			Peningkatan Jumlah Rumah Tidak Sehat			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Daya Tarik Wisata	Turun	Count % within Peningkatan Jumlah Daya Tarik Wisata	3 42.9%	2 28.6%	2 28.6%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Daya Tarik Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Daya Tarik Wisata	5 55.6%	2 22.2%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.333	1	.248
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.431			.725
Interval by Interval	Pearson's R	-.408	.150	-1.183	.219 ^c
Ordinal by Ordinal	Spearman Correlation	-.455	.163	-1.350	.219 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata * Peningkatan Jumlah Tenaga Kerja Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count % within Peningkatan Jumlah Akomodasi Wisata	2 50.0%	1 25.0%	1 25.0%	4 100.0%
	Tetap	Count % within Peningkatan Jumlah Akomodasi Wisata	3 75.0%	1 25.0%	0 0.0%	4 100.0%
	Naik	Count % within Peningkatan Jumlah Akomodasi Wisata	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Akomodasi Wisata	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.600 ^a	4	.463
Likelihood Ratio	4.048	4	.400
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.535			.463
Interval by Interval Pearson's R	-.081	.318	-.215	.836 ^c
Ordinal by Ordinal Spearman Correlation	-.061	.363	-.162	.876 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata * Peningkatan Jumlah Penduduk Miskin Crosstabulation

		Peningkatan Jumlah Penduduk Miskin			
		Turun	Tetap	Naik	Total
Peningkatan Jumlah Akomodasi Wisata	Turun	Count 2 50.0%	Count 2 50.0%	Count 0 0.0%	Count 4 100.0%
	Tetap	Count 2 50.0%	Count 1 25.0%	Count 1 25.0%	Count 4 100.0%
	Naik	Count 1 100.0%	Count 0 0.0%	Count 0 0.0%	Count 1 100.0%
Total		Count 5 55.6%	Count 3 33.3%	Count 1 11.1%	Count 9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.400 ^a	4	.663
Likelihood Ratio	3.001	4	.558
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.459			.663
Interval by Interval Pearson's R	-.081	.278	-.215	.836 ^c
Ordinal by Ordinal Spearman Correlation	-.182	.302	-.271	.794 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Akomodasi Wisata * Peningkatan Jumlah Pengangguran Cross-tabulation

			Peningkatan Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count % within Peningkatan Jumlah Akomodasi Wisata	0 0.0%	3 75.0%	1 25.0%	4 100.0%
	Tetap	Count % within Peningkatan Jumlah Akomodasi Wisata	2 50.0%	1 25.0%	1 25.0%	4 100.0%
	Naik	Count % within Peningkatan Jumlah Akomodasi Wisata	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Akomodasi Wisata	2 22.2%	5 55.6%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.000 ^a	4	.399
Likelihood Ratio	5.004	4	.278
Linear-by-Linear Association	.500	1	.480
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.557			.399
Interval by Interval	Pearson's R	-.250	.193	-.883	.518 ^c
Ordinal by Ordinal	Spearman Correlation	-.283	.233	-.780	.461 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata * Peningkatan Jumlah PDRB per Kapita Cross-tabulation

			Peningkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count % within Peningkatan Jumlah Akomodasi Wisata	2 50.0%	2 50.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan Jumlah Akomodasi Wisata	1 25.0%	2 50.0%	1 25.0%	4 100.0%
	Naik	Count % within Peningkatan Jumlah Akomodasi Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Akomodasi Wisata	4 44.4%	4 44.4%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.813 ^a	4	.590
Likelihood Ratio	3.508	4	.477
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.488			.590
Interval by Interval Pearson's R	.000	.312	.000	1.000 ^a
Ordinal by Ordinal Spearman Correlation	.035	.353	.093	.929 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata * Peningkatan Jumlah Pengeluaran per Kapita Cressubstabilan

			Peningkatan Jumlah Pengeluaran per Kapita			
			Turun	Tetap	Riak	Total
Peningkatan Jumlah Akomodasi Wisata	Turun	Count	0	3	1	4
		% within Peningkatan Jumlah Akomodasi Wisata	0.0%	75.0%	25.0%	100.0%
	Tetap	Count	1	1	2	4
		% within Peningkatan Jumlah Akomodasi Wisata	25.0%	25.0%	50.0%	100.0%
	Riak	Count	1	0	0	1
		% within Peningkatan Jumlah Akomodasi Wisata	100.0%	0.0%	0.0%	100.0%
Total		Count	2	4	3	9
		% within Peningkatan Jumlah Akomodasi Wisata	22.2%	44.4%	33.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.000 ^a	4	.199
Likelihood Ratio	6.279	4	.179
Linear-by-Linear Association	1.136	1	.286
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.632			.199
Interval by Interval Pearson's R	-.377	.273	-1.017	.317 ^a
Ordinal by Ordinal Spearman Correlation	-.288	.354	-.795	.453 ^a
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Akomodasi Wisata * Peningkatan-Garis Kemiskinan per Kapita Crosstabulation

			Peningkatan-Daris Kemiskinan per Kapita		
			Turun	Naik	Total
Peningkatan Jumlah Akomodasi Wisata	Turun	Count % within Peningkatan Jumlah Akomodasi Wisata	3 75.0%	1 25.0%	4 100.0%
	Tetap	Count % within Peningkatan Jumlah Akomodasi Wisata	3 75.0%	1 25.0%	4 100.0%
	Naik	Count % within Peningkatan Jumlah Akomodasi Wisata	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Akomodasi Wisata	7 77.8%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.321 ^a	2	.852
Likelihood Ratio	.537	2	.764
Linear-by-Linear Association	.143	1	.705
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.186			.852
Interval by Interval	Pearson's R	-.134	.268	-.307	.732 ^a
Ordinal by Ordinal	Spearman Correlation	-.153	.297	-.302	.731 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata * Peningkatan Indeks Gini Crosstabulation

			Peningkatan Indeks Gini			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count % within Peningkatan Jumlah Akomodasi Wisata	1 25.0%	0 0.0%	3 75.0%	4 100.0%
	Tetap	Count % within Peningkatan Jumlah Akomodasi Wisata	0 0.0%	2 50.0%	2 50.0%	4 100.0%
	Naik	Count % within Peningkatan Jumlah Akomodasi Wisata	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Akomodasi Wisata	1 11.1%	3 33.3%	5 55.6%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.100 ^a	4	.277
Likelihood Ratio	6.620	4	.148
Linear-by-Linear Association	.211	1	.648
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.601			.277
Interval by Interval Pearson's R	-.162	.340	-.435	.672 ^c
Ordinal by Ordinal Spearman Correlation	-.265	.368	-.728	.492 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata *Peningkatan Indeks Kedalaman Kemiskinan (PI) Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (PI)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count	2	1	1	4
		% within Peningkatan Jumlah Akomodasi Wisata	50.0%	25.0%	25.0%	100.0%
	Tetap	Count	2	0	2	4
		% within Peningkatan Jumlah Akomodasi Wisata	50.0%	0.0%	50.0%	100.0%
	Naik	Count	0	1	0	1
		% within Peningkatan Jumlah Akomodasi Wisata	0.0%	100.0%	0.0%	100.0%
Total	Count	4	2	3	9	
	% within Peningkatan Jumlah Akomodasi Wisata	44.4%	22.2%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.675 ^a	4	.300
Likelihood Ratio	5.232	4	.264
Linear-by-Linear Association	.129	1	.719
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.593			.300
Interval by Interval Pearson's R	.127	.346	.339	.745 ^c
Ordinal by Ordinal Spearman Correlation	.142	.378	.378	.716 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Akomodasi Wisata * Peningkatan Indeks Kepuasan Kemiskinan (P2) Crosstabulation

			Peningkatan Indeks Kepuasan Kemiskinan (P2)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count % within Peningkatan Jumlah Akomodasi Wisata	2 50.0%	2 50.0%	0 0.0%	4 100.0%
	Tetap	Count % within Peningkatan Jumlah Akomodasi Wisata	2 50.0%	1 25.0%	1 25.0%	4 100.0%
	Naik	Count % within Peningkatan Jumlah Akomodasi Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Akomodasi Wisata	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.400 ^a	4	.663
Likelihood Ratio	3.001	4	.588
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.459			.663
Interval by Interval	Pearson's R	-.081	.278	-.215	.838 ^c
Ordinal by Ordinal	Spearman Correlation	-.182	.302	-.271	.794 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata * Peningkatan Jumlah Rumah Sehat Crosstabulation

			Peningkatan Jumlah Rumah Sehat			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count % within Peningkatan Jumlah Akomodasi Wisata	1 25.0%	2 50.0%	1 25.0%	4 100.0%
	Tetap	Count % within Peningkatan Jumlah Akomodasi Wisata	3 75.0%	1 25.0%	0 0.0%	4 100.0%
	Naik	Count % within Peningkatan Jumlah Akomodasi Wisata	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Akomodasi Wisata	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.300 ^a	4	.509
Likelihood Ratio	4.048	4	.400
Linear-by-Linear Association	2.579	1	.108
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.519			.509
Interval by Interval Pearson's R	-.588	.178	-3.825	.011 ^c
Ordinal by Ordinal Spearman Correlation	-.592	.219	-3.943	.003 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Akomodasi Wisata * Peningkatan Jumlah Rumah Tidak Sehat Crosstabulation

		Peningkatan Jumlah Rumah Tidak Sehat			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Akomodasi Wisata	Turun	Count 1 % within Peningkatan Jumlah Akomodasi Wisata 25.0%	Count 1 % within Peningkatan Jumlah Akomodasi Wisata 25.0%	Count 2 % within Peningkatan Jumlah Akomodasi Wisata 50.0%	Count 4 % within Peningkatan Jumlah Akomodasi Wisata 100.0%
	Tetap	Count 3 % within Peningkatan Jumlah Akomodasi Wisata 75.0%	Count 1 % within Peningkatan Jumlah Akomodasi Wisata 25.0%	Count 0 % within Peningkatan Jumlah Akomodasi Wisata 0.0%	Count 4 % within Peningkatan Jumlah Akomodasi Wisata 100.0%
	Naik	Count 1 % within Peningkatan Jumlah Akomodasi Wisata 100.0%	Count 0 % within Peningkatan Jumlah Akomodasi Wisata 0.0%	Count 0 % within Peningkatan Jumlah Akomodasi Wisata 0.0%	Count 1 % within Peningkatan Jumlah Akomodasi Wisata 100.0%
Total		Count 5 % within Peningkatan Jumlah Akomodasi Wisata 55.6%	Count 2 % within Peningkatan Jumlah Akomodasi Wisata 22.2%	Count 2 % within Peningkatan Jumlah Akomodasi Wisata 22.2%	Count 9 % within Peningkatan Jumlah Akomodasi Wisata 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.050 ^a	4	.399
Likelihood Ratio	5.094	4	.278
Linear-by-Linear Association	3.000	1	.083
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.557			.399
Interval by Interval Pearson's R	-.612	.175	-3.049	.005 ^c
Ordinal by Ordinal Spearman Correlation	-.626	.201	-3.126	.011 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Jumlah Tenaga Kerja Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	3 60.0%	2 40.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	2 66.7%	1 33.3%	0 0.0%	3 100.0%
	Naik	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Restoran dan Rumah Makan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.043 ^a	4	.060
Likelihood Ratio	6.315	4	.177
Linear-by-Linear Association	2.216	1	.137
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.708			.060
Interval by Interval	Pearson's R	.526	.302	1.638	.145 ^c
Ordinal by Ordinal	Spearman Correlation	.303	.369	.835	.481 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Jumlah Pembujuk Mesin Crosstabulation

			Peningkatan Jumlah Pembujuk Mesin			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	3 60.0%	2 40.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	2 66.7%	0 0.0%	1 33.3%	3 100.0%
	Naik	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Restoran dan Rumah Makan	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.040 ^a	4	.283
Likelihood Ratio	6.305	4	.177
Linear-by-Linear Association	.470	1	.493
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.599			.283
Interval by Interval Pearson's R	.289	.205	.800	.450 ^c
Ordinal by Ordinal Spearman Correlation	.250	.292	.483	.516 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Jumlah Pengangguran Crestabilisasi

			Peningkatan Jumlah Pengangguran			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count	0	3	2	5
		% within Peningkatan Jumlah Restoran dan Rumah Makan	0.0%	60.0%	40.0%	100.0%
	Tetap	Count	2	1	0	3
		% within Peningkatan Jumlah Restoran dan Rumah Makan	66.7%	33.3%	0.0%	100.0%
	Naik	Count	0	1	0	1
		% within Peningkatan Jumlah Restoran dan Rumah Makan	0.0%	100.0%	0.0%	100.0%
Total		Count	2	5	2	9
		% within Peningkatan Jumlah Restoran dan Rumah Makan	22.2%	55.6%	22.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.240 ^a	4	.182
Likelihood Ratio	7.361	4	.118
Linear-by-Linear Association	1.895	1	.169
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.640			.182
Interval by Interval Pearson's R	-.487	.157	-3.074	.004 ^c
Ordinal by Ordinal Spearman Correlation	-.577	.161	-3.571	.004 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkatan Jumlah Restoran dan Rumah Makan * Peringkatan Jumlah PDRB per Kapita Crosstabulation

			Peringkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peringkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peringkatan Jumlah Restoran dan Rumah Makan	4 80.0%	1 20.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peringkatan Jumlah Restoran dan Rumah Makan	0 0.0%	2 66.7%	1 33.3%	3 100.0%
	Naik	Count % within Peringkatan Jumlah Restoran dan Rumah Makan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peringkatan Jumlah Restoran dan Rumah Makan	4 44.4%	4 44.4%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.900 ^a	4	.141
Likelihood Ratio	8.546	4	.073
Linear-by-Linear Association	3.368	1	.066
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.659			.141
Interval by Interval	Pearson's R	.649	.118	2.256	.059 ^c
Ordinal by Ordinal	Spearman Correlation	.755	.136	3.049	.019 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkatan Jumlah Restoran dan Rumah Makan * Peringkatan Jumlah Pengeluaran per Kapita Crosstabulation

			Peringkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peringkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peringkatan Jumlah Restoran dan Rumah Makan	2 40.0%	3 60.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peringkatan Jumlah Restoran dan Rumah Makan	0 0.0%	1 33.3%	2 66.7%	3 100.0%
	Naik	Count % within Peringkatan Jumlah Restoran dan Rumah Makan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peringkatan Jumlah Restoran dan Rumah Makan	2 22.2%	4 44.4%	3 33.3%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.600 ^a	4	.171
Likelihood Ratio	8.546	4	.073
Linear-by-Linear Association	4.598	1	.032
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.645			.171
Interval by Interval Pearson's R	.758	.056	3.076	.018 ^c
Ordinal by Ordinal Spearman Correlation	.797	.088	3.489	.018 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

**Peningkatan Jumlah Restoran dan Rumah Makan "Peningkatan Garis Kemiskinan per Kapita
Crosstabulation**

			Peningkatan Garis Kemiskinan per Kapita		Total
			Turun	Naik	
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	5 100.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	2 66.7%	1 33.3%	3 100.0%
	Naik	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Restoran dan Rumah Makan	7 77.8%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	2	.076
Likelihood Ratio	5.716	2	.067
Linear-by-Linear Association	4.346	1	.037
N of Valid Cases	9		

a. 6 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.683			.076
Interval by Interval Pearson's R	.737	.162	2.685	.023 ^c
Ordinal by Ordinal Spearman Correlation	.894	.174	2.853	.028 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Indeks Gini Crosstabulation

			Peningkatan Indeks Gini			Total	
			Turun	Tetap	Naik		
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	2 40.0%	3 60.0%	5 100.0%	
	Tetap	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	1 33.3%	2 66.7%	3 100.0%	
	Naik	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	1 100.0%	0 0.0%	0 0.0%	1 100.0%	
Total			Count % within Peningkatan Jumlah Restoran dan Rumah Makan	1 11.1%	3 33.3%	5 55.6%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.043 ^a	4	.060
Likelihood Ratio	6.315	4	.177
Linear-by-Linear Association	2.216	1	.137
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.708			.060
Interval by Interval	Pearson's R	-.526	.302	-1.638	.145 ^c
Ordinal by Ordinal	Spearman Correlation	-.303	.369	-.935	.381 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Indeks Kedalaman Kemiskinan (PI) Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (PI)			Total	
			Turun	Tetap	Naik		
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	2 40.0%	1 20.0%	2 40.0%	5 100.0%	
	Tetap	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	2 66.7%	0 0.0%	1 33.3%	3 100.0%	
	Naik	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	1 100.0%	0 0.0%	1 100.0%	
Total			Count % within Peningkatan Jumlah Restoran dan Rumah Makan	4 44.4%	2 22.2%	3 33.3%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.600 ^a	4	.331
Likelihood Ratio	4.727	4	.318
Linear-by-Linear Association	.054	1	.818
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.582			.331
Interval by Interval Pearson's R	-.082	.201	-.218	.833 ^c
Ordinal by Ordinal Spearman Correlation	-.100	.297	-.265	.799 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Indeks Kepuasan Konsumen (P2) Crosstabulation

		Peningkatan Indeks Kepuasan Konsumen (P2)			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count 3 60.0%	Count 1 20.0%	Count 1 20.0%	Count 5 100.0%
	Tetap	Count 2 66.7%	Count 1 33.3%	Count 0 0.0%	Count 3 100.0%
	Naik	Count 0 0.0%	Count 1 100.0%	Count 0 0.0%	Count 1 100.0%
Total		Count 5 55.6%	Count 3 33.3%	Count 1 11.1%	Count 9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.040 ^a	4	.551
Likelihood Ratio	3.542	4	.471
Linear-by-Linear Association	.022	1	.882
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.582			.551
Interval by Interval Pearson's R	.053	.298	.139	.893 ^c
Ordinal by Ordinal Spearman Correlation	.083	.343	.221	.831 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Jumlah Rumah Sehat Crosstabulation

			Peningkatan Jumlah Rumah Sehat			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	3 60.0%	2 40.0%	0 0.0%	5 100.0%
	Tetap	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	2 66.7%	1 33.3%	0 0.0%	3 100.0%
	Naik	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Restoran dan Rumah Makan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.043 ^a	4	.060
Likelihood Ratio	6.315	4	.177
Linear-by-Linear Association	2.216	1	.137
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.708			.060
Interval by Interval	Pearson's R	.526	.302	1.638	.145 ^c
Ordinal by Ordinal	Spearman Correlation	.303	.369	.835	.481 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Restoran dan Rumah Makan * Peningkatan Jumlah Rumah Tidak Sehat Crosstabulation

			Peningkatan Jumlah Rumah Tidak Sehat			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Restoran dan Rumah Makan	Turun	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	3 60.0%	1 20.0%	1 20.0%	5 100.0%
	Tetap	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	2 66.7%	0 0.0%	1 33.3%	3 100.0%
	Naik	Count % within Peningkatan Jumlah Restoran dan Rumah Makan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Restoran dan Rumah Makan	5 55.6%	2 22.2%	2 22.2%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.640 ^a	4	.358
Likelihood Ratio	4.589	4	.332
Linear-by-Linear Association	.140	1	.708
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.575			.358
Interval by Interval Pearson's R	.132	.258	.354	.734 ^c
Ordinal by Ordinal Spearman Correlation	.144	.305	.386	.711 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Jumlah Tenaga Kerja Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Bar	Turun	Count	4	3	0	7
		% within Peningkatan Jumlah Bar	57.1%	62.9%	0.0%	100.0%
	Naik	Count	1	0	1	2
		% within Peningkatan Jumlah Bar	50.0%	0.0%	50.0%	100.0%
Total		Count	5	3	1	9
		% within Peningkatan Jumlah Bar	55.6%	33.3%	11.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.371 ^a	2	.112
Likelihood Ratio	4.531	2	.104
Linear-by-Linear Association	.962	1	.327
N of Valid Cases	9		

a. 6 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.572			.112
Interval by Interval Pearson's R	.347	.304	.978	.362 ^c
Ordinal by Ordinal Spearman Correlation	.231	.411	.629	.549 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



BRAWIJAYA



Peningkatan Jumlah Bar * Peningkatan Jumlah Pembujuk Misin Crosstabulation

			Peningkatan Jumlah Pembujuk Misin			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Bar	Turun	Count	4	2	1	7
		% within Peningkatan Jumlah Bar	57.1%	26.6%	14.3%	100.0%
	Naik	Count	1	1	0	2
		% within Peningkatan Jumlah Bar	50.0%	50.0%	0.0%	100.0%
Total			5	3	1	9
			55.6%	33.3%	11.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.514 ^a	2	.773
Likelihood Ratio	.712	2	.701
Linear-by-Linear Association	.015	1	.902
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.232			.773
Interval by Interval	Pearson's R	-.043	.268	-.115	.912 ^c
Ordinal by Ordinal	Spearman Correlation	.000	.306	.000	1.000 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.


Peningkatan Jumlah Bar * Peningkatan Jumlah Pengangguran Crosstabulation

			Peningkatan Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Bar	Turun	Count	2	3	2	7
		% within Peningkatan Jumlah Bar	28.6%	42.9%	28.6%	100.0%
	Naik	Count	0	2	0	2
		% within Peningkatan Jumlah Bar	0.0%	100.0%	0.0%	100.0%
Total			2	5	2	9
			22.2%	55.6%	22.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.017 ^a	2	.368
Likelihood Ratio	2.805	2	.246
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .44.



Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.431			.358
Interval by Interval	Pearson's R	.000	.178	.000	1.000 ^c
Ordinal by Ordinal	Spearman Correlation	.000	.229	.000	1.000 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Jumlah PDRB per Kapita Crosstabulation

			Peningkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Bar	Turun	Count	4	2	1	7
		% within Peningkatan Jumlah Bar	57.1%	28.6%	14.3%	100.0%
Naik	Count	0	2	0	2	
		% within Peningkatan Jumlah Bar	0.0%	100.0%	0.0%	100.0%
Total		Count	4	4	1	9
		% within Peningkatan Jumlah Bar	44.4%	44.4%	11.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.214 ^a	2	.069
Likelihood Ratio	3.990	2	.036
Linear-by-Linear Association	.571	1	.450
N of Valid Cases		9	

- a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.



Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.513			.200
Interval by Interval	Pearson's R	.267	.267	.734	.467 ^c
Ordinal by Ordinal	Spearman Correlation	.340	.241	.957	.376 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Jumlah Pengeluaran per Kapita Crosstabulation

			Peningkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Bar	Turun	Count	2	3	2	7
		% within Peningkatan Jumlah Bar	28.6%	42.9%	28.6%	100.0%
Naik	Count	0	1	1	2	
		% within Peningkatan Jumlah Bar	0.0%	50.0%	50.0%	100.0%
Total		Count	2	4	3	9
		% within Peningkatan Jumlah Bar	22.2%	44.4%	33.3%	100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.804 ^a	2	.669
Likelihood Ratio	1.217	2	.544
Linear-by-Linear Association	.836	1	.425
N of Valid Cases	9		

a. 8 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.286			.669
Interval by Interval Pearson's R	.282	.249	.778	.462 ^c
Ordinal by Ordinal Spearman Correlation	.277	.264	.762	.471 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Garis Kemiskinan per Kapita Crosstabulation

			Peningkatan Garis Kemiskinan per Kapita		Total
			Turun	Naik	
Peningkatan Jumlah Bar	Turun	Count	6	1	7
		% within Peningkatan Jumlah Bar	85.7%	14.3%	100.0%
	Naik	Count	1	1	2
		% within Peningkatan Jumlah Bar	50.0%	50.0%	100.0%
Total		Count	7	2	9
		% within Peningkatan Jumlah Bar	77.8%	22.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.148 ^a	1	.284		
Continuity Correction ^b	.011	1	.915		
Likelihood Ratio	1.020	1	.312		
Fisher's Exact Test				.417	.417
Linear-by-Linear Association	1.020	1	.312		
N of Valid Cases	9				

- a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .44.
- b. Computed only for a 2x2 table.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.336			.284
Interval by Interval Pearson's R	.357	.367	1.012	.345 ^c
Ordinal by Ordinal Spearman Correlation	.357	.367	1.012	.345 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Indeks Gini Crosstabulation

			Peningkatan Indeks Gini			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Bar	Turun	Count	0	3	4	7
		% within Peningkatan Jumlah Bar	0.0%	42.9%	57.1%	100.0%
	Naik	Count	1	0	1	2
		% within Peningkatan Jumlah Bar	50.0%	0.0%	50.0%	100.0%
Total		Count	1	3	5	9
		% within Peningkatan Jumlah Bar	11.1%	33.3%	55.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.371 ^a	2	.112
Likelihood Ratio	4.531	2	.104
Linear-by-Linear Association	.962	1	.327
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.572			.112
Interval by Interval	Pearson's R	-.347	.304	-.978	.360 ^c
Ordinal by Ordinal	Spearman Correlation	-.231	.411	-.629	.540 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Indeks Kedalaman Kemiskinan (P1) Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (P1)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Bar	Turun	Count	3	1	3	7
		% within Peningkatan Jumlah Bar	42.9%	14.3%	42.9%	100.0%
	Naik	Count	1	1	0	2
		% within Peningkatan Jumlah Bar	50.0%	50.0%	0.0%	100.0%
Total		Count	4	2	3	9
		% within Peningkatan Jumlah Bar	44.4%	22.2%	33.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.768 ^a	2	.613
Likelihood Ratio	2.263	2	.322
Linear-by-Linear Association	.452	1	.502
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

TAS BRAWIJAYA



Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.405			.413
Interval by Interval	Pearson's R	-.238	.232	-.647	.538 ^c
Ordinal by Ordinal	Spearman Correlation	-.221	.261	-.600	.567 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Indeks Keparahan Kemiskinan (P2) Crosstabulation

		Peningkatan Indeks Keparahan Kemiskinan (P2)			Total	
		Turun	Tetap	Naik		
Peningkatan Jumlah Bar	Turun	Count	4	2	1	7
		% within Peningkatan Jumlah Bar	57.1%	28.6%	14.3%	100.0%
	Naik	Count	1	1	0	2
		% within Peningkatan Jumlah Bar	50.0%	50.0%	0.0%	100.0%
Total		Count	5	3	1	9
		% within Peningkatan Jumlah Bar	55.6%	33.3%	11.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.516 ^a	2	.773
Likelihood Ratio	.712	2	.701
Linear-by-Linear Association	.015	1	.902
N of Valid Cases		9	

- a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.



Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.232			.773
Interval by Interval	Pearson's R	-.043	.268	-.115	.912 ^c
Ordinal by Ordinal	Spearman Correlation	.000	.306	.000	1.000 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar * Peningkatan Jumlah Rumah Sehat Crosstabulation

		Peningkatan Jumlah Rumah Sehat			Total	
		Turun	Tetap	Naik		
Peningkatan Jumlah Bar	Turun	Count	5	2	0	7
		% within Peningkatan Jumlah Bar	71.4%	28.6%	0.0%	100.0%
	Naik	Count	0	1	1	2
		% within Peningkatan Jumlah Bar	0.0%	50.0%	50.0%	100.0%
Total		Count	5	3	1	9
		% within Peningkatan Jumlah Bar	55.6%	33.3%	11.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	2	.076
Likelihood Ratio	5.716	2	.067
Linear-by-Linear Association	4.346	1	.037
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.603			.076
Interval by Interval Pearson's R	.737	.152	2.895	.023 ^c
Ordinal by Ordinal Spearman Correlation	.694	.174	2.553	.036 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Bar *Peningkatan Jumlah Rumah Tidak Sehat Cross-tabulation

		Peningkatan Jumlah Rumah Tidak Sehat			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Bar	Turun	Count 5	Count 1	Count 1	7
		% within Peningkatan Jumlah Bar 71.4%	% within Peningkatan Jumlah Bar 14.3%	% within Peningkatan Jumlah Bar 14.3%	
Naik	Count	0	1	1	2
		% within Peningkatan Jumlah Bar 0.0%	% within Peningkatan Jumlah Bar 50.0%	% within Peningkatan Jumlah Bar 50.0%	
Total		Count 5	Count 2	Count 2	9
		% within Peningkatan Jumlah Bar 55.6%	% within Peningkatan Jumlah Bar 22.2%	% within Peningkatan Jumlah Bar 22.2%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.214 ^a	2	.068
Likelihood Ratio	3.990	2	.038
Linear-by-Linear Association	2.381	1	.123
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .44.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.513			.068
Interval by Interval Pearson's R	.546	.249	1.722	.129 ^c
Ordinal by Ordinal Spearman Correlation	.573	.231	1.848	.097 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



BRAWIJAYA



Peningkatan Jumlah Industri Kecil dan Menengah * Peningkatan Jumlah Tenaga Kerja Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	3 42.9%	3 42.9%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Industri Kecil dan Menengah	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.316	1	.251
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.431			.725
Interval by Interval	Pearson's R	-.406	.148	-1.174	.279 ^c
Ordinal by Ordinal	Spearman Correlation	-.459	.166	-1.368	.214 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Industri Kecil dan Menengah * Peningkatan Jumlah Pembujuk Mesin Crosstabulation

			Peningkatan Jumlah Pembujuk Mesin			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	5 71.4%	1 14.3%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Industri Kecil dan Menengah	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.716	4	.221
Linear-by-Linear Association	.842	1	.359
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.583			.273
Interval by Interval Pearson's R	.324	.230	.907	.394 ^c
Ordinal by Ordinal Spearman Correlation	.459	.263	1.368	.214 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Industri Kecil dan Menengah * Peningkatan Jumlah Pengangguran Crestabilisasi

			Peningkatan Jumlah Pengangguran			
			Turun	Tetap	Naik	Total
Peningkatan Jumlah Industri Kecil dan Menengah	Turun	Count	2	4	1	7
		% within Peningkatan Jumlah Industri Kecil dan Menengah	28.6%	57.1%	14.3%	100.0%
Tetap	Count	0	1	0	1	
		% within Peningkatan Jumlah Industri Kecil dan Menengah	0.0%	100.0%	0.0%	100.0%
Naik	Count	0	0	1	1	
		% within Peningkatan Jumlah Industri Kecil dan Menengah	0.0%	0.0%	100.0%	100.0%
Total		Count	2	5	2	9
		% within Peningkatan Jumlah Industri Kecil dan Menengah	22.2%	55.6%	22.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.629 ^a	4	.328
Likelihood Ratio	4.531	4	.339
Linear-by-Linear Association	2.000	1	.157
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.583			.328
Interval by Interval Pearson's R	.500	.239	1.528	.170 ^c
Ordinal by Ordinal Spearman Correlation	.442	.264	1.303	.234 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkatan Jumlah Industri Kecil dan Menengah * Peringkatan Jumlah PDRB per Kapita Crosstabulation

			Peringkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peringkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	3 42.9%	3 42.9%	1 14.3%	7 100.0%
	Tetap	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peringkatan Jumlah Industri Kecil dan Menengah	4 44.4%	4 44.4%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.571 ^a	4	.632
Likelihood Ratio	3.310	4	.507
Linear-by-Linear Association	.500	1	.480
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.471			.632
Interval by Interval	Pearson's R	-.250	.238	-.663	.516 ^c
Ordinal by Ordinal	Spearman Correlation	-.163	.301	-.435	.676 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkatan Jumlah Industri Kecil dan Menengah * Peringkatan Jumlah Pengeluaran per Kapita Crosstabulation

			Peringkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peringkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	2 28.6%	2 28.6%	3 42.9%	7 100.0%
	Tetap	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peringkatan Jumlah Industri Kecil dan Menengah	2 22.2%	4 44.4%	3 33.3%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.214 ^a	4	.523
Likelihood Ratio	3.990	4	.407
Linear-by-Linear Association	.045	1	.831
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.513			.523
Interval by Interval Pearson's R	-.075	.171	-.200	.847 ^c
Ordinal by Ordinal Spearman Correlation	-.110	.244	-.292	.779 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Industri Kecil dan Menengah "Peningkatan Garis Kemiskinan per Kapita
Crosstabulation

			Peningkatan Garis Kemiskinan per Kapita		Total
			Turun	Naik	
Peningkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	5 71.4%	2 28.6%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Industri Kecil dan Menengah	7 77.8%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.735 ^a	2	.693
Likelihood Ratio	1.159	2	.560
Linear-by-Linear Association	.571	1	.450
N of Valid Cases	9		

a. 5 cells (83.3%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.375			.693
Interval by Interval Pearson's R	-.267	.127	-.734	.487 ^c
Ordinal by Ordinal Spearman Correlation	-.283	.134	-.782	.462 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Industri Kecil dan Menengah * Peningkatan Indeks Gini Cross-tabulation

			Peningkatan Indeks Gini			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	1 14.3%	3 42.9%	3 42.9%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Industri Kecil dan Menengah	1 11.1%	3 33.3%	5 55.6%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.316	1	.251
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.431			.725
Interval by Interval	Pearson's R	.406	.148	1.174	.279 ^c
Ordinal by Ordinal	Spearman Correlation	.459	.166	1.368	.214 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Industri Kecil dan Menengah * Peningkatan Indeks Kedalaman Kemiskinan (PI) Cross-tabulation

			Peningkatan Indeks Kedalaman Kemiskinan (PI)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	4 57.1%	2 28.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Industri Kecil dan Menengah	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Industri Kecil dan Menengah	4 44.4%	2 22.2%	3 33.3%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.716	4	.221
Linear-by-Linear Association	3.226	1	.072
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.603			.273
Interval by Interval Pearson's R	.635	.166	2.175	.066 ^c
Ordinal by Ordinal Spearman Correlation	.659	.173	2.316	.054 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Industri Kecil dan Menengah * Peningkatan Indeks Kepuasan Komisioner (P2) Crosstabulation

		Peningkatan Indeks Kepuasan Komisioner (P2)			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Industri Kecil dan Menengah	Turun	Count 5 % within Peningkatan Jumlah Industri Kecil dan Menengah 71.4%	Count 2 % within Peningkatan Jumlah Industri Kecil dan Menengah 28.6%	Count 0 % within Peningkatan Jumlah Industri Kecil dan Menengah 0.0%	7
	Tetap	Count 0 % within Peningkatan Jumlah Industri Kecil dan Menengah 0.0%	Count 0 % within Peningkatan Jumlah Industri Kecil dan Menengah 0.0%	Count 1 % within Peningkatan Jumlah Industri Kecil dan Menengah 100.0%	1
	Naik	Count 0 % within Peningkatan Jumlah Industri Kecil dan Menengah 0.0%	Count 1 % within Peningkatan Jumlah Industri Kecil dan Menengah 100.0%	Count 0 % within Peningkatan Jumlah Industri Kecil dan Menengah 0.0%	1
Total		Count 5 % within Peningkatan Jumlah Industri Kecil dan Menengah 55.6%	Count 3 % within Peningkatan Jumlah Industri Kecil dan Menengah 33.3%	Count 1 % within Peningkatan Jumlah Industri Kecil dan Menengah 11.1%	9

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.143 ^a	4	.025
Likelihood Ratio	8.488	4	.075
Linear-by-Linear Association	2.579	1	.108
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.744			.025
Interval by Interval Pearson's R	.588	.113	5.825	.011 ^c
Ordinal by Ordinal Spearman Correlation	.663	.154	2.346	.061 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringkatan Jumlah Industri Kecil dan Menengah * Peringkatan Jumlah Rumah Sehat Crosstabulation

			Peringkatan Jumlah Rumah Sehat			
			Turun	Tetap	Naik	Total
Peringkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	5 71.4%	1 14.3%	1 14.3%	7 100.0%
	Tetap	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peringkatan Jumlah Industri Kecil dan Menengah	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.716	4	.221
Linear-by-Linear Association	.842	1	.359
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.653			.273
Interval by Interval	Pearson's R	.324	.230	.907	.394 ^c
Ordinal by Ordinal	Spearman Correlation	.459	.263	1.368	.214 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkatan Jumlah Industri Kecil dan Menengah * Peringkatan Jumlah Rumah Tidak Sehat Crosstabulation

			Peringkatan Jumlah Rumah Tidak Sehat			Total
			Turun	Tetap	Naik	
Peringkatan Jumlah Industri Kecil dan Menengah	Turun	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	4 57.1%	2 28.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringkatan Jumlah Industri Kecil dan Menengah	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peringkatan Jumlah Industri Kecil dan Menengah	5 55.6%	2 22.2%	2 22.2%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.629 ^a	4	.328
Likelihood Ratio	4.531	4	.328
Linear-by-Linear Association	1.333	1	.248
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.583			.328
Interval by Interval Pearson's R	.408	.300	1.183	.275 ^c
Ordinal by Ordinal Spearman Correlation	.340	.387	.854	.534 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Moda Angkutan * Peningkatan Jumlah Tenaga Kerja Crosstabulation

		Peningkatan Jumlah Tenaga Kerja			
		Turun	Tetap	Naik	Total
Peningkatan Jumlah Moda Angkutan	Turun	Count 5	Count 2	Count 0	Count 7
		% within Peningkatan Jumlah Moda Angkutan 71.4%	% within Peningkatan Jumlah Moda Angkutan 28.6%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
	Tetap	Count 0	Count 1	Count 0	Count 1
	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	
	Naik	Count 0	Count 0	Count 1	Count 1
	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	
Total	Count 5	Count 3	Count 1	Count 9	
	% within Peningkatan Jumlah Moda Angkutan 55.6%	% within Peningkatan Jumlah Moda Angkutan 33.3%	% within Peningkatan Jumlah Moda Angkutan 11.1%	% within Peningkatan Jumlah Moda Angkutan 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.143 ^a	4	.025
Likelihood Ratio	8.488	4	.075
Linear-by-Linear Association	5.263	1	.022
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.744			.025
Interval by Interval Pearson's R	.811	.140	3.669	.008 ^c
Ordinal by Ordinal Spearman Correlation	.714	.185	2.701	.031 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Moda Angkutan * Peningkatan Jumlah Pembujuk Mesin Crosstabulation

			Peningkatan Jumlah Pembujuk Mesin			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count	4	2	1	7
		% within Peningkatan Jumlah Moda Angkutan	57.1%	28.6%	14.3%	100.0%
	Tetap	Count	1	0	0	1
		% within Peningkatan Jumlah Moda Angkutan	100.0%	0.0%	0.0%	100.0%
	Naik	Count	0	1	0	1
		% within Peningkatan Jumlah Moda Angkutan	0.0%	100.0%	0.0%	100.0%
Total	Count	5	3	1	9	
	% within Peningkatan Jumlah Moda Angkutan	55.6%	33.3%	11.1%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.914 ^a	4	.572
Likelihood Ratio	3.484	4	.490
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.495			.572
Interval by Interval Pearson's R	.081	.247	.215	.836 ^c
Ordinal by Ordinal Spearman Correlation	.051	.312	.135	.894 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Moda Angkutan * Peningkatan Jumlah Pengangguran Crosstabulation

			Peningkatan Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count	1	4	2	7
		% within Peningkatan Jumlah Moda Angkutan	14.3%	57.1%	28.6%	100.0%
	Tetap	Count	1	0	0	1
		% within Peningkatan Jumlah Moda Angkutan	100.0%	0.0%	0.0%	100.0%
	Naik	Count	0	1	0	1
		% within Peningkatan Jumlah Moda Angkutan	0.0%	100.0%	0.0%	100.0%
Total	Count	2	5	2	9	
	% within Peningkatan Jumlah Moda Angkutan	22.2%	55.6%	22.2%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.629 ^a	4	.328
Likelihood Ratio	4.531	4	.329
Linear-by-Linear Association	.500	1	.480
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.



Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.583			.328
Interval by Interval	Pearson's R	-.250	.263	-.683	.518 ^c
Ordinal by Ordinal	Spearman Correlation	-.354	.240	-.900	.351 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Moda Angkutan * Peningkatan Jumlah PDRB per Kapita Crosstabulation

		Peningkatan Jumlah PDRB per Kapita			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count 4	Count 3	Count 0	Count 7
		% within Peningkatan Jumlah Moda Angkutan 57.1%	% within Peningkatan Jumlah Moda Angkutan 42.9%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Tetap	Count	0	0	1	1
		% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Naik	Count	0	1	0	1
		% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Total		Count 4	Count 4	Count 1	Count 9
		% within Peningkatan Jumlah Moda Angkutan 44.4%	% within Peningkatan Jumlah Moda Angkutan 44.4%	% within Peningkatan Jumlah Moda Angkutan 11.1%	% within Peningkatan Jumlah Moda Angkutan 100.0%

Chi-Square Tests


	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.286 ^a	4	.036
Likelihood Ratio	7.809	4	.099
Linear-by-Linear Association	2.000	1	.157
N of Valid Cases		9	

- a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.730			.036
Interval by Interval	Pearson's R	.500	.125	1.528	.170 ^c
Ordinal by Ordinal	Spearman Correlation	.588	.155	1.921	.095 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



BRAWIJAYA



Peningkatan Jumlah Moda Angkutan * Peningkatan Jumlah Pengeluaran per Kapita Crosstabulation

			Peningkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count	2	4	1	7
		% within Peningkatan Jumlah Moda Angkutan	28.6%	57.1%	14.3%	100.0%
	Tetap	Count	0	0	1	1
		% within Peningkatan Jumlah Moda Angkutan	0.0%	0.0%	100.0%	100.0%
	Naik	Count	0	0	1	1
		% within Peningkatan Jumlah Moda Angkutan	0.0%	0.0%	100.0%	100.0%
Total	Count	2	4	3	9	
	% within Peningkatan Jumlah Moda Angkutan	22.2%	44.4%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.716	4	.221
Linear-by-Linear Association	2.909	1	.088
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.603			.273
Interval by Interval	Pearson's R	.603	.155	2.000	.088 ^c
Ordinal by Ordinal	Spearman Correlation	.659	.173	2.316	.064 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Moda Angkutan * Peningkatan Garis Kemiskinan per Kapita Crosstabulation

			Peningkatan Garis Kemiskinan per Kapita		Total
			Turun	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count	7	0	7
		% within Peningkatan Jumlah Moda Angkutan	100.0%	0.0%	100.0%
	Tetap	Count	0	1	1
		% within Peningkatan Jumlah Moda Angkutan	0.0%	100.0%	100.0%
	Naik	Count	0	1	1
		% within Peningkatan Jumlah Moda Angkutan	0.0%	100.0%	100.0%
Total	Count	7	2	9	
	% within Peningkatan Jumlah Moda Angkutan	77.8%	22.2%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.000 ^a	2	.011
Likelihood Ratio	9.535	2	.009
Linear-by-Linear Association	7.000	1	.008
N of Valid Cases	9		

a. 5 cells (83.3%) have expected count less than 5. The minimum expected count is .22.



Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.787			.011
Interval by Interval	Pearson's R	.935	.029	7.000	.000 ^c
Ordinal by Ordinal	Spearman Correlation	.992	.011	21.000	.000 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Moda Angkutan * Peningkatan Indeks Gini Crustabulation

		Peningkatan Indeks Gini			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count 0	Count 2	Count 5	Count 7
		% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 28.6%	% within Peningkatan Jumlah Moda Angkutan 71.4%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Tetap	Count	0	1	0	1
		% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Naik	Count	1	0	0	1
		% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Total		Count 1	Count 3	Count 5	Count 9
		% within Peningkatan Jumlah Moda Angkutan 11.1%	% within Peningkatan Jumlah Moda Angkutan 33.3%	% within Peningkatan Jumlah Moda Angkutan 55.6%	% within Peningkatan Jumlah Moda Angkutan 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.143 ^a	4	.025
Likelihood Ratio	8.488	4	.075
Linear-by-Linear Association	5.263	1	.022
N of Valid Cases		9	


- a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.744			.025
Interval by Interval	Pearson's R	-.811	.140	-3.889	.008 ^c
Ordinal by Ordinal	Spearman Correlation	-.714	.185	-2.701	.031 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

WIJAYA



Peningkatan Jumlah Moda Angkutan * Peningkatan Indeks Kedalaman Kemiskinan (P1) Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (P1)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count % within Peningkatan Jumlah Moda Angkutan	3 42.9%	1 14.3%	3 42.9%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Moda Angkutan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Moda Angkutan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Moda Angkutan	4 44.4%	2 22.2%	3 33.3%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.143 ^a	4	.273
Likelihood Ratio	5.036	4	.284
Linear-by-Linear Association	.129	1	.719
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.603			.273
Interval by Interval	Pearson's R	-.127	.197	-.339	.740 ^c
Ordinal by Ordinal	Spearman Correlation	-.183	.261	-.492	.630 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Moda Angkutan * Peningkatan Indeks Keparahan Kemiskinan (P2) Crosstabulation

			Peningkatan Indeks Keparahan Kemiskinan (P2)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count % within Peningkatan Jumlah Moda Angkutan	4 57.1%	2 28.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Moda Angkutan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Moda Angkutan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Moda Angkutan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.914 ^a	4	.572
Likelihood Ratio	3.484	4	.490
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.



Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.495			.572
Interval by Interval	Pearson's R	.091	.247	.215	.836 ^c
Ordinal by Ordinal	Spearman Correlation	.091	.202	.135	.895 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Moda Angkutan * Peningkatan Jumlah Rumah Sehat Crosstabulation

		Peningkatan Jumlah Rumah Sehat			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Moda Angkutan	Turun	Count 4	Count 3	Count 0	Count 7
		% within Peningkatan Jumlah Moda Angkutan 57.1%	% within Peningkatan Jumlah Moda Angkutan 42.9%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Tetap	Count	1	0	0	1
		% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Naik	Count	0	0	1	1
		% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 0.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%	% within Peningkatan Jumlah Moda Angkutan 100.0%
Total		Count 5	Count 3	Count 1	Count 9
		% within Peningkatan Jumlah Moda Angkutan 55.6%	% within Peningkatan Jumlah Moda Angkutan 33.3%	% within Peningkatan Jumlah Moda Angkutan 11.1%	% within Peningkatan Jumlah Moda Angkutan 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.771 ^a	4	.044
Likelihood Ratio	7.303	4	.121
Linear-by-Linear Association	2.579	1	.108
N of Valid Cases		9	

- a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Sig. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.721			.044
Interval by Interval	Pearson's R	.508	.305	1.825	.111 ^c
Ordinal by Ordinal	Spearman Correlation	.305	.418	.891	.423 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



WIJAYA



Peringkatan Jumlah Moda Angkutan * Peringkatan Jumlah Rumah Tidak Sehat Crosstabulation

			Peringkatan Jumlah Rumah Tidak Sehat			Total
			Turun	Tetap	Naik	
Peringkatan Jumlah Moda Angkutan	Turun	Count	4	1	2	7
		% within Peringkatan Jumlah Moda Angkutan	57.1%	14.3%	28.6%	100.0%
	Tetap	Count	1	0	0	1
		% within Peringkatan Jumlah Moda Angkutan	100.0%	0.0%	0.0%	100.0%
	Naik	Count	0	1	0	1
		% within Peringkatan Jumlah Moda Angkutan	0.0%	100.0%	0.0%	100.0%
Total	Count	5	2	2	9	
	% within Peringkatan Jumlah Moda Angkutan	55.6%	22.2%	22.2%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.629 ^a	4	.328
Likelihood Ratio	4.531	4	.339
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.583			.328
Interval by Interval	Pearson's R	.000	.215	.000	1.000 ^c
Ordinal by Ordinal	Spearman Correlation	-.013	.293	-.033	.974 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkatan Jumlah Lembaga Keuangan * Peringkatan Jumlah Tenaga Kerja Crosstabulation

			Peringkatan Jumlah Tenaga Kerja			Total
			Turun	Tetap	Naik	
Peringkatan Jumlah Lembaga Keuangan	Turun	Count	1	0	0	1
		% within Peringkatan Jumlah Lembaga Keuangan	100.0%	0.0%	0.0%	100.0%
	Tetap	Count	0	1	1	2
		% within Peringkatan Jumlah Lembaga Keuangan	0.0%	50.0%	50.0%	100.0%
	Naik	Count	4	2	0	6
		% within Peringkatan Jumlah Lembaga Keuangan	66.7%	33.3%	0.0%	100.0%
Total	Count	5	3	1	9	
	% within Peringkatan Jumlah Lembaga Keuangan	55.6%	33.3%	11.1%	100.0%	



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.600 ^a	4	.231
Likelihood Ratio	6.453	4	.168
Linear-by-Linear Association	.271	1	.602
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.619			.231
Interval by Interval Pearson's R	-.184	.326	-.496	.635 ^c
Ordinal by Ordinal Spearman Correlation	-.290	.359	-.800	.450 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Lembaga Keuangan * Peningkatan Jumlah Penduduk Mirik Cross-tabulation

		Peningkatan Jumlah Penduduk Mirik			
		Turun	Tetap	Naik	Total
Peningkatan Jumlah Lembaga Keuangan	Turun	Count 1	Count 0	Count 0	Count 1
		% within Peningkatan Jumlah Lembaga Keuangan 100.0%	% within Peningkatan Jumlah Lembaga Keuangan 0.0%	% within Peningkatan Jumlah Lembaga Keuangan 0.0%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%
	Tetap	Count 1	Count 1	Count 0	Count 2
	% within Peningkatan Jumlah Lembaga Keuangan 50.0%	% within Peningkatan Jumlah Lembaga Keuangan 50.0%	% within Peningkatan Jumlah Lembaga Keuangan 0.0%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%	
	Naik	Count 3	Count 2	Count 1	Count 6
	% within Peningkatan Jumlah Lembaga Keuangan 50.0%	% within Peningkatan Jumlah Lembaga Keuangan 33.3%	% within Peningkatan Jumlah Lembaga Keuangan 16.7%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%	
Total	Count 5	Count 3	Count 1	Count 9	
	% within Peningkatan Jumlah Lembaga Keuangan 55.6%	% within Peningkatan Jumlah Lembaga Keuangan 33.3%	% within Peningkatan Jumlah Lembaga Keuangan 11.1%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.400 ^a	4	.844
Likelihood Ratio	1.955	4	.744
Linear-by-Linear Association	.670	1	.413
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.367			.844
Interval by Interval Pearson's R	.289	.214	.800	.450 ^c
Ordinal by Ordinal Spearman Correlation	.245	.290	.669	.525 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Lembaga Keuangan * Peningkatan Jumlah Pengangguran Crosstabulation

			Peningkatan Jumlah Pengangguran			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count % within Peningkatan Jumlah Lembaga Keuangan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Tetap	Count % within Peningkatan Jumlah Lembaga Keuangan	0 0.0%	2 100.0%	0 0.0%	2 100.0%
	Naik	Count % within Peningkatan Jumlah Lembaga Keuangan	2 33.3%	3 50.0%	1 16.7%	6 100.0%
Total		Count % within Peningkatan Jumlah Lembaga Keuangan	2 22.2%	5 55.6%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.500 ^a	4	.235
Likelihood Ratio	5.774	4	.217
Linear-by-Linear Association	1.895	1	.169
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.518			.235
Interval by Interval	Pearson's R	-.487	.261	-1.474	.184 ^c
Ordinal by Ordinal	Spearman Correlation	-.424	.290	-1.240	.255 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Lembaga Keuangan * Peningkatan Jumlah PDRB per Kapita Crosstabulation

			Peningkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count % within Peningkatan Jumlah Lembaga Keuangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Tetap	Count % within Peningkatan Jumlah Lembaga Keuangan	1 50.0%	1 50.0%	0 0.0%	2 100.0%
	Naik	Count % within Peningkatan Jumlah Lembaga Keuangan	2 33.3%	3 50.0%	1 16.7%	6 100.0%
Total		Count % within Peningkatan Jumlah Lembaga Keuangan	4 44.4%	4 44.4%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.875 ^a	4	.759
Likelihood Ratio	2.460	4	.682
Linear-by-Linear Association	1.316	1	.261
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.415			.759
Interval by Interval Pearson's R	.406	.212	1.174	.279 ^c
Ordinal by Ordinal Spearman Correlation	.387	.267	1.112	.303 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Lembaga Keuangan * Peningkatan Jumlah Pengeluaran per Kapita Cross-tabulation

			Peningkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count % within Peningkatan Jumlah Lembaga Keuangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Tetap	Count % within Peningkatan Jumlah Lembaga Keuangan	0 0.0%	1 50.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan Jumlah Lembaga Keuangan	1 16.7%	3 50.0%	2 33.3%	6 100.0%
Total		Count % within Peningkatan Jumlah Lembaga Keuangan	2 22.2%	4 44.4%	3 33.3%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.250 ^a	4	.373
Likelihood Ratio	4.186	4	.381
Linear-by-Linear Association	.809	1	.369
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.566			.373
Interval by Interval Pearson's R	.319	.339	.887	.404 ^c
Ordinal by Ordinal Spearman Correlation	.187	.374	.532	.611 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Lembaga Keuangan * Peningkatan Giris Kemiskinan per Kapita Cross-tabulation

			Peningkatan Dari Kemiskinan per Kapita		
			Turun	Naik	Total
Peningkatan Jumlah Lembaga Keuangan	Turun	Count % within Peningkatan Jumlah Lembaga Keuangan	1 100.0%	0 0.0%	1 100.0%
	Tetap	Count % within Peningkatan Jumlah Lembaga Keuangan	1 50.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan Jumlah Lembaga Keuangan	5 83.3%	1 16.7%	6 100.0%
Total		Count % within Peningkatan Jumlah Lembaga Keuangan	7 77.8%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.266 ^a	2	.526
Likelihood Ratio	1.355	2	.508
Linear-by-Linear Association	.015	1	.902
N of Valid Cases	9		

a. 0 cells (100.0%) have expected count less than 5. The minimum expected count is .22.


Symmetric Measures

		Value	Asymp. Std. Error ^b	Approx. T ^c	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.354			.526
Interval by Interval	Pearson's R	-.043	.278	-.115	.912 ^a
Ordinal by Ordinal	Spearman Correlation	-.124	.327	-.330	.751 ^a
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Lembaga Keuangan * Peningkatan Indeks Gini Cross-tabulation

			Peningkatan Indeks Gini			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count % within Peningkatan Jumlah Lembaga Keuangan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Tetap	Count % within Peningkatan Jumlah Lembaga Keuangan	1 50.0%	0 0.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan Jumlah Lembaga Keuangan	0 0.0%	2 33.3%	4 66.7%	6 100.0%
Total		Count % within Peningkatan Jumlah Lembaga Keuangan	1 11.1%	3 33.3%	5 55.6%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.200 ^a	4	.185
Likelihood Ratio	6.453	4	.168
Linear-by-Linear Association	1.418	1	.234
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.639			.185
Interval by Interval Pearson's R	.421	.174	1.228	.258 ^c
Ordinal by Ordinal Spearman Correlation	.423	.209	1.236	.256 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Lembaga Keuangan *Peningkatan Indeks Kedalaman Keuangan (PI) Crosstabulation

			Peningkatan Indeks Kedalaman Keuangan (PI)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count	1	0	0	1
		% within Peningkatan Jumlah Lembaga Keuangan	100.0%	0.0%	0.0%	100.0%
	Tetap	Count	1	1	0	2
		% within Peningkatan Jumlah Lembaga Keuangan	50.0%	50.0%	0.0%	100.0%
	Naik	Count	2	1	3	6
		% within Peningkatan Jumlah Lembaga Keuangan	33.3%	16.7%	50.0%	100.0%
Total		Count	4	2	3	9
		% within Peningkatan Jumlah Lembaga Keuangan	44.4%	22.2%	33.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.375 ^a	4	.497
Likelihood Ratio	4.186	4	.381
Linear-by-Linear Association	1.796	1	.180
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.522			.497
Interval by Interval Pearson's R	.474	.200	1.424	.198 ^c
Ordinal by Ordinal Spearman Correlation	.483	.240	1.383	.208 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Lembaga Keuangan * Peningkatan Indeks Kepuasan Komisioner (P2) Crosstabulation

			Peningkatan Indeks Kepuasan Komisioner (P2)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count % within Peningkatan Jumlah Lembaga Keuangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Tetap	Count % within Peningkatan Jumlah Lembaga Keuangan	1 50.0%	1 50.0%	0 0.0%	2 100.0%
	Naik	Count % within Peningkatan Jumlah Lembaga Keuangan	3 50.0%	2 33.3%	1 16.7%	6 100.0%
	Total	Count % within Peningkatan Jumlah Lembaga Keuangan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.600 ^a	4	.844
Likelihood Ratio	1.305	4	.744
Linear-by-Linear Association	.670	1	.413
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.367			.844
Interval by Interval	Pearson's R	.289	.214	.800	.450 ^c
Ordinal by Ordinal	Spearman Correlation	.245	.280	.669	.525 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Lembaga Keuangan * Peningkatan Jumlah Rumah Sehat Crosstabulation

			Peningkatan Jumlah Rumah Sehat			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count % within Peningkatan Jumlah Lembaga Keuangan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Tetap	Count % within Peningkatan Jumlah Lembaga Keuangan	1 50.0%	0 0.0%	1 50.0%	2 100.0%
	Naik	Count % within Peningkatan Jumlah Lembaga Keuangan	3 50.0%	3 50.0%	0 0.0%	6 100.0%
	Total	Count % within Peningkatan Jumlah Lembaga Keuangan	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.600 ^a	4	.249
Likelihood Ratio	5.774	4	.217
Linear-by-Linear Association	.022	1	.882
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.612			.249
Interval by Interval Pearson's R	.053	.305	.139	.893 ^c
Ordinal by Ordinal Spearman Correlation	.067	.303	.177	.864 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Lembaga Keuangan * Peningkatan Jumlah Rumah Tidak Sehat Crosstabulation

		Peningkatan Jumlah Rumah Tidak Sehat			Total
		Turun	Tetap	Naik	
Peningkatan Jumlah Lembaga Keuangan	Turun	Count 0	Count 1	Count 0	Count 1
		% within Peningkatan Jumlah Lembaga Keuangan 0.0%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%	% within Peningkatan Jumlah Lembaga Keuangan 0.0%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%
	Tetap	Count 1	Count 1	Count 0	Count 2
	% within Peningkatan Jumlah Lembaga Keuangan 50.0%	% within Peningkatan Jumlah Lembaga Keuangan 50.0%	% within Peningkatan Jumlah Lembaga Keuangan 0.0%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%	
	Naik	Count 4	Count 0	Count 2	Count 6
	% within Peningkatan Jumlah Lembaga Keuangan 66.7%	% within Peningkatan Jumlah Lembaga Keuangan 0.0%	% within Peningkatan Jumlah Lembaga Keuangan 33.3%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%	
Total	Count 5	Count 2	Count 2	Count 9	
	% within Peningkatan Jumlah Lembaga Keuangan 55.6%	% within Peningkatan Jumlah Lembaga Keuangan 22.2%	% within Peningkatan Jumlah Lembaga Keuangan 22.2%	% within Peningkatan Jumlah Lembaga Keuangan 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.452 ^a	4	.168
Likelihood Ratio	7.500	4	.112
Linear-by-Linear Association	.035	1	.851
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.646			.168
Interval by Interval Pearson's R	-.066	.244	-.176	.866 ^c
Ordinal by Ordinal Spearman Correlation	-.139	.305	-.368	.724 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Pusat Perbelanjaan * Peningkatan Jumlah Tenaga Kerja Crosstabulation

			Peningkatan Jumlah Tenaga Kerja			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Pusat Perbelanjaan	Turun	Count % within Peningkatan Jumlah Pusat Perbelanjaan	3 42.9%	3 42.9%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Pusat Perbelanjaan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Pusat Perbelanjaan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Pusat Perbelanjaan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.316	1	.251
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.431			.725
Interval by Interval	Pearson's R	-.406	.148	-1.174	.279 ^c
Ordinal by Ordinal	Spearman Correlation	-.459	.166	-1.268	.214 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Pusat Perbelanjaan * Peningkatan Jumlah Pembujuk Miskin Crosstabulation

			Peningkatan Jumlah Pembujuk Miskin			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Pusat Perbelanjaan	Turun	Count % within Peningkatan Jumlah Pusat Perbelanjaan	4 57.1%	3 42.9%	0 0.0%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Pusat Perbelanjaan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Pusat Perbelanjaan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Pusat Perbelanjaan	5 55.6%	3 33.3%	1 11.1%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.771 ^a	4	.044
Likelihood Ratio	7.303	4	.121
Linear-by-Linear Association	2.579	1	.108
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.721			.044
Interval by Interval Pearson's R	.588	.305	1.925	.111 ^c
Ordinal by Ordinal Spearman Correlation	.306	.418	.851	.423 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringkat: Jumlah Pusat Pembelajaran * Peringkat: Jumlah Pengangguran Crosstabulation

		Peringkat: Jumlah Pengangguran			
		Turun	Tetap	Naik	Total
Peringkat: Jumlah Pusat Pembelajaran	Turun	Count 1	Count 4	Count 2	Count 7
		% within Peringkat: Jumlah Pusat Pembelajaran 14.3%	% within Peringkat: Jumlah Pusat Pembelajaran 57.1%	% within Peringkat: Jumlah Pusat Pembelajaran 28.6%	% within Peringkat: Jumlah Pusat Pembelajaran 100.0%
Tetap	Count	Count 0	Count 1	Count 0	Count 1
		% within Peringkat: Jumlah Pusat Pembelajaran 0.0%	% within Peringkat: Jumlah Pusat Pembelajaran 100.0%	% within Peringkat: Jumlah Pusat Pembelajaran 0.0%	% within Peringkat: Jumlah Pusat Pembelajaran 100.0%
Naik	Count	Count 1	Count 0	Count 0	Count 1
		% within Peringkat: Jumlah Pusat Pembelajaran 100.0%	% within Peringkat: Jumlah Pusat Pembelajaran 0.0%	% within Peringkat: Jumlah Pusat Pembelajaran 0.0%	% within Peringkat: Jumlah Pusat Pembelajaran 100.0%
Total		Count 2	Count 5	Count 2	Count 9
		% within Peringkat: Jumlah Pusat Pembelajaran 22.2%	% within Peringkat: Jumlah Pusat Pembelajaran 55.6%	% within Peringkat: Jumlah Pusat Pembelajaran 22.2%	% within Peringkat: Jumlah Pusat Pembelajaran 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.629 ^a	4	.328
Likelihood Ratio	4.531	4	.339
Linear-by-Linear Association	2.000	1	.157
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.583			.328
Interval by Interval Pearson's R	-.500	.239	-1.528	.178 ^c
Ordinal by Ordinal Spearman Correlation	-.442	.264	-1.303	.234 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Pusat Perbelanjaan * Peningkatan Jumlah PDRB per Kapita Crosstabulation

			Peningkatan Jumlah PDRB per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Pusat Perbelanjaan	Turun	Count % within Peningkatan Jumlah Pusat Perbelanjaan	4 57.1%	2 28.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Pusat Perbelanjaan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Pusat Perbelanjaan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Pusat Perbelanjaan	4 44.4%	4 44.4%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.214 ^a	4	.523
Likelihood Ratio	3.900	4	.407
Linear-by-Linear Association	.500	1	.480
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.513			.523
Interval by Interval	Pearson's R	.250	.263	.883	.518 ^c
Ordinal by Ordinal	Spearman Correlation	.338	.238	.949	.374 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Pusat Perbelanjaan * Peningkatan Jumlah Pengeluaran per Kapita Crosstabulation

			Peningkatan Jumlah Pengeluaran per Kapita			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Pusat Perbelanjaan	Turun	Count % within Peningkatan Jumlah Pusat Perbelanjaan	2 28.6%	3 42.9%	2 28.6%	7 100.0%
	Tetap	Count % within Peningkatan Jumlah Pusat Perbelanjaan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peningkatan Jumlah Pusat Perbelanjaan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
Total		Count % within Peningkatan Jumlah Pusat Perbelanjaan	2 22.2%	4 44.4%	3 33.3%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.629 ^a	4	.469
Likelihood Ratio	3.990	4	.407
Linear-by-Linear Association	1.136	1	.286
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.525			.469
Interval by Interval Pearson's R	.307	.234	1.077	.317 ^c
Ordinal by Ordinal Spearman Correlation	.357	.272	.885	.406 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Pusat Perbelanjaan * Peningkatan Garis Kemiskinan per Kapita Crosstabulation

			Peningkatan Garis Kemiskinan per Kapita		
			Turun	Naik	Total
Peningkatan Jumlah Pusat Perbelanjaan	Turun	Count % within Peningkatan Jumlah Pusat Perbelanjaan	5 71.4%	2 28.6%	7 100.0%
	Tidak	Count % within Peningkatan Jumlah Pusat Perbelanjaan	1 100.0%	0 0.0%	1 100.0%
Total	Naik	Count % within Peningkatan Jumlah Pusat Perbelanjaan	1 100.0%	0 0.0%	1 100.0%
	Total	Count % within Peningkatan Jumlah Pusat Perbelanjaan	7 77.8%	2 22.2%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.735 ^a	2	.693
Likelihood Ratio	1.159	2	.560
Linear-by-Linear Association	.571	1	.450
N of Valid Cases	9		

a. 5 cells (63.3%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.275			.693
Interval by Interval Pearson's R	-.267	.127	-.734	.467 ^c
Ordinal by Ordinal Spearman Correlation	-.283	.134	-.782	.462 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peningkatan Jumlah Pusat Perbelanjaan * Peningkatan Indeks Gini Crosstabulation

			Peningkatan Indeks Gini			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Pusat Perbelanjaan	Turun	Count	1	3	3	7
		% within Peningkatan Jumlah Pusat Perbelanjaan	14.3%	42.9%	42.9%	100.0%
	Tetap	Count	0	0	1	1
	% within Peningkatan Jumlah Pusat Perbelanjaan	0.0%	0.0%	100.0%	100.0%	
	Naik	Count	0	0	1	1
	% within Peningkatan Jumlah Pusat Perbelanjaan	0.0%	0.0%	100.0%	100.0%	
Total		Count	1	3	5	9
		% within Peningkatan Jumlah Pusat Perbelanjaan	11.1%	33.3%	55.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.057 ^a	4	.725
Likelihood Ratio	2.805	4	.591
Linear-by-Linear Association	1.316	1	.251
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.431			.725
Interval by Interval	Pearson's R	.406	.148	1.174	.279 ^c
Ordinal by Ordinal	Spearman Correlation	.459	.166	1.368	.214 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peningkatan Jumlah Pusat Perbelanjaan * Peningkatan Indeks Kedalaman Kemiskinan (P1) Crosstabulation

			Peningkatan Indeks Kedalaman Kemiskinan (P1)			Total
			Turun	Tetap	Naik	
Peningkatan Jumlah Pusat Perbelanjaan	Turun	Count	3	2	2	7
		% within Peningkatan Jumlah Pusat Perbelanjaan	42.9%	28.6%	28.6%	100.0%
	Tetap	Count	1	0	0	1
	% within Peningkatan Jumlah Pusat Perbelanjaan	100.0%	0.0%	0.0%	100.0%	
	Naik	Count	0	0	1	1
	% within Peningkatan Jumlah Pusat Perbelanjaan	0.0%	0.0%	100.0%	100.0%	
Total		Count	4	2	3	9
		% within Peningkatan Jumlah Pusat Perbelanjaan	44.4%	22.2%	33.3%	100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.629 ^a	4	.469
Likelihood Ratio	3.990	4	.407
Linear-by-Linear Association	.506	1	.472
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.525			.469
Interval by Interval Pearson's R	.254	.319	.495	.516 ^c
Ordinal by Ordinal Spearman Correlation	.122	.307	.325	.755 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringatan: Jumlah Pusat Pembelajaran * Peringatan Indeks Keperawatan Komiskitas (P2) Cross-tabulation

		Peringatan Indeks Keperawatan Komiskitas (P2)			Total
		Turun	Tetap	Raih	
Peringatan Jumlah Pusat Pembelajaran	Turun	Count 4 57.1% % within Peringatan Jumlah Pusat Pembelajaran	Count 2 28.6% % within Peringatan Jumlah Pusat Pembelajaran	Count 1 14.3% % within Peringatan Jumlah Pusat Pembelajaran	7 100.0%
	Tetap	Count 1 100.0% % within Peringatan Jumlah Pusat Pembelajaran	Count 0 0.0% % within Peringatan Jumlah Pusat Pembelajaran	Count 0 0.0% % within Peringatan Jumlah Pusat Pembelajaran	1 100.0%
	Raih	Count 0 0.0% % within Peringatan Jumlah Pusat Pembelajaran	Count 1 100.0% % within Peringatan Jumlah Pusat Pembelajaran	Count 0 0.0% % within Peringatan Jumlah Pusat Pembelajaran	1 100.0%
	Total	Count 5 55.6% % within Peringatan Jumlah Pusat Pembelajaran	Count 3 33.3% % within Peringatan Jumlah Pusat Pembelajaran	Count 1 11.1% % within Peringatan Jumlah Pusat Pembelajaran	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.914 ^a	4	.572
Likelihood Ratio	3.484	4	.480
Linear-by-Linear Association	.053	1	.819
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.495			.572
Interval by Interval Pearson's R	.081	.247	.215	.836 ^c
Ordinal by Ordinal Spearman Correlation	.051	.312	.135	.894 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.



Peringatan Jumlah Pusat Perbelanjaan * Peringatan Jumlah Rumah Sehat Crosstabulation

			Peringatan Jumlah Rumah Sehat			
			Turun	Tetap	Naik	Total
Peringatan Jumlah Pusat Perbelanjaan	Turun	Count % within Peringatan Jumlah Pusat Perbelanjaan	4 57.1%	2 26.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peringatan Jumlah Pusat Perbelanjaan	0 0.0%	1 100.0%	0 0.0%	1 100.0%
	Naik	Count % within Peringatan Jumlah Pusat Perbelanjaan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peringatan Jumlah Pusat Perbelanjaan	5 55.6%	3 33.3%	1 11.1%	9 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.914 ^a	4	.572
Likelihood Ratio	3.484	4	.490
Linear-by-Linear Association	.211	1	.646
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .11.

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.495			.572
Interval by Interval	Pearson's R	-.162	.229	-.435	.672 ^c
Ordinal by Ordinal	Spearman Correlation	-.051	.305	-.135	.895 ^c
N of Valid Cases		9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

Peringatan Jumlah Pusat Perbelanjaan * Peringatan Jumlah Rumah Tidak Sehat Crosstabulation

			Peringatan Jumlah Rumah Tidak Sehat			Total
			Turun	Tetap	Naik	
Peringatan Jumlah Pusat Perbelanjaan	Turun	Count % within Peringatan Jumlah Pusat Perbelanjaan	4 57.1%	2 26.6%	1 14.3%	7 100.0%
	Tetap	Count % within Peringatan Jumlah Pusat Perbelanjaan	0 0.0%	0 0.0%	1 100.0%	1 100.0%
	Naik	Count % within Peringatan Jumlah Pusat Perbelanjaan	1 100.0%	0 0.0%	0 0.0%	1 100.0%
Total		Count % within Peringatan Jumlah Pusat Perbelanjaan	5 55.6%	2 22.2%	2 22.2%	9 100.0%



Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.629 ^a	4	.328
Likelihood Ratio	4.531	4	.328
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	9		

a. 9 cells (100.0%) have expected count less than 5. The minimum expected count is .22.

Symmetric Measures

	Value	Asymp. Std. Error ^b	Approx. T ^b	Approx. Sig.
Nominal by Nominal Contingency Coefficient	.583			.328
Interval by Interval Pearson's R	.000	.319	.000	1.000 ^c
Ordinal by Ordinal Spearman Correlation	.101	.379	.269	.795 ^c
N of Valid Cases	9			

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.
- c. Based on normal approximation.

