

## RINGKASAN

**Lalu Surya Maulana A.**, Jurusan Perencanaan Wilayah dan Kota, Fakultas Teknik Universitas Brawijaya, Agustus 2016. *Evaluasi Kinerja Sarana Fisik Pasar Tugu Simpang Lima Gumul Kabupaten Kediri*. Dosen Pembimbing: Ir. Ismu Rini Dwi Ari, MT., Ph.D. dan Bapak Dr. Eng. I Nyoman Suluh Wijaya, ST., MT.

Pasar merupakan tempat berkumpulnya masyarakat dimana mereka melakukan transaksi. Transaksi yang dilakukan berupa jual beli suatu jenis barang atau jasa beguna untuk kebutuhan hidup sehari-hari. Selain berguna untuk memenuhi kehidupan sehari-hari, pasar juga dapat memperngaruhi perekonomian suatu wilayah. Kabupaten Kediri yang terletak di Jawa Timur Bagian Barat merupakan daerah agraris dan pariwisata yang memiliki posisi strategis sebagai pusat pengembangan perekonomian. Pasar Tugu Simpang Lima Gumul merupakan proyek dari Pemerintah Daerah Kabupaten Kediri pada tahun 2011 sampai 2016 masih belum teridentifikasi kinerja sarana fisiknya yang harus sesuai dengan persyaratan teknis dalam Standar Nasional Indonesia (SNI) 8152:2015 tentang pasar rakyat, sehingga perlu di identifikasi kinerja sarana fisik terkait Pasar Tugu Simpang Lima Gumul Kabupaten Kediri.

Penelitian ini bertujuan untuk mengetahui kapasitas layanan sarana sesuai dengan standar dan mengetahui tingkat kepentingan dan kepuasan pengguna di Pasar Tugu Simpang Lima Gumul. Metode yang digunakan pada penelitian ini adalah metode analisis deskriptif dengan membandingkan antara kondisi eksisting Pasar Tugu dengan SNI 8152:2015 tentang pasar rakyat. Setelah itu dilakukan metode analisis evaluatif menggunakan IPA dengan kriteria-kriteria berdasarkan SNI 8152:2015 tentang pasar rakyat.

Berdasarkan SNI 8152:2015 maka diketahui bahwa Pasar Tugu Simpang Lima Gumul Kabupaten Kediri tidak memiliki pos ukur ulang, area bongkar muat barang, kantor pengelola, tempat cuci tangan minimal berada pada 1 lokasi, tempat menyusui, pos kesehatan, area merokok, jalur evakuasi, tabung pemadam kebakaran, pengujian limbah cair setiap 1 tahun, tempat sampah setiap toko / kios, los, jongko / konter / pelataran dan setiap fasilitas pasar, alat angkut sampah, tempat pembuangan sampah sementara, pengelolaan sampah berdasarkan 3R, dan sarana telekomunikasi sebagai penunjang ketersediaan informasi. Sedangkan hasil analisis IPA didapatkan bahwa untuk yang masuk kuadran I prioritas utama adalah pos kesehatan, tabung pemadam kebakaran, tempat cuci



tangan minimal berada pada 1 lokasi, ruang menyusui, area merokok, terdapat jalur evakuasi, ketersediaan tempat sampah setiap fasilitas pasar.

Kata kunci: Kriteria, pengguna, pasar tugu, standar



## SUMMARY

**Lalu Surya Maulana A.**, Department of Urban and Regional Planning, Faculty of Engineering, University of Brawijaya, August 2016. *Performance Evaluation of Physical Facilities Tugu Market Simpang Lima Gumul, Kediri*. Academic Supervisor: Ir. Ismu Rini Dwi Ari, MT., Ph.D. dan Bapak Dr. Eng. I Nyoman Suluh Wijaya, ST., MT.

*The market is a gathering place for the community where they were put through a transaction. Transactions undertaken in the form of buying and selling a kind of good or worthwhile to the needs of everyday life . Useful addition to fulfilling the daily life, the market may also affect the economy of region Kediri, East Java is located in the western part of an agricultural area and tourism which has a strategic position as a center of economic development. Tugu Market at Simpang Lima Gumul is a project of the Regional Government of Kediri in 2011 until 2016 still have not been identified performance of infrastructure that must suitable with technical requirement on the National Standard of Indonesia (SNI) 8152:2015 about public market, so the need is to identify performance of infrastructure that related in Tugu Markets at Simpang Lima Gumul district of Kediri.*

*This research aims to determine capacity of infrastructure corresponding with the standards and determine the level of importance and satisfaction of users. The method used in this research is descriptive analysis method with compare between existing condition of Tugu Market with SNI 8152: 2015 about the Public Market. Once it is done evaluative analysis methods is using IPA with criteria based on SNI 8152: 2015 about Public Market.*

*Based on SNI 8152 : 2015, it is known that the Tugu Market Simpang Lima Gumul Kediri has no the measuring post, the loading area of goods, the office manager, wash hand minimum is at 1 location, where breast-feeding, health posts, a smoking area, evacuation routes, fire extinguishers, testing of wastewater each 1 year, trash any stores / kiosks, stalls, stall / counter / courtyard and each market facilities, conveyances garbage, landfills while, waste management based on the 3Rs, and telecommunications facilities as a support availability information. While the results of the analysis showed that for the incoming quadrant main priority is a health post, a fire extinguisher, hand washing facilities, nursing areas, smoking area, evacuation routes, availability of trash every market facilities.*

Keywords: Visual Aesthetics, Criteria, User, Tugu Maket, Standard

