

Ruang Kelas E

Partner for Contact:

Order No.:

Company:

Customer No.:

Date: 04.11.2016

Operator:

Operator
Telephone
Fax
e-Mail

Table of contents

Ruang Kelas E	1
Project Cover	2
Table of contents	
Ruang Kelas E	
Light scenes	
21 Maret 09.00	
3D Rendering	5
False Colour Rendering	6
Room Surfaces	
Workplane	
Isolines (E)	7
Greyscale (E)	8
Isolines (D)	9
Greyscale (D)	10
Daylight factor calculation surface 1	
Isolines (D)	11
Greyscale (D)	12
21 Maret 12.00	
3D Rendering	13
False Colour Rendering	14
Room Surfaces	
Workplane	
Isolines (E)	15
Greyscale (E)	16
Isolines (D)	17
Greyscale (D)	18
Daylight factor calculation surface 1	
Isolines (D)	19
Greyscale (D)	20
21 Maret 15.00	
3D Rendering	21
False Colour Rendering	22
Room Surfaces	
Workplane	
Isolines (E)	23
Greyscale (E)	24
Isolines (D)	25
Greyscale (D)	26
Daylight factor calculation surface 1	
Isolines (D)	27
Greyscale (D)	28
21 Juni 09.00	
3D Rendering	29
False Colour Rendering	30
Room Surfaces	
Workplane	
Isolines (E)	31
Greyscale (E)	32
Isolines (D)	33
Greyscale (D)	34
Daylight factor calculation surface 1	
Isolines (D)	35
Greyscale (D)	36
21 Juni 12.00	

Operator
Telephone
Fax
e-Mail

Table of contents


3D Rendering	37
False Colour Rendering	38
Room Surfaces	
Workplane	
Isolines (E)	39
Greyscale (E)	40
Isolines (D)	41
Greyscale (D)	42
Daylight factor calculation surface 1	
Isolines (D)	43
Greyscale (D)	44
21 Juni 15.00	
3D Rendering	45
False Colour Rendering	46
Room Surfaces	
Workplane	
Isolines (E)	47
Greyscale (E)	48
Isolines (D)	49
Greyscale (D)	50
Daylight factor calculation surface 1	
Isolines (D)	51
Greyscale (D)	52
21 Desember 09.00	
3D Rendering	53
False Colour Rendering	54
Room Surfaces	
Workplane	
Isolines (E)	55
Greyscale (E)	56
Isolines (D)	57
Greyscale (D)	58
Daylight factor calculation surface 1	
Isolines (D)	59
Greyscale (D)	60
21 Desember 12.00	
3D Rendering	61
False Colour Rendering	62
Room Surfaces	
Workplane	
Isolines (E)	63
Greyscale (E)	64
Isolines (D)	65
Greyscale (D)	66
Daylight factor calculation surface 1	
Isolines (D)	67
Greyscale (D)	68
21 Desember 15.00	
3D Rendering	69
False Colour Rendering	70
Room Surfaces	
Workplane	
Isolines (E)	71
Greyscale (E)	72



Operator
Telephone
Fax
e-Mail

Table of contents


Isolines (D)	73
Greyscale (D)	74
Daylight factor calculation surface 1	
Isolines (D)	75
Greyscale (D)	76







Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 09.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas E / 21 Maret 09.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
230

E_{min} [lx]
134


E_{max} [lx]
281

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 09.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
230

E_{min} [lx]
134


E_{max} [lx]
281

$u0$
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 09.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 16422 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 09.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 16422 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 16422 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 43

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 16422 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
294

E_{min} [lx]
171


E_{max} [lx]
359

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
294

E_{min} [lx]
171


E_{max} [lx]
359

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 20992 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 20992 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 20992 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 43

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70

D_{min} / D_{av}
0.563


D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 20992 lx





Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 15.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 15.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 15.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
188

E_{min} [lx]
109


E_{max} [lx]
230

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 15.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 13433 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 15.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 13433 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 13433 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Maret 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 13433 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 09.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas E / 21 Juni 09.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
150

E_{min} [lx]
87


E_{max} [lx]
183

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 09.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
150

E_{min} [lx]
87


E_{max} [lx]
183

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 09.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 10689 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 09.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 10689 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 10689 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 10689 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
253

E_{min} [lx]
147


E_{max} [lx]
309

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
253

E_{min} [lx]
147


E_{max} [lx]
309

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 18069 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 18069 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 18069 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 18069 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 15.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas E / 21 Juni 15.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 15.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Values in Lux, Scale 1 : 43

Grid: 128 x 128 Points

E_{av} [lx]
201

E_{min} [lx]
117


E_{max} [lx]
245

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 15.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
201

E_{min} [lx]
117


E_{max} [lx]
245

$u0$
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 15.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 14368 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 15.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 14368 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 14368 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Juni 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 14368 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 09.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 09.00 / False Colour Rendering



lx

Ruang Kelas E / 21 Desember 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

$E_{av} [lx]$
234

$E_{\min}$ [lx]
136

$$E_{\max} [Ix] = 286$$


u0
0.580

$$E_{\min} / E_{\max}$$

0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 09.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
234

E_{min} [lx]
136


E_{max} [lx]
286

$u0$
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 09.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 16722 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 09.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 16722 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 16722 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 16722 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
285

E_{min} [lx]
166


E_{max} [lx]
348

u_0
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / Workplane / Greyscale (E)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
285

E_{min} [lx]
166


E_{max} [lx]
348

$u0$
0.580

E_{min} / E_{max}
0.476

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 20358 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 20358 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 20358 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 20358 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 15.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 15.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 15.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 43

Grid: 128 x 128 Points

E_{av} [lx]
181

E_{min} [lx]
105


E_{max} [lx]
221

$u0$
0.580

E_{min} / E_{max}
0.476


Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 15.00 / Workplane / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 12917 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 15.00 / Workplane / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.81

D_{max} [%]
1.71


D_{min} / D_{av}
0.580

D_{min} / D_{max}
0.476

Horizontal illuminance outdoors E_o : 12917 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70


D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 12917 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas E / 21 Desember 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 43

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.40

D_{min} [%]
0.79

D_{max} [%]
1.70

D_{min} / D_{av}
0.563

D_{min} / D_{max}
0.465

Horizontal illuminance outdoors E_o : 12917 lx