

Ruang Kelas A

Partner for Contact:
Order No.:
Company:
Customer No.:

Date: 02.11.2016
Operator:

Table of contents

Ruang Kelas A	
Project Cover	1
Table of contents	2
Ruang Kelas A	
Light scenes	
21 Maret 09.00	
3D Rendering	5
False Colour Rendering	6
Room Surfaces	
Workplane	
Isolines (E)	7
Greyscale (E)	8
Isolines (D)	9
Greyscale (D)	10
Daylight factor calculation surface 1	
Isolines (D)	11
Greyscale (D)	12
21 Maret 12.00	
3D Rendering	13
False Colour Rendering	14
Room Surfaces	
Workplane	
Isolines (E)	15
Greyscale (E)	16
Isolines (D)	17
Greyscale (D)	18
Daylight factor calculation surface 1	
Isolines (D)	19
Greyscale (D)	20
21 Maret 15.00	
3D Rendering	21
False Colour Rendering	22
Room Surfaces	
Workplane	
Isolines (E)	23
Greyscale (E)	24
Isolines (D)	25
Greyscale (D)	26
Daylight factor calculation surface 1	
Isolines (D)	27
Greyscale (D)	28
21 Juni 09.00	
3D Rendering	29
False Colour Rendering	30
Room Surfaces	
Workplane	
Isolines (E)	31
Greyscale (E)	32
Isolines (D)	33
Greyscale (D)	34
Daylight factor calculation surface 1	
Isolines (D)	35
Greyscale (D)	36
21 Juni 12.00	


Table of contents

3D Rendering	37
False Colour Rendering	38
Room Surfaces	
Workplane	
Isolines (E)	39
Greyscale (E)	40
Isolines (D)	41
Greyscale (D)	42
Daylight factor calculation surface 1	
Isolines (D)	43
Greyscale (D)	44
21 Juni 15.00	
3D Rendering	45
False Colour Rendering	46
Room Surfaces	
Workplane	
Isolines (E)	47
Greyscale (E)	48
Isolines (D)	49
Greyscale (D)	50
Daylight factor calculation surface 1	
Isolines (D)	51
Greyscale (D)	52
21 Desember 09.00	
3D Rendering	53
False Colour Rendering	54
Room Surfaces	
Workplane	
Isolines (E)	55
Greyscale (E)	56
Isolines (D)	57
Greyscale (D)	58
Daylight factor calculation surface 1	
Isolines (D)	59
Greyscale (D)	60
21 Desember 12.00	
3D Rendering	61
False Colour Rendering	62
Room Surfaces	
Workplane	
Isolines (E)	63
Greyscale (E)	64
Isolines (D)	65
Greyscale (D)	66
Daylight factor calculation surface 1	
Isolines (D)	67
Greyscale (D)	68
21 Desember 15.00	
3D Rendering	69
False Colour Rendering	70
Room Surfaces	
Workplane	
Isolines (E)	71
Greyscale (E)	72



Table of contents

Isolines (D)	73
Greyscale (D)	74
Daylight factor calculation surface 1	
Isolines (D)	75
Greyscale (D)	76







Ruang Kelas A / 21 Maret 09.00 / False Colour Rendering



Ruang Kelas A / 21 Maret 09.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
266


E_{min} [lx]
118

E_{max} [lx]
488


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Maret 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
266


E_{min} [lx]
118

E_{max} [lx]
488


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Maret 09.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 16422 lx

Scale 1 : 71

Ruang Kelas A / 21 Maret 09.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 16422 lx

Ruang Kelas A / 21 Maret 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 16422 lx

Scale 1 : 71

Ruang Kelas A / 21 Maret 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.60


D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 16422 lx




Ruang Kelas A / 21 Maret 12.00 / False Colour Rendering




0 100 150 200 250 300 350 400 450 lx

lx

Ruang Kelas A / 21 Maret 12.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
340


E_{min} [lx]
151

E_{max} [lx]
623


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Maret 12.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
340


E_{min} [lx]
151

E_{max} [lx]
623


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Maret 12.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 20992 lx

Scale 1 : 71

Ruang Kelas A / 21 Maret 12.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 20992 lx

Scale 1 : 71

Ruang Kelas A / 21 Maret 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 20992 lx

Scale 1 : 71

Ruang Kelas A / 21 Maret 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75


D_{max} [%]
2.79

D_{min} / D_{av}
0.471



D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 20992 lx


Scale 1 : 71



Ruang Kelas A / 21 Maret 15.00 / False Colour Rendering



Ruang Kelas A / 21 Maret 15.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
218


E_{min} [lx]
97

E_{max} [lx]
399


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Maret 15.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
218

E_{min} [lx]
97


E_{max} [lx]
399

u_0
0.444


E_{min} / E_{max}
0.242

Scale 1 : 71

Ruang Kelas A / 21 Maret 15.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 13433 lx

Scale 1 : 71

Ruang Kelas A / 21 Maret 15.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 13433 lx

Ruang Kelas A / 21 Maret 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 13433 lx

Scale 1 : 71

Ruang Kelas A / 21 Maret 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.60


D_{min} [%]
0.75

D_{max} [%]
2.79



D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 13433 lx



Ruang Kelas A / 21 Juni 09.00 / False Colour Rendering



Ruang Kelas A / 21 Juni 09.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
173


E_{min} [lx]
77

E_{max} [lx]
317

u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Juni 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
173


E_{min} [lx]
77

E_{max} [lx]
317


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Juni 09.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 10689 lx

Scale 1 : 71

Ruang Kelas A / 21 Juni 09.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 10689 lx

Ruang Kelas A / 21 Juni 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 10689 lx

Scale 1 : 71

Ruang Kelas A / 21 Juni 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75


D_{max} [%]
2.79

D_{min} / D_{av}
0.471



D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 10689 lx

Scale 1 : 71




Ruang Kelas A / 21 Juni 12.00 / False Colour Rendering




lx

Ruang Kelas A / 21 Juni 12.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
293


E_{min} [lx]
130

E_{max} [lx]
537


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Juni 12.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
293

E_{min} [lx]
130


E_{max} [lx]
537

u_0
0.444


E_{min} / E_{max}
0.242

Scale 1 : 71

Ruang Kelas A / 21 Juni 12.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 18069 lx

Scale 1 : 71

Ruang Kelas A / 21 Juni 12.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 18069 lx

Ruang Kelas A / 21 Juni 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 18069 lx

Scale 1 : 71

Ruang Kelas A / 21 Juni 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.60


D_{min} [%]
0.75

D_{max} [%]
2.79



D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 18069 lx




Ruang Kelas A / 21 Juni 15.00 / False Colour Rendering



lx

Ruang Kelas A / 21 Juni 15.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
233


E_{min} [lx]
103

E_{max} [lx]
427


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Juni 15.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
233


E_{min} [lx]
103

E_{max} [lx]
427


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Juni 15.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 14368 lx

Scale 1 : 71

Ruang Kelas A / 21 Juni 15.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 14368 lx

Ruang Kelas A / 21 Juni 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 14368 lx

Scale 1 : 71

Ruang Kelas A / 21 Juni 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.60


D_{min} [%]
0.75

D_{max} [%]
2.79



D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 14368 lx




Ruang Kelas A / 21 Desember 09.00 / False Colour Rendering



lx

Ruang Kelas A / 21 Desember 09.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
271


E_{min} [lx]
120

E_{max} [lx]
497


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Desember 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
271


E_{min} [lx]
120

E_{max} [lx]
497


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Desember 09.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 16722 lx

Scale 1 : 71

Ruang Kelas A / 21 Desember 09.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 16722 lx

Ruang Kelas A / 21 Desember 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 16722 lx

Scale 1 : 71

Ruang Kelas A / 21 Desember 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.60


D_{min} [%]
0.75

D_{max} [%]
2.79



D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 16722 lx




Ruang Kelas A / 21 Desember 12.00 / False Colour Rendering




lx

Ruang Kelas A / 21 Desember 12.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
330


E_{min} [lx]
146

E_{max} [lx]
605

u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Desember 12.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
330


E_{min} [lx]
146

E_{max} [lx]
605


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Desember 12.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 20358 lx

Scale 1 : 71

Ruang Kelas A / 21 Desember 12.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 20358 lx

Ruang Kelas A / 21 Desember 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 20358 lx

Scale 1 : 71

Ruang Kelas A / 21 Desember 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.60


D_{min} [%]
0.75

D_{max} [%]
2.79



D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270


Horizontal illuminance outdoors E_o : 20358 lx




Ruang Kelas A / 21 Desember 15.00 / False Colour Rendering



Ruang Kelas A / 21 Desember 15.00 / Workplane / Isolines (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Values in Lux, Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
209


E_{min} [lx]
93

E_{max} [lx]
384

u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Desember 15.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
209


E_{min} [lx]
93

E_{max} [lx]
384


u_0
0.444

E_{min} / E_{max}
0.242

Ruang Kelas A / 21 Desember 15.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72

D_{max} [%]
2.97


D_{min} / D_{av}
0.444

D_{min} / D_{max}
0.242


Horizontal illuminance outdoors E_o : 12917 lx

Scale 1 : 71

Ruang Kelas A / 21 Desember 15.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.62

D_{min} [%]
0.72


D_{max} [%]
2.97

D_{min} / D_{av}
0.444


D_{min} / D_{max}
0.242

Horizontal illuminance outdoors E_o : 12917 lx

Ruang Kelas A / 21 Desember 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79


D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 12917 lx

Scale 1 : 71

Ruang Kelas A / 21 Desember 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.60

D_{min} [%]
0.75

D_{max} [%]
2.79

D_{min} / D_{av}
0.471

D_{min} / D_{max}
0.270

Horizontal illuminance outdoors E_o : 12917 lx

Scale 1 : 71