

Ruang Kelas C

Partner for Contact:

Order No.:

Company:

Customer No.:

Date: 04.11.2016

Operator:

Operator
Telephone
Fax
e-Mail

Table of contents

Ruang Kelas C	1
Project Cover	2
Table of contents	
Ruang Kelas C	
Light scenes	
21 Maret 09.00	
3D Rendering	5
False Colour Rendering	6
Room Surfaces	
Workplane	
Isolines (E)	7
Greyscale (E)	8
Isolines (D)	9
Greyscale (D)	10
Daylight factor calculation surface 1	
Isolines (D)	11
Greyscale (D)	12
21 Maret 12.00	
3D Rendering	13
False Colour Rendering	14
Room Surfaces	
Workplane	
Isolines (E)	15
Greyscale (E)	16
Isolines (D)	17
Greyscale (D)	18
Daylight factor calculation surface 1	
Isolines (D)	19
Greyscale (D)	20
21 Maret 15.00	
3D Rendering	21
False Colour Rendering	22
Room Surfaces	
Workplane	
Isolines (E)	23
Greyscale (E)	24
Isolines (D)	25
Greyscale (D)	26
Daylight factor calculation surface 1	
Isolines (D)	27
Greyscale (D)	28
21 Juni 09.00	
3D Rendering	29
False Colour Rendering	30
Room Surfaces	
Workplane	
Isolines (E)	31
Greyscale (E)	32
Isolines (D)	33
Greyscale (D)	34
Daylight factor calculation surface 1	
Isolines (D)	35
Greyscale (D)	36
21 Juni 12.00	

Operator
Telephone
Fax
e-Mail

Table of contents

3D Rendering	37
False Colour Rendering	38
Room Surfaces	
Workplane	
Isolines (E)	39
Greyscale (E)	40
Isolines (D)	41
Greyscale (D)	42
Daylight factor calculation surface 1	
Isolines (D)	43
Greyscale (D)	44
21 Juni 15.00	
3D Rendering	45
False Colour Rendering	46
Room Surfaces	
Workplane	
Isolines (E)	47
Greyscale (E)	48
Isolines (D)	49
Greyscale (D)	50
Daylight factor calculation surface 1	
Isolines (D)	51
Greyscale (D)	52
21 Desember 09.00	
3D Rendering	53
False Colour Rendering	54
Room Surfaces	
Workplane	
Isolines (E)	55
Greyscale (E)	56
Isolines (D)	57
Greyscale (D)	58
Daylight factor calculation surface 1	
Isolines (D)	59
Greyscale (D)	60
21 Desember 12.00	
3D Rendering	61
False Colour Rendering	62
Room Surfaces	
Workplane	
Isolines (E)	63
Greyscale (E)	64
Isolines (D)	65
Greyscale (D)	66
Daylight factor calculation surface 1	
Isolines (D)	67
Greyscale (D)	68
21 Desember 15.00	
3D Rendering	69
False Colour Rendering	70
Room Surfaces	
Workplane	
Isolines (E)	71
Greyscale (E)	72



Operator
Telephone
Fax
e-Mail


Table of contents

Isolines (D)	73
Greyscale (D)	74
Daylight factor calculation surface 1	
Isolines (D)	75
Greyscale (D)	76





Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
329

E_{min} [lx]
56


E_{max} [lx]
1238

$u0$
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
329

E_{min} [lx]
56


E_{max} [lx]
1238

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 16422 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 16422 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 16422 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 16422 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
420

E_{min} [lx]
72


E_{max} [lx]
1583

$u0$
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
420

E_{min} [lx]
72


E_{max} [lx]
1583

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 20992 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045


Horizontal illuminance outdoors E_o : 20992 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 20992 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 20992 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
269

E_{min} [lx]
46


E_{max} [lx]
1013

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
269

E_{min} [lx]
46


E_{max} [lx]
1013

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 13433 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 13433 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 13433 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Maret 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 13433 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
214

E_{min} [lx]
37


E_{max} [lx]
806

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
214

E_{min} [lx]
37


E_{max} [lx]
806

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 10689 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 10689 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 10689 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 10689 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 12.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas C / 21 Juni 12.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
362

E_{min} [lx]
62


E_{max} [lx]
1362

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 12.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
362

E_{min} [lx]
62


E_{max} [lx]
1362

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 12.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 18069 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 12.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 18069 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 18069 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 18069 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 15.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas C / 21 Juni 15.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 15.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
287

E_{min} [lx]
49


E_{max} [lx]
1083

$u0$
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 15.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
287

E_{min} [lx]
49


E_{max} [lx]
1083

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 15.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 14368 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 15.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 14368 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 14368 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Juni 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 14368 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 09.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas C / 21 Desember 09.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
335

E_{min} [lx]
57


E_{max} [lx]
1261

$u0$
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
335

E_{min} [lx]
57


E_{max} [lx]
1261

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 09.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 16722 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 09.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 16722 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 16722 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 16722 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
407

E_{min} [lx]
70


E_{max} [lx]
1535

$u0$
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
407

E_{min} [lx]
70


E_{max} [lx]
1535

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 20358 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / Workplane / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 20358 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 20358 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 20358 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 15.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas C / 21 Desember 15.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 15.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
258

E_{min} [lx]
44


E_{max} [lx]
974

$u0$
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 15.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
258

E_{min} [lx]
44


E_{max} [lx]
974

u_0
0.171

E_{min} / E_{max}
0.045

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 15.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 12917 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 15.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
2.00

D_{min} [%]
0.34

D_{max} [%]
7.54


D_{min} / D_{av}
0.171

D_{min} / D_{max}
0.045

Horizontal illuminance outdoors E_o : 12917 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37


D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 12917 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas C / 21 Desember 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.99

D_{min} [%]
0.34

D_{max} [%]
7.37

D_{min} / D_{av}
0.173

D_{min} / D_{max}
0.047

Horizontal illuminance outdoors E_o : 12917 lx