

Project 4

Partner for Contact:
Order No.:
Company:
Customer No.:

Date: 04.11.2016
Operator:

Operator
Telephone
Fax
e-Mail

Table of contents

Project 4

Project Cover	1
Table of contents	2
Ruang Kelas D	
Light scenes	
21 Maret 09.00	
3D Rendering	5
False Colour Rendering	6
Room Surfaces	
Workplane	
Isolines (E)	7
Greyscale (E)	8
Isolines (D)	9
Greyscale (D)	10
Daylight factor calculation surface 1	
Isolines (D)	11
Greyscale (D)	12
21 Maret 12.00	
3D Rendering	13
False Colour Rendering	14
Room Surfaces	
Workplane	
Isolines (E)	15
Greyscale (E)	16
Isolines (D)	17
Greyscale (D)	18
Daylight factor calculation surface 1	
Isolines (D)	19
Greyscale (D)	20
21 Maret 15.00	
3D Rendering	21
False Colour Rendering	22
Room Surfaces	
Workplane	
Isolines (E)	23
Greyscale (E)	24
Isolines (D)	25
Greyscale (D)	26
Daylight factor calculation surface 1	
Isolines (D)	27
Greyscale (D)	28
21 Juni 09.00	
3D Rendering	29
False Colour Rendering	30
Room Surfaces	
Workplane	
Isolines (E)	31
Greyscale (E)	32
Isolines (D)	33
Greyscale (D)	34
Daylight factor calculation surface 1	
Isolines (D)	35
Greyscale (D)	36
21 Juni 12.00	

Operator
Telephone
Fax
e-Mail

Table of contents

3D Rendering	37
False Colour Rendering	38
Room Surfaces	
Workplane	
Isolines (E)	39
Greyscale (E)	40
Isolines (D)	41
Greyscale (D)	42
Daylight factor calculation surface 1	
Isolines (D)	43
Greyscale (D)	44
21 Juni 15.00	
3D Rendering	45
False Colour Rendering	46
Room Surfaces	
Workplane	
Isolines (E)	47
Greyscale (E)	48
Isolines (D)	49
Greyscale (D)	50
Daylight factor calculation surface 1	
Isolines (D)	51
Greyscale (D)	52
21 Desember 09.00	
3D Rendering	53
False Colour Rendering	54
Room Surfaces	
Workplane	
Isolines (E)	55
Greyscale (E)	56
Isolines (D)	57
Greyscale (D)	58
Daylight factor calculation surface 1	
Isolines (D)	59
Greyscale (D)	60
21 Desember 12.00	
3D Rendering	61
False Colour Rendering	62
Room Surfaces	
Workplane	
Isolines (E)	63
Greyscale (E)	64
Isolines (D)	65
Greyscale (D)	66
Daylight factor calculation surface 1	
Isolines (D)	67
Greyscale (D)	68
21 Desember 15.00	
3D Rendering	69
False Colour Rendering	70
Room Surfaces	
Workplane	
Isolines (E)	71
Greyscale (E)	72

Operator
Telephone
Fax
e-Mail


Table of contents

Isolines (D)	73
Greyscale (D)	74
Daylight factor calculation surface 1	
Isolines (D)	75
Greyscale (D)	76





Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 09.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas D / 21 Maret 09.00 / False Colour Rendering



lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
298

E_{min} [lx]
197


E_{max} [lx]
608

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 09.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
298

E_{min} [lx]
197


E_{max} [lx]
608

u_0
0.660

E_{min} / E_{max}
0.323


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 09.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 16422 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 09.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 16422 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20


D_{max} [%]
3.70

D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 16422 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 09.00 / Daylight factor calculation surface 1 / Greyscale (D)

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 16422 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 12.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas D / 21 Maret 12.00 / False Colour Rendering



lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
381

E_{min} [lx]
251


E_{max} [lx]
777

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 12.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
381

E_{min} [lx]
251


E_{max} [lx]
777

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 12.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 20992 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 12.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 20992 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20


D_{max} [%]
3.70

D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 20992 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 12.00 / Daylight factor calculation surface 1 / Greyscale (D)

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 20992 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 15.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas D / 21 Maret 15.00 / False Colour Rendering



lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 15.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
244

E_{min} [lx]
161


E_{max} [lx]
497

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 15.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
244

E_{min} [lx]
161


E_{max} [lx]
497

u_0
0.660


E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 15.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 13433 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 15.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 13433 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 13433 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Maret 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 13433 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / False Colour Rendering



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
194

E_{min} [lx]
128


E_{max} [lx]
396

$u0$
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
194

E_{min} [lx]
128


E_{max} [lx]
396

u_0
0.660


E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 10689 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 10689 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 10689 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 10689 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 12.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas D / 21 Juni 12.00 / False Colour Rendering



lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
328

E_{min} [lx]
216


E_{max} [lx]
669

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 12.00 / Workplane / Greyscale (E)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
328

E_{min} [lx]
216


E_{max} [lx]
669

u_0
0.660


E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 12.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 18069 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 12.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 18069 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 18069 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 18069 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / 3D Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / False Colour Rendering




Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
261

E_{min} [lx]
172


E_{max} [lx]
532

$u0$
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
261

E_{min} [lx]
172


E_{max} [lx]
532

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / Workplane / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 14368 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / Workplane / Greyscale (D)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 14368 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20


D_{max} [%]
3.70

D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 14368 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Juni 15.00 / Daylight factor calculation surface 1 / Greyscale (D)

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 14368 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 09.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas D / 21 Desember 09.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 09.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
303

E_{min} [lx]
200


E_{max} [lx]
619

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 09.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
303

E_{min} [lx]
200


E_{max} [lx]
619

u_0
0.660


E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 09.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 16722 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 09.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 16722 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 09.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 16722 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 09.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323



Horizontal illuminance outdoors E_o : 16722 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 12.00 / 3D Rendering




Ruang Kelas D / 21 Desember 12.00 / False Colour Rendering



lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 12.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

E_{av} [lx]
369

E_{min} [lx]
244


E_{max} [lx]
754

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 12.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
369

E_{min} [lx]
244


E_{max} [lx]
754

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 12.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 20358 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 12.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323


Horizontal illuminance outdoors E_o : 20358 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 12.00 / Daylight factor calculation surface 1 / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 20358 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 12.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 20358 lx



Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 15.00 / 3D Rendering



Operator
Telephone
Fax
e-Mail


Ruang Kelas D / 21 Desember 15.00 / False Colour Rendering



lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 15.00 / Workplane / Isolines (E)



Values in Lux, Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

E_{av} [lx]
234

E_{min} [lx]
155


E_{max} [lx]
478

u_0
0.660

E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 15.00 / Workplane / Greyscale (E)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Scale 1 : 71

Grid: 128 x 128 Points

E_{av} [lx]
234

E_{min} [lx]
155


E_{max} [lx]
478

u_0
0.660


E_{min} / E_{max}
0.323

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 15.00 / Workplane / Isolines (D)



Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Scale 1 : 71

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 12917 lx

Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 15.00 / Workplane / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)

Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 12917 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 15.00 / Daylight factor calculation surface 1 / Isolines (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70


D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 12917 lx


Operator
Telephone
Fax
e-Mail

Ruang Kelas D / 21 Desember 15.00 / Daylight factor calculation surface 1 / Greyscale (D)



Scale 1 : 71

Position of surface in room:
Marked point:
(0.000 m, 0.000 m, 0.750 m)



Grid: 128 x 128 Points

D_{av} [%]
1.81

D_{min} [%]
1.20

D_{max} [%]
3.70

D_{min} / D_{av}
0.660

D_{min} / D_{max}
0.323

Horizontal illuminance outdoors E_o : 12917 lx