

Lampiran 3. Analisis Crosstab

1. Penderita DBD dan Kepadatan Penduduk

Crosstab

			Kepadatan_Penduduk			Total
			1	2	3	
Penderita_DBD	1	Count	5	0	0	5
		% within Penderita_DBD	100.0%	.0%	.0%	100.0%
		% within Kepadatan_Penduduk	50.0%	.0%	.0%	31.2%
		% of Total	31.2%	.0%	.0%	31.2%
	2	Count	5	2	2	9
		% within Penderita_DBD	55.6%	22.2%	22.2%	100.0%
		% within Kepadatan_Penduduk	50.0%	100.0%	50.0%	56.2%
		% of Total	31.2%	12.5%	12.5%	56.2%
	3	Count	0	0	2	2
		% within Penderita_DBD	.0%	.0%	100.0%	100.0%
		% within Kepadatan_Penduduk	.0%	.0%	50.0%	12.5%
		% of Total	.0%	.0%	12.5%	12.5%
Total	Count	10	2	4	16	
	% within Penderita_DBD	62.5%	12.5%	25.0%	100.0%	
	% within Kepadatan_Penduduk	100.0%	100.0%	100.0%	100.0%	
	% of Total	62.5%	12.5%	25.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.778 ^a	4	.044
Likelihood Ratio	10.898	4	.028
Linear-by-Linear Association	6.845	1	.009
N of Valid Cases	16		

a. 8 cells (88,9%) have expected count less than 5. The minimum expected count is ,25.

2. Penderita DBD dan Kepadatan Bangunan

Crosstab

			Kepadatan_Bangunan			Total
			1	2	3	
Penderita_DBD	1	Count	3	2	0	5
		% within Penderita_DBD	60.0%	40.0%	.0%	100.0%
		% within Kepadatan_Bangunan	60.0%	33.3%	.0%	31.2%
		% of Total	18.8%	12.5%	.0%	31.2%
	2	Count	2	4	3	9
		% within Penderita_DBD	22.2%	44.4%	33.3%	100.0%
		% within Kepadatan_Bangunan	40.0%	66.7%	60.0%	56.2%
		% of Total	12.5%	25.0%	18.8%	56.2%
	3	Count	0	0	2	2
		% within Penderita_DBD	.0%	.0%	100.0%	100.0%
		% within Kepadatan_Bangunan	.0%	.0%	40.0%	12.5%
		% of Total	.0%	.0%	12.5%	12.5%
Total	Count	5	6	5	16	
	% within Penderita_DBD	31.2%	37.5%	31.2%	100.0%	
	% within Kepadatan_Bangunan	100.0%	100.0%	100.0%	100.0%	
	% of Total	31.2%	37.5%	31.2%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.656 ^a	4	.105
Likelihood Ratio	9.207	4	.056
Linear-by-Linear Association	5.825	1	.016
N of Valid Cases	16		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,63.

3. Penderita DBD dan Luas Lahan Terbangun

Crosstab

			Terbangun			Total
			1	2	3	
Penderita_DBD	1	Count	3	2	0	5
		% within Penderita_DBD	60.0%	40.0%	.0%	100.0%
		% within Terbangun	60.0%	50.0%	.0%	31.2%
		% of Total	18.8%	12.5%	.0%	31.2%
	2	Count	2	2	5	9
		% within Penderita_DBD	22.2%	22.2%	55.6%	100.0%
		% within Terbangun	40.0%	50.0%	71.4%	56.2%
		% of Total	12.5%	12.5%	31.2%	56.2%
	3	Count	0	0	2	2
		% within Penderita_DBD	.0%	.0%	100.0%	100.0%
		% within Terbangun	.0%	.0%	28.6%	12.5%
		% of Total	.0%	.0%	12.5%	12.5%
Total	Count	5	4	7	16	
	% within Penderita_DBD	31.2%	25.0%	43.8%	100.0%	
	% within Terbangun	100.0%	100.0%	100.0%	100.0%	
	% of Total	31.2%	25.0%	43.8%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.081 ^a	4	.132
Likelihood Ratio	9.655	4	.047
Linear-by-Linear Association	5.729	1	.017
N of Valid Cases	16		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,50.

4. Penderita DBD dan Suhu

Crosstab

			Suhu			Total
			1	2	3	
Penderita_DBD	1	Count	4	1	0	5
		% within Penderita_DBD	80.0%	20.0%	.0%	100.0%
		% within Suhu	66.7%	25.0%	.0%	31.2%
		% of Total	25.0%	6.2%	.0%	31.2%
	2	Count	2	3	4	9
		% within Penderita_DBD	22.2%	33.3%	44.4%	100.0%
		% within Suhu	33.3%	75.0%	66.7%	56.2%
		% of Total	12.5%	18.8%	25.0%	56.2%
	3	Count	0	0	2	2
		% within Penderita_DBD	.0%	.0%	100.0%	100.0%
		% within Suhu	.0%	.0%	33.3%	12.5%
		% of Total	.0%	.0%	12.5%	12.5%
Total	Count	6	4	6	16	
	% within Penderita_DBD	37.5%	25.0%	37.5%	100.0%	
	% within Suhu	100.0%	100.0%	100.0%	100.0%	
	% of Total	37.5%	25.0%	37.5%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.593 ^a	4	.072
Likelihood Ratio	10.531	4	.032
Linear-by-Linear Association	6.990	1	.008
N of Valid Cases	16		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,50.

5. Penderita DBD dan Curah Hujan

Crosstab

			Curah_Hujan			Total
			1	2	3	
Penderita_DBD	1	Count	3	2	0	5
		% within Penderita_DBD	60.0%	40.0%	.0%	100.0%
		% within Curah_Hujan	50.0%	33.3%	.0%	31.2%
		% of Total	18.8%	12.5%	.0%	31.2%
	2	Count	3	4	2	9
		% within Penderita_DBD	33.3%	44.4%	22.2%	100.0%
		% within Curah_Hujan	50.0%	66.7%	50.0%	56.2%
		% of Total	18.8%	25.0%	12.5%	56.2%
	3	Count	0	0	2	2
		% within Penderita_DBD	.0%	.0%	100.0%	100.0%
		% within Curah_Hujan	.0%	.0%	50.0%	12.5%
		% of Total	.0%	.0%	12.5%	12.5%
Total	Count	6	6	4	16	
	% within Penderita_DBD	37.5%	37.5%	25.0%	100.0%	
	% within Curah_Hujan	100.0%	100.0%	100.0%	100.0%	
	% of Total	37.5%	37.5%	25.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.119 ^a	4	.087
Likelihood Ratio	8.805	4	.066
Linear-by-Linear Association	5.112	1	.024
N of Valid Cases	16		

a. 9 cells (100,0%) have expected count less than 5. The minimum expected count is ,50.

Lampiran 4. Analisis Korelasi

		Penderita_	Kepadatan_	Suhu	Curah_Hujan
		DBD	Penduduk		
Penderita_DB	Pearson Correlation	1	.676**	.683**	.584*
	Sig. (2-tailed)		.004	.004	.018
	N	16	16	16	16
Kepadatan_Penduduk	Pearson Correlation	.676**	1	.758**	.304
	Sig. (2-tailed)	.004		.001	.253
	N	16	16	16	16
Suhu	Pearson Correlation	.683**	.758**	1	.462
	Sig. (2-tailed)	.004	.001		.071
	N	16	16	16	16
Curah_Hujan	Pearson Correlation	.584*	.304	.462	1
	Sig. (2-tailed)	.018	.253	.071	
	N	16	16	16	16

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

